

# Custom Express Printing LOGO FREE SET-UP! On Any Custom Order












# State of the Art Equipment!

# In-House Customization and Personalization

- · Promote safety awareness
- Reduce injuries
- · Lower workers' comp costs
- Reduce lost work time



We've made it easy to promote your business and show workplace pride!

High Quality Customization for Less


- Low Minimums
- Great Prices
- Free Set-Up
- Fast Turnaround
- High Quality Printing and Embroidery



### Great Style, Protection, & Value From N-Specs®

### NSI N-Specs Tridon 2T

- Lightweight design
- · Scratch-resistant coating
- Polycarbonate lenses











Item#	Lens Color
30799	Clear
161663	Clear w/Anti-Fog
Individually	packaged, 12 per box.

### TOP SELLER



Item#	Lens Color
30800	Gray
161665	Indoor/Outdoor



### NSI N-Specs∘ Raptor®

- · Dielectric, no metal parts
- Nylon frame
- Polycarbonate lenses





Item#	Lens Color
19695	Clear
30565	Clear w/Anti-Fog
19696	Grav

Individually packaged, 12 per box.



Item#	Lens Color
23729	Indoor/Outdoor
20161	Silver Mirrored

### NSI N-Specs Tridon Sport


- · Soft, rubber-coated temples
- · Scratch-resistant coating
- Polycarbonate lenses





Item#	Lens Color
30802	Clear
13287	Clear w/Anti-Fog

Individually packaged, 12 per box.



ltem#	Lens Color
30803	Gray
161625	Indoor/Outdoor

### NSI N-Specs Raptor® LX

- Wraparound design provides extended side protection
- Straight, dual-injected temples reduce slipping and maximize comfort
- Built-in browguard
- Polycarbonate lenses





Item#	Lens Color
323501	Clear
323502	Clear w/Anti-Fog

Individually packaged, 12 per box.



Item#	Lens Color
323503	Gray
323504	Indoor/Outdoor

### NSI N-Specs Tridon<sup>,</sup>

- · Lightweight frame with padded temples
- · Impact-resistant polycarbonate lenses





Item#	Lens Color
24543	Clear
27428	Clear w/Anti-Fog



Item#	Lens Color
24544	Gray
13320	Gray w/Anti-Fog
24545	Indoor/Outdoor



### NSI N-Specs Riptide

- Adjustable temples
- Polycarbonate lenses
- Tri-Opt Anti-Fog offers 3x the strength and protection and lasts 3x as long as typical anti-fog coatings

TRINOPT

· Eliminates fogging on contact



Item#	Lens Color
19908	Clear
23854	Clear w/Anti-Fog
184598	Clear w/Tri-Opt" Anti-Fog
Individually	packaged, 12 per box.



Item#	Lens Color	
19909	Gray	
23855	Amber	
19910	Indoor/Outdoor	



### NSI N-Specs Riptide Sport

- Ultra light frame ensures comfortable, all-day wear
- Polycarbonate lenses
- Anti-fog style has clear temples



Lens Color	Item#	Lens Color	
Clear	22193	Indoor/Outdoor	
Clear w/Anti-Fog	22194	Silver Mirrored	

22192	Gray		
Individua	lly packaged.	12 per box.	

Item# 22191 27427

Item#	Lens Color
22193	Indoor/Outdoor
22194	Silver Mirrored



Item#	Lens Color	Item#	Lens Color
323532 323533	Clear Clear w/Anti-Fog	323534 323535 323536	Gray Gray w/Anti-Fog Indoor/Outdoor

Individually packaged, 12 per box.



### NSI N-Specs Scion<sup>®</sup>LT

- · Lightweight nylon frame
- Distortion-free lens
- Rubber-tipped temples
- Polycarbonate lenses

AF ANTIFOG ANTIFOG	UV	ANSI	ISO 9002 Cartified	LOGO
		- 31	1171	



Item#	Lens Color	Item#	Lens Color
31171	Clear	31173	Gray
31172	Clear w/Anti-Fog	31174	Indoor/Outdoor

Please specify frame color: Black (BK), Blue (BE), or Red (RD). Individually packaged, 12 per box.



# NSI N-Specs Riptide XP

- Extended wraparound design
- Cushioned rubber nosepiece and temples
- Polycarbonate lenses





Item#	Lens Color
161678	Clear
161701	Clear w/Anti-Fog

Item#	Lens Color
161707	Gray
161724	Indoor/Outdoor

### NSI N-Specs ENFORCER® SPORT

- Pliable nosepiece and padded temples
- Hardcoated polycarbonate lenses



Item#	Lens Color
32304	Clear
184609	Clear w/Anti-Fog
32307	Gray
Individua	ally packaged, 12 per box.

Item#	Lens Color
32308	Indoor/Outdoor
32309	Blue Mirrored

Great coverage and a

wide field of vision

Extreme wraparound design


# NSI N-Specs Avenger® LX

- · Lightweight, curved lens
- Soft-Fit<sup>®</sup> flexible rubber temples provide maximum comfort and secure, non-slip wear
- Hardcoated polycarbonate





Item#	Lens Color
222584	Clear
222585	Clear w/Anti-Fog
Individua	Ily packaged, 12 per box



Item#	Lens Color
222587	Gray w/Anti-Fog
222588	Indoor/Outdoor

# NSI N-Specs

- Lightweight, frameless design
- Innovative Soft-Fit<sup>®</sup> temples
- Hardcoated polycarbonate lenses





Item#	Lens Color
22187	Clear
22188	Gray
Individu	ally packaged, 12 per box.

Item#	Lens Color
22189	Indoor/Outdoor
22190	Mirrored

### NSI N-Specs Avenger<sup>o</sup> Sport

- Wraparound lens
- 4-stop adjustable temples
- Ratchet inclination
- Polycarbonate lenses



6	1
19667	

Safety Eyewear

Item#	Lens Color	Item#	Lens Color
19667	Clear	19669	Indoor/Outdoor
19670	Clear w/Anti-Fog	19672	Red Mirrored
19668	Gray		
Individu	ally packaged, 12 per b	OX.	

222614

### NSI N-Specs∘ Avenger® XP

- Dual-injected Soft-fit<sup>®</sup> temples provide secure, cushioned wear
- Gel nosepiece
- Hardcoated polycarbonate lens
- Available with new Tri Opt triple strength anti-fog coating

UV ANSI





ual-injected	Soft-fit® temples
110	

ltem#	Lens Color
222614	Clear
222615	Clear w/Anti-Fog
222616	Clear w/Tri-Opt" Anti-Fog

Individually packaged, 12 per box.

	Item#	Lens Color
l	222618	Gray
l	222619	Gray w/Tri-Opt" Anti-Fog
l	222621	Indoor/Outdoor

### NSI N-Specs ENFORCER®

- Dual lens style
- . Soft temple ends and cushioned nose pads
- Lightweight frame
- Sculpted, hardcoated polycarbonate lenses







Item#	Lens Color
32346	Gray



22189

### Safety Eyewear



### NSI N-Specs Infusion<sup>®</sup>

- · Cushioned, non-slip nosepiece
- Polycarbonate lenses
- Wraparound design









Item#	Lens Color
22208	Clear
28897	Clear w/Anti-Fog
22209	Gray
22210	Indoor/Outdoor
m.	

Item#	Lens Color
22211*	Silver Mirrored
22211PM	Blue Mirrored w/ Platinum Frame

Please specify frame color: Black (BK), Platinum (PM), or Red (RD). \*Available in Black or Red frames only. Individually packaged, 12 per box.



### NSI N-Specs *Xcelerator* •

- · Frameless style offers a wide, unobstructed field of vision
- · Soft, low-profile temples
- Wraparound design
- Hardcoated to prolong use
- Polycarbonate lenses









Item#	Lens Color	
32310	Clear	
32311	Gray	

Individually packaged, 12 per box.

ĺ	Item#	Lens Color
	32315	Indoor/Outdoor



### NSI N-Specs Xcelerator: LT

- Hardcoated to resist scratches
- Nylon frame
- Polycarbonate lenses



Item#	Lens Color
312034	Clear
312035	Clear w/Anti-Fog
312036	Gray

012000	OIC UI	ania anim		8		
312036	Gray					
312030	ulay					
Individual	ly nac	kaned	12	ner	hox	
III WITH I WOULD	if buc	rendent.		pu	Market Committee	

Item#	Lens Color
312037	Indoor/Outdoor
312038	Red Mirrored



# NSI N-Specs Xcelerator: GT

- Extreme blade wrap design offers a wide field of vision
- Soft nosepiece & dual-injected cushioned temples
- Polycarbonate uni-lens





Item#	Lens Color
162506	Clear
162507	Gray
162508	Indoor Outdoor
Individually	packaged, 12 per box.

Item#	Lens Color	_
162509 162510	Silver Mirrored Red Mirrored	



### NSI N-Specs Infusion® 100

- · Ultra lightweight design
- Cushioned temples and soft, rubber nosepiece
- Polycarbonate uni-lens





Cushioned temples	
	-
A	22214
	22214

em#	Lens Color	Item#	Lens Color
2212	Clear	22214	Indoor/Outdoor
2213	Gray	22215	Silver Mirrored

Please specify frame color: Black (BK) or Blue (BE). Individually packaged, 12 per box.



### NSI N-Specs VeXor•FX

- Wraparound lenses
- · Distortion-free optics
- Hardcoated to minimize scratches
- Polycarbonate lenses



Item#	Lens Color	
156768	Clear	
184597	Clear w/Anti-Fog	

Item#	Lens Color
156769	Gray

# Dual-injected temple Foam liner adds comfort Temples detach and are easily replaced with adjustable strap

# NSI N-Specs VRX

- Foam liner helps protect eyes from foreign particles, wind, or dust
- Temples detach to allow use of adjustable head strap, providing a "goggle fit"
- · Dual-injected temple ends add comfort
- Anti-fog polycarbonate lenses



ltem#	Lens Color	Item#	Lens Color
323488	Clear	323492	Indoor/Outdoor
323489	Gray	323494	Red Mirrored

Individually packaged, 12 per box.



# NSI N-Specs Polarized Safety Glasses

- · Polarized lenses reduce glare
- Polycarbonate lenses





Item# 323541

Individually packaged, 12 per box.







# NSI N-Specs Tridon

### Foam Lined Safety Glasses

- Permanently attached foam orbital seal provides extra protection from dust and particles
- · Lightweight nylon frame with wraparound design
- Rubber temple ends
- · Impact-resistant polycarbonate lenses
- Tri-Opt" Anti-Fog offers 3x the strength and protection and lasts 3x as long as typical anti-fog coatings
- · Eliminates fogging on contact



Item#	Lens Color
184613	Clear
223476	Clear w/
	Tri-Opt" Anti-Fog

Individually packaged, 12 per box.

Item#	Lens Color
184614	Gray
223478	Gray w/ Tri-Opt" Anti-Fog





Lens Color
Clear
Gray
Indoor/Outdoor
Red Mirrored
packaged, 12 per box.

<b>NSI</b>
N-Specs
Axel LX

- Soft rubber temple ends and nosepiece
- Lightweight frame is easy to put on and off, even with gloves on
- Wraparound polycarbonate lens

1	Item#	Lens Color
	222609 BK	Blue Mirrored w/
		Black Frame
	222609 PM	Blue Mirrored w/
		Platinum Frame





FREE Microfiber Lens Cover



- Lens lightens and darkens with changing outdoor light conditions
- Soft, rubber-tipped temples and nosepiece
- Curved design delivers great coverage
- Durable polycarbonate lenses

### Item#

5234

Individually packaged, 12 per box.

Temperature and surrounding conditions will affect transition time.

· Frameless design

- · Wraparound style
- Polycarbonate lenses





Item#	Lens Color
26497 6657	Blue Mirrored Smoke, Polarized w/ Gunmetal Frame





### KLEENGUARD 38 Special™

· Ergonomically contoured temples with sure grip inserts

Individually packaged, 12 per box.

 Shatter-resistant polycarbonate lenses







Item#	Lens Color	Frame Color
23750	Clear	Black
23751	Smoke Gray	Black
23753	Red Mirrored	Black
23754	Blue Mirrored	Chrome
Individua	lly packaged, 12 per box.	

# KLEENGUARD'

# Equalizer™

- · Soft, rubber nose pads
- · Sport grip temples
- · Extreme wraparound design
- · Polycarbonate lenses resist impact











Item#	Lens Color	Frame Color
26527	Clear	Gun Metal
26528	Clear w/Anti-Fog	Gun Metal
26529	Smoke w/Anti-Fog	Gun Metal
26530	Indoor/Outdoor	Gun Metal
26531	Blue Mirrored	Blue


Individually packaged, 12 per box.



### KLEENGUARD Magnum

- · One-piece wraparound lens
- Adjustable break-away temples
- · Ribbed, non-slip, rubber nosepiece
- · Polycarbonate lens
- Mini-Magnum<sup>™</sup> has the same great features as the Magnum", yet designed for smaller faces





Item#	Lens Color	Frame Color
Magnum"	:	
5842	Clear	Black
5844	Amber	Black
16297	Clear	Platinum
5843	Gray	Black
5845	Gold Mirrored	Black
Mini-Mag	num":	
5011	Clear	Black
5012	Gray	Black
5013	Amber	Black
Individual	v packaged 12 per box	



- · Lightweight design
- · Hardcoated polycarbonate lenses



26534





Lens Color	Item#	Lens Color
Clear	26535	Amber
Clear w/Anti-Fog	26536	Indoor/Outdoor
Smoke	26537	Blue Mirrored

26537



### Uvex Seismic®

- · Removable, cushioned liner and head strap allow you to wear as safety glasses or goggles
- Specially designed for protection against wind, dust, and airborne debris
- . Soft, flexible nose pads conform to a variety of facial profiles
- · Padded temple ends add comfort
- Adjustable, flame-resistant head strap
- Durable polycarbonate lenses
- Dura-streme coating protects against fogging and scratches
- Ideal for dirty, high particulate work environments including grinding, chipping, shaving, and sanding

Item#	Lens Color	Coating
30603	Clear	Uvextra™ AF Anti-Fog
30604	Clear	Dura-streme™
30605	Espresso	Uvextra™ AF Anti-Fog
30606	SCT-Reflect	Uvextra™ AF Anti-Fog
Reader's	Lenses:	
5102	Clear, 1.5 Diopter	Uvextra™ AF Anti-Fog
5104	Clear, 2.0 Diopter	Uvextra™ AF Anti-Fog
5108	Clear, 2.5 Diopter	Uvextra™ AF Anti-Fog

Individually packaged, 10 per box.

### Honeywell UVEX.

### Uvex Ambient™ OTG (Over-the-Glass)

- Lightweight safety glasses provide great over-the-glass coverage, offering protection over prescription eyewear
- Ratcheting temples feature 3-position lens inclination adjustment and bendable wire-core design to assure a secure, custom fit
- Cushioned nosepiece adds comfort and minimizes slippage



More Prescription Eyewear Styles

UV ANSI CSA

- Impact-resistant polycarbonate uni-lens
- Ultra-dura® coating resists scratching to prolong use
- Uvextreme® coating minimizes fooging, scratching, and static

Item#	Lens Color	Coating
30612	Clear	Ultra-dura*
30613	Gray	Ultra-dura*
30614*	Clear	Uvextreme*

Please specify Medium (M) or Large (L). \*Available in Large only. Individually packaged, 10 per box.

### Safety Eyewear



### Honeywell UVEX

30603

ANSI

### Uvex Hypershock™

· Lightweight, wraparound frame is engineered to fit a wide range of workers and provide excellent coverage

assures a secure fit Streamlined padded temples and molded nosepiece assure a secure, comfortable fit

· Polycarbonate lenses resist impact





Soft nosepiece



<ul> <li>100% dielectric for added safety</li> </ul>		( ) ( )	
Item#	Lens Color	Coating	
96323	Clear	Uvextreme® Plus AF	
96324	Gray	Uvextreme® Plus AF	
96325	Reflect 50 HC	Hardcoat	
96326	Red Mirrored	Hardcoat	
96327	Blue Mirrored	Hardcoat	
Individual	lly packaged, 10 per box.		

Coated to resist fogging and scratches



### Honeywell

### Livewire<sup>™</sup> Sealed Eyewear

 Smooth surface foam minimizes pressure against the skin for comfortable wear

. Contoured design with upper and side channels in the frame allow maximum venting and enhanced anti-fog performance

- · Padded temples provide ideal tension and flex for optimal comfort
- · Ratcheting temples adjust by up to 15°, delivering a custom fit
- · Durable polycarbonate lenses resist impact
- Uvextreme\* Plus coating minimizes fogging, scratching, and static
- Dura-streme\* coating protects against fogging and scratches
- HydroShield provides up to 90x longer-lasting fog-free vision than Uvex's next best coating
- Ideal for high-particulate environments











Lens Color	Coating
Clear	Uvextreme* Plus
Clear	Dura-streme™
Clear	HydroShield*
Espresso	Uvextreme® Plus
Amber	Uvextreme® Plus
SCT-Reflect 50	Uvextreme® Plus
	Clear Clear Clear Espresso Amber





### ES4 Safety Eyewear

- · Lightweight frame features 100% visually correct lenses
- Adjustable nosepiece
- · Durable polycarbonate lenses resist impact
- · Polarized: specialty lenses reduce glare



Item#	Lens Color	
17146	Clear w/Shiny Pearl Gray Frame	
17157	Smoke w/Black Frame	
17164	Silver Mirrored w/Black Frame	
Individual	lly packaged, 12 per box.	

Adjustable nosepiece	17146

Red Mirrored w/Black Frame

Silver Mirrored Polarized w/





### Cobra Safety Eyewear

- 100% visually-correct, de-centered lenses provide great optics to reduce eye fatigue
- Vented rubber nosepiece
- · Rubber temple inserts
- Impact-resistant polycarbonate lenses



1	(Annual)	
tem#	Lens Color	
17417	Clear w/Shiny Black Frame	
17419	Smoke w/Crystal Black Frame	
17421	Indoor/Outdoor w/Crystal Black Frame	
17423	Red Mirrored w/Crystal Black Frame	
17426	Silver Mirrored w/Burnt Orange Frame	

Individually packaged, 12 per box.





### ES5 Safety Eyewear

- Soft, rubber nosepiece
- Dual-mold temple grips
- Lightweight, half-frame
- Polycarbonate lenses





Item#	Lens Color	Frame Color
96563	Clear	Shiny Pearl Gray
96561	Smoke	Shiny Pearl Gray
96564	Indoor/Outdoor	Matte Black
96566	HD Brown Mirrored	Crystal Brown
96567	Blue Mirrored	Shiny Black
96568	HD Polarized	Crystal Brown
Individually packaged, 12 per box.		





- · Soft, thermoplastic rubber nosepiece
- Lightweight frame features wraparound design for optimum field of vision
- Impact-resistant polycarbonate lenses



**Lens Color** 

Black Frame

Item# 17174

17178



Item#	Lens Color
7927	Clear w/Matte Black Frame
7930	Smoke w/Shiny Black Frame
7932	Smoke w/Camouflage Frame
7934	Amber w/Shiny Black Frame
7936	Emerald w/Shiny Black Frame

Individually packaged, 12 per box.





### Hardcoated to reduce scratches

tem#	Lens Color	Fran
96582	Clear	Shir
96584	Smoke	Mat
96585	Indoor/Outdoor	Shir
96587	Silver Mirrored	Shir
96589	Gold Mirrored	Crys

Individually packaged, 12 per box.



### **TL11 Safety Glasses**

- · Wider, extended frame guards offer superior side protection
- · Rubber temple grips
- Adjustable nosepiece assures a comfortable fit for all-day wear
- Rugged, impact-resistant polycarbonate lenses



Fra	me Color	
Shi	iny Pearl Gray	
Ma	tte Black	
Shi	iny Pearl Gray	
Shi	iny Pearl Gray	
Cry	stal Brown	



### Optima™ IQuity™ Anti-Fog Safety Eyewear



- . IQuity" intelligent anti-fog technology is environmentallyfriendly, non-toxic, and non-flammable
- . Lightweight frame with dual-mold temples
- Polycarbonate lenses



Item#	Lens Colo
205471	Clear
205475	Smoke





- . Durable frame offers great side protection
- Polycarbonate lenses

Item#	Lens Color
7938	Clear w/Pearl Gray Frame
7940	Smoke w/Black Crystal Frame
7942	Silver Mirrored w/Shiny Black Frame

# Individually packaged, 12 per box. RADIANS



- . Closed cell foam-lined channels block debris and eye irritants
- Full wraparound frame
- Tiny, foam-lined pockets/vents provide extra fog control
- Polycarbonate lenses

Item#	Lens Color
240505	Indoor/Outdoor



# Individually packaged.


### Safety Eyewear



### Obliterator™ IQuity™ Anti-Fog Foam-Lined Safety Eyewear

- . IQuity" intelligent anti-fog is environmentally-friendly, non-toxic, and non-flammable
- Includes removable foam lining and adjustable headstrap
- Rubber nosepiece
- Polycarbonate lenses

### High strength anti-fog coating










Item#	Lens Color
297686	Gray

### CROSSFIRE

### M6A Eyewear





Polycarbonate lenses



### Modern styling boosts compliance

Item#	Lens Color	Frame Color
96601	Smoke	Crystal Black
96602	Indoor/Outdoor	Pearl Gray
96603	Silver Mirrored	Pearl Black
96604	Blue Mirrored	Metallic Blue
Individually packaged, 12 per box.		

### Rad-Sequel™

- Rubber-tipped temples
- Soft, rubber nosepiece
- Polycarbonate lenses



### Sporty design with a great fit

Item#	Lens Color
32211	Clear
32212	Clear w/Anti-Fog
32213	Smoke
32214	Indoor/Outdoor

Individually	packaged,	12 per box.
--------------	-----------	-------------

It	em#	Lens Color
3	2215 2216 2217	Light Blue Silver Mirrored Blue Mirrored





Law® 2





- Thermal plastic rubber temple inserts enhance grip and comfort
- Soft nose pads add comfort and minimize slippage
- Dielectric design has no metal parts for added safety
- Specially designed to provide excellent orbital seal and a higher level of protection from side impacts
- Impact-resistant polycarbonate lenses

Individually packaged, 12 per box.

Item#	Lens Color	Item#	Lens Color	
30571 30572 30573 30574	Clear Clear w/Anti-Fog Gray Gray w/Anti-Fog	30575 30576 30577	Light Blue Indoor/Outdoor Silver Mirrored	





### GLASSES Law® 3 Foam Sealed Safety Glasses

- Open cell foam delivers greater comfort and increased protection from dust, debris, and small particles
- · Wraparound lenses provide a superior orbital seal and greater side impact coverage
- ANSI
- Rubber temple inserts and nosepad enhance grip and reduce slippage
- Dielectric design ensures added safety
- · Lightweight, yet durable impact-resistant polycarbonate lenses

Item#	Lens Color	Item#	Lens Color
31308	Clear	31309	Gray
Individ	ually packaged, 12 per box.		






### Law® OTG

- . Non-slip, thermal plastic rubber temple inserts offer comfort and grip
- Anti-fog, Duramass<sup>®</sup> coating minimizes scratching and fogging for longer wear and improved vision
- Ratcheting temples adjust to fit over most prescription eyewear
- Lightweight, nylon frame is dielectric for added safety
- Impact-resistant polycarbonate lenses

Item#	Lens Color	Coating	ng	
30600	Clear	Anti-Fog		
30601	Gray	Anti-Fog		

Individually packaged, 12 per box.





### Klondike®

- Matte black frame features sporty, hinged spatula temples for a great fit and all-day wear
- · Wraparound dual lenses provide a wide field of protection
- · Soft, gel nosepiece offers superior comfort
- Impact-resistant polycarbonate lenses



UV ANSI


### **Give Your Workers Enhanced Comfort & Protection**





### and Bearkat® Small

- · Non-slip temple sleeves
- Nylon specs feature hybrid temples and impact-resistant lenses
- Dual lens wraparound style with tight orbital seal
- . BearKat® Small is ideal for those workers with smaller faces





UV ANSI

Item#	Lens Color	Item#	<b>Lens Color</b>
BearK	at":	BearK	at <sup>o</sup> Small:
26429	Clear	29016	Clear
26430	Gray	29017	Gray
26431	Light Blue	29018	Light Blue
26432	Silver Mirrored		Silver Mirro








- Sleek, dual lens style with hybrid temple design promotes compliance
- Duramass® scratch-resistant coating protects lenses and prolongs use
- Impact-resistant, polycarbonate lenses

Clear
Smoke
1

Individually packaged, 12 per box.







- · Non-slip rubber head grips
- Wraparound lens
- Impact-resistant

puly cal bullate lells		
Item#	Lens Color	
3254*	Clear	
3255	Gray	
14575	Amber	
4457	Indoor/Outdoor	





Item#	Lens Color
3256	Mirrored
4458	Welding Shade 3.0
4459	Welding Shade 5.0

Black frame only. \*Also available in Blue (BE) or Red (RD). Individually packaged, 12 per box.





Wraparound design with wider temples

· Duramass" coating minimizes lens scratching

Impact-resistant polycarhonate lenses



- Impactite	sistalit polycarboliate lelises
Item#	Lens Color
5242	Clear
5246	Gray w/Anti-Fog
5250	Silver Mirrored
5252*	Blue Diamond Mirrored
5252 RD	Fire Mirrored w/Red Frame
DI	Y /

Please specify frame color: Black (BK), Red (RD), or White (WE). \*Available in Black and White frames, only. Individually packaged, 12 per box.



### 3M SecureFit<sup>™</sup> 3700 OTG · Easily fits over prescription glasses







- Pressure Diffusion Technology relieves pressure
- · Scotchgard" anti-fog coating
- Soft touch nosepiece adds comfort and stability
- Polycarbonate uni-lens

Item#	Lens Color	ltem#	Lens Color
323261*	Clear	323232	Indoor/Outdoor
323231	Grav		

\*Please specify frame color: Blue/Blue (BEBE), Gray/Lime Green (GYLGN), or Gray/Orange (GYOE). Individually packaged, 10 per box.



- minimizes pressure over the ear
- . Scotchgard" anti-fog coating
- · Soft touch nosepiece adds comfort and more stable wear
- · Polycarbonate uni-lens

Item#	Lens Color	Item#	Lens Color	
323238	Clear	323239	Gray	
Individual	ly packaged, 10 per	r box.		



- Control System (CCS) with foam gasket attachment
- · Foam gasket helps limit eye exposure to nuisance dust
- · Impact-resistant polycarbonate lenses

Individually packaged, 20 per box.

UV ANSI CSA

Item#	Lens Color Coating			
5125	Clear	Anti-Fog		
5127	Gray	Anti-Fog		
5143	Indoor/Outdoor	Anti-Fog		



### 3M Solus 1000

- · Scotchgard" anti-fog coating brings higher anti-fog performance\* to safety eyewear, helping workers see more clearly to complete on-the-job tasks
- Low profile frame
- · Removable padded temples and a soft nose bridge
- Impact-resistant polycarbonate lenses



Scotchgard anti-fog lens coating

Item#	Lens Color
165107	Clear
165111	Clear w/Foam Gasket & Strap
165108	
165110	Amher



Please specify frame color: Blue/Black (BEBK) or Green/Black (GNBK). \*Based on 3M internal testing per EN168 test method when compared to traditional anti-fog coatings.



### 3M BX<sup>™</sup> Safety Eyewear

- Adjustable temples with ratchet inclination
- · Soft tip temples and soft, flexible nosebridge
- Impact-resistant polycarbonate lenses with anti-fog coating



Soft tip temples decrease pressure



Item#	Lens Color
24111	Clear
Individua	lly packaged, 10 per box.

Item#	Lens Color	
24112	Gray	





- Platinum<sup>™</sup> Plus coating resists fog and scratches
- Non-slip nosepiece
- · Extra upper brow protection
- · Sporty, two-color temples are dual-injected and flexible
- Polycarbonate lenses
- . Strap and foam kit turns eyewear into goggle-style for wear in dusty, dirty environments

Item#	Description	_
96377	Clear Lens w/Red/Black Temples	
96386	Gray Lens w/Gray/Black Temples	
96393	Twilight Lens w/Gray/Black Temples	
96387	Strap and Foam Kit	



### bollé

### Rush Safety Eyewear

- · Extreme wraparound dual lens delivers superior optical quality and a distortion-free viewing area
- Sleek, lightweight frame provides appealing style
- Polycarbonate lenses offer superior protection against impact and scratches
- Hydrophobic lens repels water



FREE Retainer

Item#	Lens Color
31427	Clear w/Anti-Scratch
5304	Clear Hydrophobic
31428	Smoke w/Anti-Scratch
31429	Twilight Indoor/Outdoor w/Anti-Fog

Individually packaged, 10 per box.



### bollé Contour Safety Eyewear

# Ultra lightweight frame

- design provides extensive eye coverage
- Rubber nose pads and temples add comfort
- Durable polycarbonate dual lenses resist impact



FREE Retainer & Carry Bag

Item#	Lens Color
31423	Clear w/Anti-Scratch and Anti-Fog
31424	Smoke w/Anti-Scratch and Anti-Fog
31425	Amber w/Anti-Scratch and Anti-Fog
31426	Indoor/Outdoor w/Anti-Scratch

Individually packaged, 10 per box.



- · High contour, dual lens design delivers optimum field of vision
- · Distortion-free, rimless lens provides superior optical quality
- . Features anti-fog and anti-scratch coatings on both sides of the lens
- · Dielectric, non-conductive construction
- · Lightweight frame
- · Impact- and scratch-resistant polycarbonate lenses









A
17613

Distortion-free viewing

Item#	Lens Color
17613	Clear w/Anti-Fog
17615	Smoke w/Anti-Fog

Individually packaged, 10 per box.

Item#	Lens Color
17625	Silver Mirrored



### Solis Safety Eyewear

- · Non-slip rubber temples and nosebridge
- · Dual lenses provide distortion-free viewing
- · Hardcoated, impact-resistant polycarbonate lenses








FREE Carry Case & Lanyard

Item#	Lens Color
32051	Clear w/Anti-Scratch and Anti-Fog
32052	Smoke w/Anti-Scratch and Anti-Fog
32055	Blue Mirrored w/Anti-Scratch
32056	Polarized w/Anti-Scratch



# Leading in Lens Technology





# Kazbek Safety Eyewear

- · Soft, padded temples and nosepiece
- . Durable, Edge-Flex frame contours to the head
- Wraparound design offers a wide field of vision
- · Rugged, impact-resistant polycarbonate lenses
- Military MCEPS GL-PD 10-12 Rated

Item#	Lens Color	Item#	Lens Color
5254	Smoke	5260	Aqua Precision
5256	Silver Mirrored		Red Mirrored
5258	Blue Mirrored		

Individually packaged, 12 per box.





- Soft nosepiece adds comfortable, non-slip wear
- Lightweight nylon frame stands up to the rigors of your workday
- Dual-injected temples deliver a great fit
- Driving lens is a blue light filter lens
- Impact-resistant polycarbonate lenses

Item#	Lens Color	Item#	Lens Color
32370	Clear,	32373	Silver Mirrored
	Anti-Reflective	32374	Blue Mirrored
32371	Smoke	32376	Polarized Gradient
32372	Copper "Driving"		

Individually packaged, 12 per box.



- · Sporty wraparound frame is specially designed to eliminate sideshield distortion
- · Soft, pliable rubber temples provide comfortable, non-slip wear
- · Coated to resist scratches
- Rugged polycarbonate lenses
- Vapor Shield lens delivers ultimate anti-fog protection for extreme

 Aqua Precision lens blocks the transmission of infrared UV ANSI light, providing greater contrast and clarity





Item#	Lens Color	Item#	Lens Color
32390	Clear	32396	Silver Mirrored
17378	Clear Vapor Shield	32397	Blue Mirrored
32392	Clear, Anti-Reflective	32398	Rose Mirrored
32393	Yellow	32399	Polarized
32394	Amber	32400	Agua Precision
32395	Smoke		Polarized
17387	Smoke Vapor Shield		Blue Mirrored

Individually packaged, 12 per box.

ANSI

UV ANSI



# Baretti Safety Eyewear

- · Anti-fog, anti-scratch coating adds safety and prolongs use
- . Soft, pliable rubber temple pads and nosepiece reduce slippage and assure comfortable wear
- . Edge-Flex frame technology bends to facial contours for an unsurpassed fit and superior durability
- Durable, impact-resistant polycarbonate lenses
- Military MCEPS GL-PD 10-12 Rated

Item#	Lens Color	Item#	Lens Color
5228	Smoke	5232	Aqua Precision
5230	Silver Mirrored		Red Mirrored

### PYRAMEX Ztek® and Mini Ztek®

- · Wraparound, single lens design offers a wide panoramic view
- · Polycarbonate lens with scratch-resistant coating
- · Mini Ztek® is great for those workers with smaller faces, including women and teens



**Lens Color** Item# Mini Ztek®:

26510 Clear 26511 Gray

Indoor/Outdoor Mirrored 26513 26512 Translucent Infinity" Blue Individually packaged, 12 per box.

Mini Ztek<sup>a</sup> is 20% smaller than Ztek®



Item#	Lens Color
Zteke:	
26521	Clear
26522	Clear w/Anti-Fog
26523	Gray
26524	Translucent Infinity® Blue
26526	Indoor/Outdoor Mirrored
26525	Blue Mirrored



- · Rubber temples provide non-slip wear
- Soft nose piece adds comfort
- Polycarbonate lenses






Item#	Lens Color	Coating
323433	Clear	Anti-Scratch
323434	Clear	Anti-Scratch, Anti-Fog
323435	Gray	Anti-Scratch
323436	Infinity Blue	Anti-Scratch
323438	Indoor/Outdoor	Anti-Scratch, Anti-Fog
Individual	ly packaged, 12 per box	



### PYRAMEX Venture II®

- Curved lens provides full, uninterrupted side protection
- Adjustable temples
- · Nose pads add comfort
- · Specially coated to resist scratches for long-lasting use
- Impact-resistant polycarbonate lenses







Item#	Lens Color
28967	Infinity Blue
28968	Indoor/Outdoor Mirrored



channel away sweat

- · Dielectric hinge design
- Soft nosepiece
- Polycarbonate lenses



Item#	Lens Color
323458	Clear
323459	Clear w/Anti-Fog



ltem#	Lens Color
323460	Gray
323461	Gray w/Anti-Fog
323462	Indoor/Outdoor



- Ventilated nosepiece allows heat to dissipate from nose bridge to reduce fogging
- · Curved, wraparound lens
- · Lightweight, frameless style
- · Soft, rubber temples and flexible nosepiece
- · Impact-resistant polycarbonate lenses



Item#	Lens Color
30578	
305/9	Clear w/Anti-Fog Gray

Individually packaged, 12 per box.



ltem#	Lens Color
30582	Infinity Blue Indoor/Outdoor Blue Mirrored

### Magnification Lens Inserts

### Turn Popular Safety Eyewear Into Readers Glasses



# NSI N-Specs® Readers Safety Eyewear



- · Soft, cushioned nosepiece and temples
- · Adjustable temples with ratchet inclination assure a custom fit
- · Coated to resist fogging
- Polycarbonate lenses

Item#	Lens Col
23832	Clear
96322	Gray



9002 Cedified

Please specify magnification: 1.5 Diopter (150), 2.0 Diopter (200), 2.5 Diopter (250), or 3.0 Diopter (300). Individually packaged, 12 per box.



Individually packaged, 12 per box.

### NSI N-Specs<sup>o</sup> Infusion<sup>o</sup> Readers

- Cushioned nosepiece
- Strategically placed magnification lens inserts are out of user's direct line of vision
- · Anti-fog coating
- Polycarbonate lenses

Item#	Magnification	(AE) (IIV) (Augu) (ISO)
28894 15	1.5 Diopter	AF UV ANSI 150 9002
28895 20	2.0 Diopter	
28896 25	2.5 Diopter	





### Bearkat® Magnifier Safety Eyewear

- Wraparound lens design
- Rexible temples
- Duramass® coating resists scratches
- Polycarbonate lenses

Item#	Magnification
5203	1.5 Diopter
5205	2.0 Diopter
5209	2.5 Dionter



Individually packaged, 12 per box.



Item#	Lens Color	UV ANSI USO SOO Conta
184607	Clear	PRINCIPAL APPRINCE CALL
184608	Gray	

Please specify magnification: 1.0 Diopter (100), 1.5 Diopter (150), 2.0 Diopter (200), 2.5 Diopter (250), or 3.0 Diopter (300). Individually packaged, 12 per box.



### 3M BX™ Reader Safety Eyewear

- Adjustable length temples with ratchet inclination
- Soft tip temples, lightweight design, and cushioned nose bridge
- Polycarbonate lenses with anti-fog coating

Item#	Lens Color	UV	ANSI	CSA
23833*	Clear	PACIFICION	APPROVED	APPROVED

Please specify magnification: 1.5 Diopter (150), 2.0 Diopter (200), or 2.5 Diopter (250). Individually packaged, 10 per box.

Item#	Lens Color	Magnification	
31357	Gray	1.5 Diopter	
31358	Gray	2.0 Diopter	
31359	Gray	2.5 Diopter	


# NSI Premium Sideshields

- Flexible vinyl sideshields go onto the temples of your eyewear in seconds and absorb the energy of impact
- Simply weave sideshields on to the temple ends no tools needed
- Improved design allows temples to fold correctly
- Complies with ANSI standards when worn in conjunction with ANSI approved eyewear

### Item#

### 23792

1 pair per bag, 60 pair per box.





### NSI.

### Deluxe Nylon Eyewear Retainer

 Fully adjustable and attach securely to eyewear temples

### Item#

### 22185

Please specify color: Black (BK), Blue (BE), or Red (RD). 12 per case.

▲ WARNING: Cancer and Reproductive Harm—www.P65Warnings.ca.gov







- Cotton cords break away for maximum worker safety and reattach easily
- Accommodates most eyewear temples

### Item#

### 22851

Please specify color: Black (BK), Blue (BE), Gray (GY), or Red (RD). 12 per package

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov



### NSI

### Economical Eyewear Cord

 Cord helps prevent spectacles from falling to the ground when hands are occupied

> 1S0 9002

### Item#

### 22232

Please specify color: Black (BK), Blue (BE), or Red (RD). 12 per package.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov




### B-26+™ and B-52+® Sideshields

- Safetywing<sup>®</sup> provides horizontal and vertical coverage, mitigating impact-related injuries
- Polycarbonate sideshields attach quickly and easily to temples of prescription eyewear
- B-26": well suited to fit small to medium sized eyewear frames
- Glacier Clear Tint reduces glare

No tools required to install!

- . B-52+\*: adjusts to a broader range of frames-small, medium, and large
- . Combo Pack includes 10 pair of each style
- Complies with ANSI and OSHA standards when worn in conjunction with ANSI Z87+ compliant eyewear

Item#	Description	Item#	Description	_
32265	B-26+**	32267	Combo Pack	
32266	B-52+**		(10/each)	
20 per pa	ick.			



### Clip-On and Slip-On Sideshields

- Convenient clip-on sideshields are constructed of impact-resistant polycarbonate for limited side protection
- . Slip-on styles slide onto temples for added safety

Item#	Style
2359	Slip-On Acetate
3267	Slip-On Plastic
2358	Clip-On

Item#'s 2359 and 3267-100 per bag. Item# 2358-50 per bag.

### Goggles



### Honeywell UVEX.

### Uvex Stealth® Goggle

- Durable polypropylene goggle with soft, flexible seal and indirect venting for liquid splash tasks
- Quick-adjust headband clips
- Polycarbonate lens
- Uvextreme\* AF lens coating is anti-fog, anti-scratch, and
- Uvex HydroShield® lens coating provides even longer-lasting anti-fog protection

10	-		
Į.	æ	J.	•
le:	D	c	c
ш	'n	E	E







Item#	Description
5941	Uvextreme® AF
163567*	Uvex HydroShield®

Item#	Description	
5941 RL	Replacement	
	Uvextreme® AF Lens	



UV ANSI ISO

### NSI N-Specs Voyage<sup>\*</sup> Anti-Fog Goggles

- · Low profile, wraparound style
- Anti-fog polycarbonate lens
- · Durable thermoplastic frame features soft, latex rubber seal
- Direct vent: provides reliable protection against particulates
- Indirect vent: protects against liquid splash

Item#	Description	Lens Color
24553	Direct Vent	Clear
27271	Direct Vent	Indoor/Outdoor
26781	Indirect Vent	Clear
Individua	lly packaged.	





# NSI N-Specs Anti-Fog Goggles

- . Soft PVC goggles with elastic headband provide a snug, secure fit, even over most prescription lenses
- Direct Vent: cover goggle protects against impact and particulates
- . Indirect Vent: splash goggle protects against liquid and chemical splash



Fog-Free Lens...Excellent Coverage

Item#	Description	Item#	Description
21542	Direct Vent Goggle	21543	Indirect Vent Goggle



### NSI N-Specs Premium Splash Goggle

- Features indirect venting and fog-free lens
- Soft, flexible PVC construction
- Polycarbonate lens
- Wraparound design
- · Comfortable gray headband provides a secure fit
- · Ideal for applications where liquid and chemical splash occur

и	a	m	M
•		••	

21544







### SHIELD\* KLEENGUARD Goggle Protection

- · Curved polycarbonate shield conforms to the shape of the face
- Cylindrical shaped lens offers greater range of visibility
- .060" thick, anti-fog polycarbonate lens
- Full-face protection detaches from goggle

Item# 29129







### PYRAMEX Capstone Shield Goggle

- Wraparound design
- Ratchet inclination allows polycarbonate shield to open at 3 different positions
- · Soft, vinyl goggle body conforms to facial contours
- Four ventilation holes allow proper airflow
- · Fits over prescription eyewear
- Includes (2)—disposable tear-off shield covers
- Polycarbonate lenses

Item#

Item# 166194

5028

Individually packaged, 36 per case.









# Goggle Gear™ 500

- Indirect vent splash goggles
- · Scotchgard" anti-fog lens coating
- Adjustable elastic strap
- Impact-resistant polycarbonate lenses





### **UVEX Clear® Towelettes**

- Handy 8" x 4\%" towelettes are pre-moistened with Uvex Clear® lens cleaning solution
- Ideal for anti-fog and scratch-resistant hardcoatings

Designed to clean Uvextreme\* AF anti-fog coated lenses, plus all others

### Item#

### 2869

100 per box.



Honeywell

UVEX"

### Honeywell UVEX

### Clear®Lens Cleaning Station

 Solution is specifically formulated for Uvextreme<sup>®</sup> AF anti-fog coating and is also



- Directions in three languages: English, French, and Spanish
- Includes: 4 boxes of 8" x 4½" lens tissues (500 tissues per box),
   16 oz. bottle of Uvex Clear" cleaning solution, 3½" x 4½" mirror,
   screw mounts, and double-sided adhesive foam for wall mounting

Item#	Description
325145	Complete Station
2863	1 Gal. Clear® Refill Solution
2865	16 oz. Clear <sup>a</sup> Refill Solution w/Pump
325143	Clear® Tissues (500 ct.)





### NSI.

### Metal Lens Cleaning Stations

- Each station includes 16 oz. spray bottle of anti-static, anti-fog, non-silicone cleaning solution and 760 low-lint tissues
- Economical station features quick opening, non-locking door Measures: 5½" x 9¾" x 3"
- Deluxe station includes mounting hardware Measures: 171/4" x 81/4" x 31/4"

Item#	Description
23595	Economical Station (Stocked)
23596	Deluxe Station (Stocked)
Refills:	
3529	1 Gal. Non-Silicone Refill
3527	16 oz. Non-Silicone Refill
3528	Spray Pump for 16 oz. Bottle
23597	All Purpose Tissues (760 ct.)

### NSI.

### TOP SELLER

### Pre-Moistened Lens Cleaning Towelettes

- 5" x 8" towelettes are pre-moistened with anti-fog, anti-static, non-silicone formula
- Individually foil-wrapped towelettes
- Ideal for cleaning plastic, glass, and polycarbonate lenses

Non-silicone formula

### Item#

### 3551

100 per container.





### Disposable/Reusable Lens Cleaning Stations

- Non-silicone anti-foq
- . Small station has 600 tissues and an 8 oz. spray pump
- · Large station contains 1,200 tissues with 16 oz. spray pump

### Item# Description

3525 Small Station (Stocked) 3524 Large Station (Stocked)

Refills available at northernsafety.com.

### Bausch & Lomb

### Sight Savers® Pre-Moistened Lens Cleaning Tissues

- Perfect for office, toolbox, truck, or light industrial use
- Non-silicone, anti-static, tissues are treated with special surfactant to clean all glass and plastic lenses
- Can also be used to clean other surfaces, such as computer screens, mirrors, and more

### Item#

### 1051

100 per box.



Extra large cleaning wipes

### **Head & Face**



### Faceshields







lard Hats Sold Separately

- · Hard Hat Adapter: durable nylon adapter with plastic-coated tension spring fits most cap style hard hats
- Full Brim Hard Hat Adapter: dielectric adapter is constructed of high impact-resistant ABS resin
- maline with ANCI 707 1 standards

<ul> <li>Complie</li> </ul>	es with ANSI 287.1 standards
Item#	Description
294240	Ratchet Headgear
294241	Hard Hat Adapter
294243	Full Brim Hard Hat Adapter
Faceshie	elds:
294245	8" x 15" x .040" PETG
294246	8" x 15" x .040" Clear Polycarbonate
294247	8" x 15" x .040" Clear Polycarbonate, Aluminum Bound
294248	8" x 15" x .040" Dark Green Polycarbonate
294249	8" x 151/2" Wire Mesh Shield





Visors Sold Separately

### **Economical Headgear** and Faceshields

- · Features 4", high density polyethylene sparkguard, and friction knobs to
- ndards

Fully adjustable crown strap		Complies with ANSI Z87.1 st.	
Item#	Description		
2481	Ratchet Headgear		
Facesh	ields:		
2482	8" x 151/2" x .040" Clear	PETG	
2483	8" x 151/2" x .040" Clear	r Polycarbonate	

8" x 151/2" x .060" Clear Polycarbonate

Headgear-6 per case.



### V-Gard® Hard Hat Accessory System

- · Headgear: all non-metal construction adds safety
- Frames: innovative design protects against impact from falling or flying debris
- · Accommodates ear muffs and most half-mask respirators

162377

Visors Sold Separately

. Complies with ANSI Z87.1 standards for impact and splash

Item#	De	scrip	tion

Headgear: 16675

Standard Hard Hat Frames: 5618 For Slotted Caps

5620 Universal Fit

Faceshields:

162376 8" x 17" x .040" Clear Polycarbonate, Contoured 8" x 17" x .060" Clear Polycarbonate, Contoured 162377

10 per case. Shop northernsafety.com for a complete line of visors.

### TASCO Faceshield Headgear

- Dielectric headgear features non-slip T-Lock ratchet suspension
- Cushioned back pad and ultra-soft browpad absorb moisture
- Complies with ANSI Z87.1 standards

Item#	Description	
2503	Ratchet Headgear	
3067*	Hard Hat Visor Carrier	
-		

Clearsafe" Visors:

2504 8" x 151/2" x .040" Clear Propionate 2505 8" x 151/2" x .040" Clear Polycarbonate



Visors Sold Separately

### sellstrom DP4™

### Multi-Purpose Faceshields

- · Equipped with clear, anti-fog, polycarbonate faceshield
- · Item# 23210 combines a clear anti-fog faceshield with shade 5 IR flip-up lens for use in grinding and cutting, and/or brazing applications
- C

Complies with ANSI Z87.1 standards			23210
Item#	Description	Item#	Description
23209	Clear Window	Replac	cement Faceshields:
23210	Clear Window and	23211	Clear
	Shade 5 Flip Front	23212	Shade 5 Flip Front


Features browpad

for extra comfort

### sellstrom.

### Max Light Faceshield

· Clear polycarbonate crown and chin guard increase panoramic vision, and allows light to pass through



Item# Description

162379 Headgear w/Clear Acetate Visor, 6.5" x 19.5" x .040"

162380 Headgear w/Clear Anti-Fog Acetate Visor, 6.5" x 19.5" x .040"

Replacement Faceshields:

162381 Clear Acetate, 6.5" x 19.5" x .040"

162382 Clear Acetate w/Anti-Fog, 6.5" x 19.5" x .040"

### OBERON

### Face-Fit® Faceshields

- Unique one-piece design features a brow guard which acts as a splash guard
- · Ratchet headgear offers easy adjustability
- Scratch-Resistant: Silicote<sup>w</sup>-1 scratchresistant coating lasts 5-to-10 times longer than standard faceshields



162379

 Chemical/Paint-Resistant: Silicote™-6 coating resists most acids. bases, and solvents (except Hydrofluoric Acid)

Complies with ANSI Z87.1 standards		
Item#	Description	
23201	Scratch-Resistant w/Ratchet Headgear	
23202	Chemical/Paint-Resistant w/Ratchet	
	Headgear	
Replacer	ment Faceshields:	
23203	Scratch-Resistant	
23204	Chemical/Paint-Resistant	



### Honeywell UVEX.

### Uvex Turboshield

· Patented, flexible, head cushioning suspension cradle helps eliminate



pressure points for comfortable, all-day wear . Offers 50% more chin coverage than traditional visors


- Dual-hinge design increases clearance and keeps accessory slots open for use with most goggles, respirators, and ear muffs
- Hard hat adapter fits a wide variety of hard hats
- Complies with ANSI Z87.1-2010 and CSA Z94.3 standards

Item#	Description	Item#	Description
16988	Ratchet Headgear	Visors:	
16990	Hard Hat Adapter	16996	Clear Polycarbonate
		16998	Welding Shade 3.0
		17000	Welding Shade 5.0

# Honeywell Pro-Shield™

### Arc Flash Hard Hat System

. Convenient, three-in-one system consists of dielectric hard hat, slotted bracket with chin cup, and light amber polycarbonate faceshield



- Features 10 Cal/cm<sup>2</sup> ATPV rating when used with chin cup, 8 Cal/cm<sup>2</sup> ATPV rating without
- · Anti-fog faceshield resists harmful UV rays
- Meets ASTM F2178 specifications
- Hard hat complies with ANSI Z89.1 Type I, Class E standards

ltem#	Description
162378	Pro-Shield* Arc Flash Hard Hat System
Replacem	ent Parts and Accessories:
27957	71/2" x 20" x .060" Light Amber Polycarbonate
	Faceshield w/Hard Hat Bracket
27958	71/2" x 20" x .060" Light Amber Polycarbonate
	Faceshield w/Full Brim Hard Hat Bracket
156100	71/2" x 20" x .060" Light Amber
	Polycarbonate Faceshield
27960	Universal Hard Hat Bracket
27961	Full Brim Hard Hat Bracket
27962	Ratchet Suspension
27963	Storage Bag

### TASCO Woodsman Forestry System

- . Hard hat features 6-point suspension system with quick and easy adjustment
- · Universal hole lug pattern also accepts most .040" or .060" shields
- Black oxide steel mesh screen (included in system) reduces glare and resists rust
- . Complies with ANSI standards

Compiles With Artor Standards		Ideal for Chain Couring Foreston		
Item# Description		Ideal for Chain Sawing, Forestry,		
1715	Woodsman System	Woodworking, and More!		
1717	Replacement Steel Mesh Shield			



### Sentinel™ Series Faceshield Headgear

- Non-slip Sure-Lock® adjustable ratchet suspension with crown strap conforms to the head for proper fit
- Sentinel I": crown protector helps shield the forehead and accepts all Bullard® visors and screens
- Sentinel II<sup>™</sup>: crown and chin protectors provide optimum coverage
- Tritan™ visors resist impact, shattering, chemicals, stains, and high temperature
- Headgear complies with ANSI Z87.1



### Item# Description

### Sentinel I\*:

2509	Headgear w/Sure-Lock® Ratchet Suspension
2510	8" x 15" x .040" Clear Acetate Visor
2511	8" x 15" x .040" Dark Green Acetate Visor
2512	8" x 15" x .040" Clear Polycarbonate Visor
2513	8" x 15" x .060" Clear Polycarbonate Visor
Sentinel	

Sentinel I	-	
2515	Headgear w/Sure-Lock® Ratche	t

	Suspension and Chinguard
2516	7" x 15" x .040" Clear Acetate Visor
2517	7" x 15" x .040" Clear Polycarbonate Visor

31729 Tritan™ 7" x 15" x .040" Visor

7970 Clear Chin Cup

Shop northernsafety.com for hard hat brackets and accessories.

▲ WARNING: Cancer and Reproductive Harmwww.P65Warnings.ca.gov

### Honeywell

162378

### Bionic® Shield UVEX.

- Ratcheting headgear mechanism assures a comfortable, secure fit
- Lightweight, balanced ergonomic design
- Clear polycarbonate visor offers excellent optics, increases visibility, and enhances protection from airborne debris
- Complies with ANSI Z87+ standards and is certified to CSA Z94.3



ltem#	Description	Item#	Description
23964	Ratchet Headgear	23995	Hard Hat System
23965	Renlacement Visor		•

### JACKSON Model K Facesaver 20026

### Headgear and V

- Model K: turn-butto holds 12" or 15%\* vis
- · Brimaster hard hat same locking syster easy faceshield atta
- Complies with ANS

iouci it i accouvei	20926
/isors	
on visor attachment sors	11300
attachment uses the m as the Model K for	7
achment to hard hat I Z87.1 standards	
tion	
Databas III-adama	

tem#	Description
20926	Model K Ratchet Headgear
20920*	Brimaster Hard Hat Attachment

Visors:	
20935	8" x 12" x .040" Clear Acetate
20940	8" x 151/2" x .040" Clear Polycarbonate
20941	8" x 151/2" x .040" Med. Green Polycarbonate
31739	9" x 151/2" x .040" Dark Green Polycarbonate

\*Fits Item#'s 20940, 20941, and 20943 only.

8" x 151/2". Wire Mesh

### **Head & Face**





- · Polyethylene construction
- Low profile design features comfortable 4-point suspension, rain trough, and accessory slots for use with cap mount muffs, faceshields, communication devices, etc.
- Flex-Gear" Ratchet Suspension bends at flex points to conform to your head for added comfort
- Complies with ANSI Z89.1 Type I, Class E and G standards

Item#	Description
23188	w/Pinlock Suspension
23189	w/Flex-Gear™
	Ratchet Suspension

Replacement Parts & Accessories: 23194 Pinlock Suspension

23195 Flex-Gear\*

Item# Description

Ratchet Suspension

23196 Cotton Padded Brow Pad

Cotton Padded Brow Pad

Ratchet

Suspension

Please specify color: Blue (BE), Dove Gray (DGY), Green (GN), Hi-Vis Lime (HLE), Hi-Vis Orange (HOE), Pink (PK), Red (RD), White (WE), or Yellow (YW).

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov



# NSI Power≥5hell™

### Full Brim Hard Hats

- · Lightweight, yet rugged high-density polyethylene construction provides excellent protection and comfortable wear
- · Features 4-point suspension with vertical height adjustment for a personal, secure fit
- · Moisture-wicking, polyester padded brow pad adds comfort
- · Accessory slots for attaching ear muffs and faceshields
- . Flex-Gear" Ratchet Suspension bends at flex points to conform to your head for added comfort
- Complies with ANSI Z89.1-2009 & CSA Z94.1-15 Type I, Class E & G standards

· · · · · · · · · · · · · · · · · · ·	Description
93004	w/Pinlock Suspension
93005	w/Flex-Gear** Ratchet Suspension
Replace	ment Parts and Accessories:
93002	Pinlock Suspension
93003	Ratchet Suspension
23196	Cotton Padded Brow Pad
Dianas	anife anian Plan (PC) David Come (DCV)

Description

Itom#

Please specify color: Blue (BE), Dove Gray (DGY), Green (GN), Hi-Vis Lime (HLE), Hi-Vis Orange (HOE), Red (RD), White (WE), or Yellow (YW). 10 per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov



### Great protection & comfortable wear

- · Lightweight, yet rugged high-density polyethylene construction provides excellent protection and comfortable
- Features 4-point suspension with vertical height adjustment for a personal, secure fit
- Moisture-wicking, polyester padded brow pad adds comfort
- Accessory slots for attaching ear muffs and faceshields
- . Flex-Gear™ Ratchet Suspension bends at flex points to conform to your head for added comfort
- Complies with ANSI Z89.1-2009 and CSA Z94.1-15 Type I. Class E and G standards















Item#	Description
93000	w/Pinlock Suspension
93001	w/Flex-Gear* Ratchet Suspension
Replace	ment Parts and Accessories:
93002	Pinlock Suspension
93003	Ratchet Suspension
23196	Cotton Padded Brow Pad

Please specify color: Blue (BE), Dove Gray (DGY), Green (GN), Hi-Vis Lime (HLE), Hi-Vis Orange (HOE), Pink (PK), Red (RD), White (WE), or Yellow (YW), 20 per case.

▲ WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov







### Vented Hard Hats

· Polyethylene construction

. Full brim design provides added protection from sun, rain, and snow

· 4-point Flex-Gear™ Ratchet Suspension bends at flex points, conforming to your head

Polyester brow pad

. Complies with ANSI Z89.1-2009, Type 1, Class C standards



Circulation

### Description Item#

162566 Standard w/Ratchet Suspension 192272 Full Brim w/Flex-Gear™ Ratchet Suspension

93003 Replacement Ratchet Suspension

Please specify color: Blue (BE), Hi-Vis Lime (HLE), Hi-Vis Orange (HOE), White (WE), or Yellow (YW). 10 per case.

▲ WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov







### V-Gard® Full Brim Hard Hats

- Extended back brim provides protection from the sun, as well as a run-off for rain and snow
- · Features shock-absorbing 4-point suspension, adjustable crown straps, nape strap, and headband with Cushionaire™ sweatband
- Complies with ANSI Z89.1 Type I, Class E and G standards

Item#	Description
6957	w/Staz-On® Pinlock Suspension
6958*	w/Fas-Trac®III Ratchet Suspension
Danlage	mant Cusassians

### Replacement Suspensions:

Staz-On® Pinlock 3252 100430 Fas-Trac® III Ratchet 15383 Sound Control, Cap Mounted Muffs, NRR 25

Please specify color: Blue (BE), Green (GN), Gray (GY), Hi-Vis Orange (HOE), Red (RD), White (WE), or Yellow (YW).

20 per case. \*Also available in Hi-Vis Lime (HLE).



Design

Cap



· Six large cooling vents allow air circulation and provide comfort

 4-point Fas-Trac® III ratchet suspension with soft-absorbent headband assures comfort

- Glare-Gard<sup>™</sup> under brim reduces reflective glare
- · Rain trough channels water away from face and neck in inclement weather
- . Standard cap features slotted lateral contours above the ear, allowing easy use of hearing protection and accessories
- · Full brim design provides added protection from sun, as well as a run-off for rain and snow
- Complies with ANSI Z89.1, Type I, Class C standards

Item#	Description
21651	Standard w/Fas-Trac® III Ratchet Suspension
200097 100430	Full Brim w/Fas-Trac® III Ratchet Suspension Replacement Ratchet Suspension

Please specify color: Blue (BE), Green (GN), Hi-Vis Lime (HLE), Hi-Vis Orange (HOE), Red (RD), White (WE), or Yellow (YW). 20 per case.





ltem#

Fas-Trac® III Ratchet

### Lightweight, high-density polyethylene shell ensures extra durability

- Staz-On® pinlock features shock-absorbing 4-point suspension, headband, nape strap, Cushionaire™ sweatband, and adjustable crown straps
- 1-Touch" suspension is equipped with easy, one-hand squeeze opening, slide adjustment, and snap closure
- FasTrac\* III 4-point ratchet suspension: absorbent sweatband fully covers the headband and wearer's forehead, and provides three levels of nape strap adjustment, lower nape strap to cradle the head, and smooth ratchet rotation
- Large hard hats fit head sizes 7–8.5

Description

- Compatible with welding helmets, faceshields, and ear muffs
- Complies with ANSI Z89.1 Type I, Class E and G standards

	-		-	
	С	•		
	а	п	_	
	•		-	
				۰

reciiii	Description	
2955*	w/Staz-On® Pinlock Suspension	
23959	w/1-Touch™ Suspension	
2956**	w/Fas-Trac* III Ratchet Suspension	
29760	Large Cap w/Staz-On® Pinlock Suspension	
29761	Large Cap w/Fas-Trac® III Ratchet Suspension	
Replacem	Replacement Suspensions:	
3252	Staz-On® Pinlock Suspension	
23960	1-Touch" Suspension	
100430	Fas-Trac® III Ratchet Suspension	
29762	Large Staz-On® Pinlock Suspension	
100432	Large Fas-Trac® III Ratchet Suspension	
Please specify color: Item#'s 2955, 23959, and 2956-Blue (BE), Green (GN),		

Hi-Vis Orange (HOE), Red (RD), White (WE), or Yellow (YW); Item#'s 29760 and 29761-Blue (BE), White (WE), or Yellow (YW), \*Also available in Black (BK), Brown (BN), or Gray (GY), \*\*Also available in Black (BK), Brown (BN), Gray (GY), Hi-Vis Lime (HLE), Orange (OE), or Pink (PK). 20 per case.

WE

BE

GY





### MSA V-Gard® Matte Finish Hard Hat

- Lightweight, yet durable high-density polyethylene shell
- · Fas-Trac® III 4-point ratchet suspension with comfortable absorbent sweatband, and 3 levels of nape strap adjustment
- Complies with ANSI Z89.1, Type I Class E and G standards

Item# Description

314976 w/Fas-Trac® III Ratchet Suspension

Please specify color: Black (BK), Blue (BE), Gray (GY), Green (GN), Hi-Vis Lime (HLE), Hi-Vis Orange (HOE), Orange (OE), Red (RD), White (WE), or Yellow (YW).

### Bullard Classic Series Hard Hats

- · Features high-density polyethylene construction with shock-absorbing 6-point suspension
- · Wide profile protects against sun's rays and other outdoor elements
- . Item#'s 23966 and 23967 are equipped with accessory slots to accept a wide variety of attachments
- . Item#'s 23967 and 26128 offer Flex-Gear™ ratchet suspension for easy adjustability, and cushion pillows for added comfort
- . Full brim style provides added protection from UV rays, glare, splash, rain, and falling debris
- Manufactured in an ISO 9001 Registered facility
- All models comply with ANSI Z89.1 Type I, Class E & G standards

Item#	Description
23966*	Cap w/Pinlock Suspension
23967*	Cap w/Flex-Gear™ Ratchet Suspension
26127	Full Brim w/Pinlock Suspension
26128	Full Brim w/Flex-Gear* Ratchet Suspension

Please specify color: Blue (BE), Hi-Vis Orange (HOE), Orange (OE), Red (RD), White (WE), or Yellow (YW). \*Also available in Black (BK), Brown (BN), or Gray (GY). 20 per case.

B- 15		
If ourself	Docor	INTIAN
Item#	Descr	IDUIUII

### Replacement Parts & Accessories:

23978 Pinlock Suspension

Flex-Gear\* Ratchet Suspension 23979

23219 Brow Pad 4511 Chin Strap

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov







### **Bullard**

### Standard Series Vented Hard Hats

- . Vents on top of hard hat increase air circulation, keeping head cool and comfortable all day
- Rugged polyethylene shell
- 4-point suspension and low-profile design offer excellent balance, comfort, and protection
- · Item# 23216: Flex-Gear™ ratchet suspension with cushion pillows

provides easy adjustability and a snug, comfortable fit			
Manufactured in an ISO 9001			
Registered facility			
Complie	es with ANSI Z89.1 Type I, Cla	ss C standards	
tem#	Description		
3215	w/Pinlock Suspension		

23216 w/Flex-Gear* Ratchet Suspension		
Please s	pecify color: Blue (BE), Orange (OE), Red (RD),	
	/E) or Yellow (YW) 20 per case	

### Item# Description

### Replacement Parts and Accessories:

23217 Pinlock Suspension

23218 Flex-Gear" Ratchet Suspension

23219 Brow Pad

▲ WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



Cap

Flex-Gear Ratchet Suspension



### **Bullard** Standard Series Hard Hats

More colors available

- Low-profile design features shock-absorbing 4-point suspension
- Foam-backed cotton brow pad offers maximum comfort
- . Item# 23214 features Flex-Gear™ ratchet suspension with flex points and cushion pillows for a snug fit
- · Manufactured in an ISO 9001 Registered facility
- Complies with ANSI Z89.1 Type I, Class E and G standards

Item#	Description
23213	w/Pinlock Suspension
23214	w/Flex-Gear™ Ratchet Suspension
DI	

Please specify color: Black (BK), Blue (BE), Brown (BN), Gray (GY), Hi-Vis Orange (HOE), Red (RD), White (WE), or Yellow (YW), 20 per case.

### Description Item#

### Replacement Parts and Accessories:

23217 Pinlock Suspension

23218 Flex-Gear™ Ratchet Suspension

23219 Brow Pad

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

### Reliable Hard Hats Deliver The Protection You Need



### 3M H-700 Hard Hat

- Lightweight, high-density polyethylene construction stands up to demanding work environments
- Short brim design provides better upward visibility
- Features 4-point suspension with height adjustment
- Accessory slots allow use with 3M's cap-mounted ear muffs, headgear, faceshields, and welding helmets
- Compliant when worn in the forward and reverse donning positions

Ratchet

Suspension

Complies with ANSI/ISEA Z89.1 Type I, Class C, G, and E standards

Item#	Description
31317*	w/Pinlock Suspension
31318*	w/Ratchet Suspension
Replaceme	ent Suspensions:
31325	Pinlock Suspension
31326	Ratchet Suspension

\*Please specify color: Blue (BE), Orange (OE), Red (RD), White (WE), or Yellow (YW). 20 per case.



# **1**

### PYRAMEX Ridgeline® Hard Hat

- Strong, yet ultra-light ABS construction provides seemingly weightless protection
- Low profile design provides low center of gravity for better balance
- 4-point suspension allows wearer to move harness forward, backward, up, or down for maximum comfort
- Features rear padded suspension, replaceable foam sweat band, vented pressure pads to keep straps in place, and easy-to-grasp knob for quick adjustments, even with gloves on
- Complies with ANSI Z87.1 standards

Item#	Description
190153	w/Ratchet Suspension

Please specify color: Blue (BE), Gray (GY), Hi-Vis Lime (HLE), Hi-Vis Orange (HOE), Red (RD), Slate Gray (SGY), White (WE), or Yellow (YW).



- Protective hard hat with vents, comfortable 4-point ratchet suspension, and standard brow pad
- · Smooth, easy turning ratchet suspension
- · Optimized comfort with three levels of adjustment
- Complies with ANSI Z89.1-2009 Type 1, Class C standards

Item#	Description
162504	Hard Hat
31326	Replacement Ratchet Suspension
Planca en	ecify color Rive (RE) Green (GN) White (WE) or

Please specify color: Blue (BE), Green (GN), White (WE), or Yellow (YW).

### 3M H-800 Vented Full Brim Hard Hat

- Smooth, easy turning ratchet suspension allows quick adjustment
- Comfortable, 4-point suspension sits lower on wearer's head, reducing pressure points
- Lightweight shell provides high impact resistance
- Hi-vis orange and hi-vis lime colors comply with ANSI Z89.1-2009
   High-Visibility requirements
- Complies with ANSI Z89.1 Type 1, Class C standards



Available Colors



Item# Description

16577\* w/Ratchet Suspension

31326 Replacement Ratchet Suspension

\*Please specify color: Blue (BE), Green (GN), Hi-Vis Lime (HLE), Hi-Vis Orange (HOE), Orange (OE), Red (RD), White (WE), or Yellow (YW).



### PYRAMEX Ridgeline Pattern Hard Hats

- . Ultra-lightweight ABS material delivers strength and protection
- Adjustable ratchet suspension with rear padding provides a great fit and added comfort
- Complies with ANSI Z89.1-2009, Type 1, Class C, G, and E standards

Item#	Description	ltem#	Description	
164469	Сар	164470	Full Brim	

Please specify color: Gloss Black Graphite Pattern (GBGP), Gloss White Graphite Pattern (GWGP), Matte Black Graphite Pattern (MBKG), Matte Camo Pattern (MCO), or Matte White Graphite Pattern (MWEG).





### NFL Team Hard Hats

- Officially licensed by the NFL. All 32 team colors
- and logos are available
- Offers durable lightweight construction, adjustable fit, and superior impact resistance
- Features a low nape strap to ensure stability, comfortable crown pad, and durable nylon straps
- 4-point shock-absorbing 1-Touch™ suspension allows easy adjustment
- . Complies with ANSI Z89.1 Type 1, Class E and G standards

Item#	Description
7124	w/1-Touch™ Suspension

Please specify team. All 32 teams are available. See complete list at northernsafety.com.

Item#	Description	
23960	Replacement Suspension	



### **Bullard** Vector Lateral Protection Hard Hat

- Polyethylene outer shell provides impact protection from all directions: top, front, sides, and rear
- Equipped with 4-point ratchet suspension and replaceable, moisture-wicking Sportek® brow pad
- Features built-in goggle strap retaining slots and EPS foam impact liner
- Accepts variety of accessories including faceshields and hearing protectors
- Complies with ANSI/ISEA Z89.1 Type II, and CSA Z94.1, Type II head protection standards

Item#	Description
198285	w/Ratchet Suspension
170949	Chinstrap
Please sp	ecify color: Kentucky Blue (KYBE), White (WE), or

Yellow (YW). Hard Hats-10 per case.

▲ WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



### Skullgard® Protective Helmet

- Six-layer construction ensures complete protection
- Withstands radiant heat up to 350°F
- Complies with ANSI Z89.1
   Type I, Class G standards
- SEI certified



Item#	Description
23801	w/Fas-Trac® III Ratchet Suspension
23802	Full Brim w/Fas-Trac® III Ratchet Suspension
100419	Replacement Fas-Trac® III Ratchet Suspension



- Patented design features see-through visor, allowing wearer to see hazards overhead for greater safety
- Flex-Gear® ratchet suspension provides front, side, and rear vertical height adjustment for a comfortable fit
- Complies with ANSI/ISEA Z89.1, Type I, Class E and G standards

HOE

rtem#	Description
203689*	w/Ratchet Suspension, Clear Visor
203690*	w/Ratchet Suspension, Gray Visor
Replacem	ent Parts and Accessories:

204360 Ratchet Suspension w/Vinyl Brow Pad

204361 Polartec® Cooling Brow Pad

204809\*\* Visor

\*Please specify color: Kentucky Blue (KYBE), Dove Gray (DGY), Forest Green (FGN), Hi-Vis Lime (HLE), Hi-Vis Orange (HOE), Red (RD), White (WE), or Yellow (YW). \*\*Please specify visor shade: Clear (CR), Gray (GY), or Yellow (YW).

▲ WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



### NSI Bump Cap

- · Lightweight cap is ideal when light protection is all you need
- 4-point adjustable suspension ensures a custom fit
- · Comfortable browpad lightly cushions for all-day wear
- · Ideal for meter readers, food processing, and other



industries that don't require full hard hat protection

### 20102

Please specify color: Blue (BE), Green (GN), Orange (OE), Red (RD), White (WE), or Yellow (YW).

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

### Hi-Vis Baseball Bump Cap

- High-density polyethylene insert protects against minor bumps and scrapes
- Breathable side vents assure comfortable wear
- · Hi-vis color lets you be seen, day or night
- · Cap insert fits in "high profile" baseball caps. turning your favorite baseball-style cap into a bump cap
- . Great for food processing, meter readers, and other jobs that don't require ANSI hard hat protection

Hi-vis for added safety

Item#	Description	Item#	Description
11207*	Bump Cap	11209	Cap Insert

\*Please specify color: Hi-Vis Lime (HLE) or Hi-Vis Orange (HOE).

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov



· Patented, removable, impact-resistant ABS plastic shell protects against bumps and scrapes

- Thermo-formed foam cushioning, and side and rear mesh venting panels assure comfortable wear
- Nylon cap features reflective accents for added visibility
- . Two, ultra-bright LEDs in the brim provide up to 50 ft. of light
- Two additional LEDs concealed under the brim light close-up tasks without use of flashlight or bulky headlamp
- LEDs have a bulb life of approximately 100,000 hours
- . Includes (4)-replaceable long-life lithium batteries for more than 30 hours of continuous light

### Item#

### 16617

Please specify color: Black (BK) or Navy Blue (NY).



- Fabric-covered cap protects you from bumps and scrapes
- · Features tough polyethylene shell with breathable side vents, and soft, comfortable inner foam cushion
- . Cap insert easily fits in "high profile" caps to turn your favorite baseball-style cap into a bump cap
- · Ideal for meter readers, food processing, and other industries that don't require full hard hat protection

### Description

11207\* Bump Cap 11209 Cap Insert

\*Please specify color: Black (BK) or Navy Blue (NY). 12 per case.

▲ WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



- · ANSI-compliant, oxford polyester construction with mesh venting panels assures comfort
- Features highly visible, .25' Level 2 ANSI-compliant reflective tape
- Ideal for road construction, utility crews, survey crews, construction, warehousing/distribution, and more

### Item#

### 3009

2 LED Lights

Please specify color: Lime (LE) or Orange (OE).

### Hard Hat Accessories Add Visibility and Safety

### ILLUMAGEAR

### Halo Hard Hat Light

- Full 360° brightness allows the wearer to see and be seen in all directions for over ¼ mile
- Four lighting modes add versatility—halo. hi-alert, task, and dim
- Rechargeable battery provides 5½- to 34-hours of runtime, depending on modes used
- Lightweight and cordless light connects securely to any standard hard hat



Item#	Description
280124	Light
207439	Rechargeable Lithium-Ion Batteries (pk of 2)
207438	2-Bay Lithium-Ion Battery Charger
200790	8-Bay Lithium-Ion Battery Charger



### Hi-Vis Hard Hat Cover

 Hi-vis mesh with reflective striping adds visibility to any hard hat



11579

Please specify color: Hi-Vis Lime (HLE) or Hi-Vis Orange (HOE).

▲WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



### Goggle Retainers

- Quick, no-tools installation
- Easily adjusts for a better fit
- For use with MSA goggles, caps, and full brim hard hats
- Not for use on the V-Gard\* 500

Item# For Use With

Standard Hard Hats/Caps 58455 Full Brim Hard Hats

Hard hat and goggles not included.



### FACK'EM. Hard Hat Racks

- . Holds all manufacturers' regular, wide brim, or cowboy style hard hats and bump caps
- 4-Hook Visitor Rack: ideal for hanging hard hats, coats, purses, fall protection equipment, and more. Comes with 3 bilingual stickers -"Visitor's Head Protection," "Coat Rack," and "Fall Protection" - for easy identification
- . Visitor Rack and Hard Hat Rack include Secure-Mount" foam tape and screw holes for easy mounting



Hard hat not included

Item#	Description	Dimensions (H x W x
27937	Over-the-Seat Hard Hat Rack	2½" x 2½" x 2"
27936	Hard Hat Rack	2\12" x 2\12" x 2"
27955	4-Hook Visitor Rack	223/4" x 14" x 22/4"



28038















Reminds Employees of Important Safety Messages

### **PAMC** Hard Hat Emblems

- Pressure-sensitive vinyl provides excellent resistance to water and humidity
- . To apply, simply peel emblems off vinyl backing and adhere to smooth surface on hard hat
- · 2" diameter

- Z ulailletei	
Item#	Description
28034	Visitor
28035	Qualified Forklift Operator
28036	Certified Forklift Operator
28037	Safety Committee
28038	Certified CPR/First Aid Trained
28039	SafetyIt's My Job
28040	Safety Trained
28041	Confined Space Trained
28042	Fall Protection Trained
29662	Certified Crane Operator
29663	Accident Free 1 Year Award
29664	Lock-out Tag-out Trained
29665	Accident Free Award
29666	Work Think Safely
5002	Qualified Crane Operator
5008	American Flag
5010	Proud to be an American
5014	CPR Certified
5016	Certified Scaffold Operator
5018	Authorized Forklift Operator

25 per pack. Custom emblems are available as a special order.

### **@NMC**

### Reflective Hard Hat Stripes

- · Give your workers more visibility to keep them safer
- 1" x 4" reflective stripes are self-adhesive and easy to apply

Item#


5575

Please specify color: Red (RD), White (WE), or Yellow (YW). 16 per pack.



### Hard Hat Lanyards

- Quickly secure hard hat to worker to prevent it from falling
- · Easy attachment system gives maximum comfort to wearer
- Item# 164859: bright lime color enhances visibility



Hard hat not included.



### **Head & Face**





### Kool-Downs

- · Refrigerate or soak in cold water for 10-15 minutes
- Stays cool for 24-72 hours
- Comfortable 100% cotton construction
- Item# 96247 measures 38" and features unique button hole closure to keep it securely in place
- Item# 27598 measures 32' x 17' and can be worn alone, or under hard hats or bump caps

Ar CO		NOE	
ltem#	Description		
96247	Neck/Headba	and	

Item#	Description
27598	Bandana

Please specify color: American Flag (AF), Camouflage (CO), or Royal Blue (RBE).

# NSI "Kool Downs"

- · Soft, absorbent microfiber material feels comfortable against the skin
- · Evaporative qualities help worker feel cooler for longer
- · Provides UPF 50 protection against harmful UV rays
- · Easy to activate: simply soak in water and stretch towel between both hands
- Machine washable

Cooling Towel

· Non-toxic and chemical-free

### Item#

160439

72 per case.





### Occunomix Terry Toppers® Snap-On Hard Hat Sweatband



- 100% cotton, plush sweatband is ready to use right out of the package
- · Absorbent, without having to wash it first
- Launderable

ltem#	Description	Item#	Description
16637	Sweathand	16641	Bag of 20



### Hard Hat Shades

- · Helps keep outdoor workers comfortable in sunny conditions
- · Blocks harmful UV rays
- · Shade in rear helps perspiration evaporate to keep you cooler
- Item# 31796: stowaway style easily folds away for self-storage

Item# Description

31795\* Hard Hat Sun Shade

31796\*\* Stow Away Hard Hat Sun Shade

\*Please specify color: Blue (BE), Orange (OE), or Yellow (YW).

\*\*Please specify color: Blue (BE), Khaki (KI), or White (WE).







### **Hard Hat Cooling Accessories**

- Cooling crystals encased in 100% cotton
- · Velcro closure assures easy attachment to the hard hat suspension
- Soak in cold water for 7-9 minutes for cool. all-day comfort
- Ideal for construction, grounds maintenance, and factory workers

Item#	Description
23783	Cooling Beanie
23784	Cooling Neck Shade
22549	Cooling Disk Pad
22550	Cooling Liner

### **Deluxe Sweatbands**

- Sweatbands provide cool. comfortable relief in hot work environments
- · Prevents perspiration from running into eyes
- Elastic band is affixed with box stitch to prevent tearing
- Disposable for added convenience

Item#	Oty/Bag
100413	25
4853	100





### EZ-Cool Hard Hat Visor

- Extended visor at front blocks. sun from wearer's eyes
- · Back drape shades the neck
- · Hi-vis fabric and silver reflective tape increases visibility
- · Elastic back assures a secure fit

Item# 100183

12 per bag.



Helps relieve heat stress



### Radians Neck Shade

- · Protects neck by shading from harmful UV rays
- Self-extinguishing treated, 100% polyester mesh
- Fits both cap style and full brim hard hats

86305

Hard hat not included.



### WeatherGARD® Cap & Masks

- . Skull cap fits over the top of the head and provides dry wicking comfort
- Lightweight face mask protects head, neck, and lower part of face from cold weather
- Item# 212358: drawstring allows a snug, secure fit to help keep cold weather out
- Heavyweight face mask features heavy knitted construction
- Neck gaiter's loose-fitting, micro-fleece



23625

style pri	events draft from going down neck
Item#	Description
22731	Skull Cap
23625	Lightweight Face Mask
212358	Headwarmer with Draw String
23627	Heavyweight Face Mask

### NSI WeatherGARD®

### Fleece Lined Neoprene Full Face Mask

- . Wear alone or with a hard hat, cap, or welding helmet
- · Soft fleece mask with neoprene covering has nose and mouth vents for easier breathing
- Features 3 hook and loop suspension straps, allowing secure attachment to hard hats, caps, and welding helmets





### Item#

### 26126



### Hi-Vis Knit Hat

- Launderable, 100% acrylic construction is lightweight and resists shrinkage, wrinkling, and fading
- 360° silver thread stripe provides added visibility
- Can be worn underneath hard hats for increased protection



16779

### Item#

Please specify color: Lime (LE) or Orange (OE). One size fits all.



### V-Gard Winter Liners

- Item# 16787: 100% acrylic knit
- Full-face tube mounts under or over brim of caps or hard hats
- · Extended nape and wraparound collar
- Item# 16789: stylish design prevents liner from obstructing vision
- 100% high-bulk acrylic knit construction
- Item# 16779: multi-layered, 2-piece cap has inside neck pocket to hold warming pack
- All layers feature flame-resistant and water-repellent materials
- · Features extended length, zipper on/off, and flame-resistant knit bottom
- Arc rating—ATPV 8 cal/cm<sup>2</sup> Description

Heilit.	Description
16787	Cap Cover
16789	Skullie Cap
16779	Supreme, Flame-Resistant









HLE

Weather GARD\*

### 4-In-1 Head Warmers



- . Wear as a neck warmer, hood, face mask, or hood and mask
- Soft fleece material
- Adjustable drawstring face opening

### Item#

### 23630

Please specify color: Black (BK), Hi-Vis Orange (HOE), or Hi-Vis Lime (HLE). One size fits most.









### WeatherGARD® Winter Liners

- . Hook and loop suspension straps securely attach liners to hard hats, caps, or welding helmets
- All liners include 2 pockets for warming packs
- . Warming packs easily secure in the pockets of the liners, heat on contact with air, and stay warm for up to 7+ hours

Item#	Description
22545	Medium Weight Quilted w/Fleece Lining
22546	Heavyweight Extended Nape w/Fleece Lining
22547	Heavyweight Shoulder Length w/Sherpa Lining
23970	Warming Packs (10 pr/pk)



### Winter Liners

 Item# 321704: hinge allows mouthpiece to move for clear breathing









Item# 321708: innovative 3-snap design

- Patented heat touch yarn generates and stores more heat for greater comfort
- Item# 321702: can be worn 3 ways-face coverage, head & neck, or neck only
- Reflective stripe adds visibility
- Hinged for easier breathing
- Item# 321707: 300gm fleece with 3-layer breathable mesh
- · Water- and wind-resistant

- Water and Willa resistant	
Item#	Description
321704	Hinged Fleece Balaclava
321708	2-Piece Balaclava
321702	Hinged Polyspandex Knit Balaclava
321707	Wind & Water Fleece Balaclava

\*Please specify color: Black (BK) or Hi-Vis Yellow (HYW).

### **Hearing Protection**

### NSI Soft Fit®

### Disposable Foam Ear Plugs

- · Soft, smooth, non-allergenic foam
- Tapered design assures easy insertion and removal
- · Brightly colored for easy compliance checks



Item#	Description	Qty/Box
21672	Uncorded	200 pr.
21673	Corded	100 pr.
1 pair pe	r polybag, 10 dispenser	boxes per case.

# Soft Fit Disposable Foam Ear Plugs

- · Soft, slow-recovery foam
- Plugs expand slowly for a low-pressure fit
- Item# 289140: embedded metal in the ear plug

3	Metal Detectable	iso NRR 9001 32

illetal ill tile ear plug				
Item#	Description	Oty/Box		
289134	Uncorded	200 pr.		
289136	Corded	100 pr.		
289140	Metal Detectable	100 pr.		


1 pair per polybag. Item#'s 289134 and 289140-20 dispenser boxes per case. Item# 289136-10 dispenser boxes per case.



### MAX® & MAX® USA Foam Ear Plugs

· Contoured, bell shaped polyurethane foam enhances comfort, especially for long-term wear

. MAX" Small: for wearers with smaller ear canals



Item#	Description	NRR	Qty/Box
MAX*:			
1454	Uncorded	33 dB	200 pr.
1455	Corded	33 dB	100 pr.
2477	Small, Uncorded	30 dB	200 pr.
2490	Small, Corded	30 dB	100 pr.
MAX <sup>®</sup> U	SA:		
19770	Uncorded	33 dB	200 pr.
19771	Corded	33 dB	100 pr.

1 pair per polybag, 10 dispenser boxes per case.

### NSI Soft Fit FX **Disposable Foam**

# Ear Plugs

- · Soft, slow recovery foam
- Comfortable bell shape

Item#	Description	Qty/Box
14987	Uncorded	200 pr.
14989	Corded	100 pr.

1 pair per polybag, 10 dispenser boxes per case.

### Metal Detectable MOLDEX · Soft, extra-light, non-allergenic foam 33

• Item# 182586: metal detectable cord

and blue color

Uncorded	200 pr.
Corded	100 pr.
Metal Detectable, Corded	100 pr.
	Corded

Corded-1 pair per polybag, 20 dispenser boxes per case.

### MOLDEX PURR-FIT

### Ear Plugs

· Long length and tapered shape

Smooth, soil-resistant outer surface

Item#	Description	Qty/Box
PF220	Uncorded	200 pr.
PF100	Corded	100 pr.

Uncorded-1 pair per pouch. Corded-1 pair per polybag.

### Honeywell

### LEIGHT Max Lite® Low Pressure Ear Plugs

- · Ideal for workers with smaller ear canals
- Low pressure polyurethane foam expands gently
- · Winged end assures easy insertion and removal
- Contoured T-shape
- · Smooth, soil-resistant, closed-cell foam skin

ltem#	Description	Qty/Box	
1456	Uncorded	200 pr.	
1459	Corded	100 pr.	

1 pair per polybag, 10 dispenser boxes per case.

### Honeywell



### Laser Lite® Ear Plugs

· Vibrant colored. self-adjusting foam

san adjasang ream			
ltem#	Description	Qty/Box	
4558	Uncorded	200 pr.	
4560	Corded	100 pr.	

1 pair per polybag, 10 dispenser boxes per case.





33

FREE



### Trust 3M for Comfortable, Effective Protection

### 3M E-A-R™ Classic™ Small and Plus Size Ear Plugs

- . Soft foam plugs are sized to fit large and small ear canals
- . Small plugs are designed for smaller ear canals
- . Plus size plugs are longer to fit deeper into the ear canal



Item#	Description	Qty/Box	
Uncorde	d:		
3469	Small, Pillow Pak™	200 pr.	
3471	Plus, Pillow Pak™	200 pr.	
Corded:			
3470	Small, Polybag	200 pr.	
3472	Plus, Polybag	200 pr.	
	r package, 10 dispenser boxes		

### 3M E-A-R<sup>™</sup> Taper Fit 2<sup>™</sup> Ear Plugs

- . Slow-recovery foam delivers comfort and outstanding noise reduction
- Tapered shape assures a comfortable fit, and allows easy insertion and removal
- · Bright color makes it easy to monitor compliance



1 pair per polybag, 10 dispenser boxes per case.





Item#	Packaging	Qty/Box	
Uncorded	t:		
EAR220	Value Pak™	200 pr.	
EAR200	Pillow Pak™	200 pr.	
EAR210	Polybag	200 pr.	
Corded:			
23594	Polybag	100 pr.	
1 pair per	package, 10 dispense	r boxes per case.	

### 3M E-A-Rsoft™ Yellow Neons™ Ear Plugs

. Soft, slow-recovery foam

 Metal detectable: implanted with a stainless steel ball bearing, and metal detectable particles in the cord

Item#	Description	Qty/Box	
9861	Uncorded	200 pr.	
9862	Corded	200 pr.	
13745	Metal Detectable	200 pr.	

1 pair per polybag, 10 dispenser boxes per case.

### 3M E-A-Rsoft™ Yellow Neon Blast<sup>™</sup> Ear Plugs

- · Soft, slow-recovery foam assures comfort and outstanding noise reduction
- Exciting flame graphics

Item#	Description	Qty/Box	NRR
21676	Uncorded	200 pr.	NRR 33
21677	Corded	200 pr.	

# Ear Plugs

1 pair per polybag, 10 dispenser boxes per case.

# E-A-Rsoft™ FX™ Ear Plugs

 Soft, slow recovery, foam effectively seals the ear canal to provide reliable hearing protection

Bell shape allows easy fitting and removal.

Item#	Description	Oty/Box	NRR
23389	Uncorded	200 pr.	33
23390	Corded	100 pr.	

1 pair per polybag, 10 dispenser boxes per case.

# 3M E-A-Rsoft" SuperFit"

· Soft, pliable foam offers excellent noise reduction and comfort

. Orange "fitting ring" provides a guideline for proper fitting and quick visual hearing protection compliance check



item#	Description	uty/Box
164547	Uncorded	200 pr.
320944	Corded	200 pr.
320947	Metal Detectable	200 pr.

Individually packaged. 10 dispenser boxes per case.

### 3M Skull Screws<sup>™</sup> Foam Ear Plugs

- . Tough look of threaded metal, but the feel of soft foam
- · Push-to-fit style no roll-down required
- . Foam tips stay clean, even when your hands are dirty

Item#	Description	Qty/Box
25264	Uncorded	120 pr.
25265	Corded	120 pr.

4 dispenser boxes per case.



### **Hearing Protection**





32

### Disposable Foam Ear Plugs

· Dispenser: provides a more hygienic solution to hearing protection, and less waste of ear plugs

Dispenser and refill

sold separately

- · Plastic dispenser is easy to mount and refill
- Includes variable mounting bracket
- Refill: includes 500 pair of Soft-Fit<sup>®</sup> LT uncorded ear plugs

Item#	Description	Item#	Description	
289142	Dispenser	289141	Refill	



289142

### Honeywell Leight® Source 500 Ear Plug Dispenser

 Wall-mountable dispenser, constructed of heavy-duty aluminum, holds 500 pair of plugs (sold separately)

### Easy-to-use dispenser allows you to buy in bulk

Item#	Description	NRR	Qty/Box
3724	Ear Plug Dispenser	_	_
Refills:			
3725	MAX*	33 dB	500 pr.
3726	Max Lite®	30 dB	500 pr.
3727	Laser Lite®	32 dB	500 pr.



# MOLDEX PlugStation®

**PVC** FREE

NRR 33





Item#	Size	NRR	Qty/Dispenser
29418	Standard	33 dB	500 pr.
94544	Small	28 dB	250 pr.







Detectable

### MOLDEX

### PlugStation® Disposable Ear Plug Dispensers

- Convenient, wall-mountable disposable station is transparent to easily monitor plug level
- Includes plugs, mounting bracket, and hardware

Item#	Dispenser	Qty/Dispenser
20575	SparkPlugs®, Corded	150 pr.
20578	Pura-Fit®, Corded	150 pr.
182479	Metal Detectable, Corded	150 pr.
197456	Glide", Corded	150 pr.
4471	SparkPlugs®, Uncorded	250 pr.
4470	Pura-Fit®, Uncorded	250 pr.
4473	SparkPlugs®, Uncorded	500 pr.
4472	Pura-Fit*, Uncorded	500 pr.
24244	Goin' Green®, Uncorded	500 pr.
321018	Magnetic Bracket	


Dispensers of 250 pr.-6 per case. Dispensers of 150 pr. & 500 pr.-4 per case.



### 3M E-A-R™ One Touch™ Ear Plug







· Dispenser can be placed on a flat surface, or wall-mounted for easy access and maximum convenience



### Gentle, one-hand, one-turn operation

Section 1	Item#	Description
23635	23635	Ear Plug Dispenser

Item#	Description	NRR	Oty
Ear Plugs:			
23636	EAR" Classic"	29 dB	500 pr.
23637	EARSoft" Yellow Neons"	33 dB	500 pr.
25199	EARSoft" Yellow Neon Blasts"	33 dB	500 pr.
Item# 2363	5-1 per box. Item#'s 23636, 23637,	and 25199	-4 per case.



### Honeywell Disposable Foam LEIGHT Ear Plug Dispensers


- Durable plastic design
   Catch basin prevents is an economical choice ear plugs from falling for dispensing ear plugs onto the ground
- Can be mounted to a wall or tabletop, or can be free standing
- Canister contains 400 pair of plugs

Item#	Description	NRR	Oty
Dispense	ers:		
273836	MAX*	33 dB	400 pr.
273838	Max Lite® Low Pressure	33 dB	400 pr.
273940	Laser Lite®	32 dB	400 pr.
Refills:			
274046	MAX*	33 dB	400 pr.
274348	Max Lite Low Pressure	33 dB	400 pr.
274349	Laser Lite®	32 dB	400 pr.
Dispense	ers-1 per case. Refills-2 per ca	ise.	

### MOLDEX

### One-Stop PlugShop®

- Includes 250 pair uncorded Goin' Green® ear plugs, 250 pair uncorded SparkPlugs® ear plugs, 250 pair uncorded Pura-Fit® ear plugs, poster, mounting template, and mounting bracket
- . Goin' Green": offers extra-soft, low-pressure foam for a secure seal, and tapered shape for easy insertion and removal
- · SparkPlugs\*: features smooth, non-irritating outer surface for comfortable extended wear





Item#	Description	NRR	Qty	
29152	One Stop PlugShop®	-	-	
Refills:				
24243	Goin' Green®, Uncorded	33 dB	250 pr.	
4471	SparkPlugs®, Uncorded	33 dB	250 pr.	
4470	Pura-Fit®, Uncorded	33 dB	250 pr.	

### 3M E-A-Rflex<sup>™</sup>28 Hearing Protector

 Soft EARform<sup>™</sup> tips offer comfortable, all-day wear

 Tips pivot for a great fit and move with you for a secure seal

 Bright orange band provides excellent visibility for compliance checks

Item#	Description
21678	E•A•Rflex™ 28

21679

Item# 21678-individually packaged, 10 per box. Item# 21679-5 pair per package, 50 pair per box.

Replacement Pods (5 pr/pkg)

### 3M E-A-R™ Swerve™ Banded Hearing Protector

- Contemporary, contoured, behind-the-head design
- Durable, lightweight band is convenient for frequent on and off
- · Adjustable for a comfortable fit
- Includes removable cotton lanyard, and a Flex 28 tip (NRR 28 dB)



ltem#	Description	NRR	NRR 28
27818	Swerve™	28 dB	20
Replace	ment Tips:		
21679	Flex 28 (5 pr/pk)	28 dB	
Individua	Illy packaged, 10 per case.		

### MOLDEX Jazz Band® Hearing Protector

 Soft foam pods comfortably seal the ear canal

 Exclusive coating resists dirt and helps provide maximum attenuation

· Features lightweight plastic band

 Convenient neck cord allows user to hang Jazz Band® around neck when not in use, but will break away for added safety



Comes with a FREE pair of

### Item# Description

29167 Jazz Band®

29168 Replacement Pods w/Neck Cord (5 pr/bag)

Individually packaged in resealable bag, 10 per box.

# MOLDEX BA

 Soft, comfortable, reusable pods gently cap off the ear canal

 Two flexible arms distribute pressure evenly for maximum comfort

Band colors vary. 10 per box, 5 boxes per case.

. NRR 22 dB (under-the-chin)

### Item#

### 161541





### NSI Soft Fit

### **Banded Hearing Protector**

· Equipped with soft, reusable pods

 High density construction is lightweight and very durable

 Convenient curved band hangs around neck

Ideal for intermittent use

### Comes with replacement pods

Item# Description 289147 Soft Fit® Banded

294425 Replacement Pods (5 pr/bag)

1 pair per package.

### 3M E-A-Rcaps™ and Caboflex™ Hearing Protectors

- Lightweight, soft foam E-A-Rcaps\* easily cover the ear opening for a comfortable fit
- Pivots for a snug seal, even when worn with

glasses, respirators or other protective equipment



- Caboflex™ has soft, flexible pods that gently swivel to align with the ear canal
- Flexible, lightweight chin band won't interfere with hard hats or glasses

17

E-A-Reaps

· Ideal for intermittent hearing protection

recitive.	Description
1448	E-A-Rcaps™
600E	Caboflex**
Replace	ement Pods:
1449	E-A-Rcaps*, 5 pr/ba
610E	Caboflex™, 5 pr/bag

610E Caboflex\*, 5 pr/bag Individually packaged, 10 per box.



### Honeywell

### Cuiet® Band Hearing Protectors

- . QB1\*HYG fits inside the ear canal
- QB2HYG® fits inside the opening of the ear canal, and is perfect for intermittent use
- QB3HYG® caps the opening of the ear canal for a comfortable and easy fit



**Hearing Protection** 

NRR 20


Caboflex"

tem#	Descriptio
6175	QB1®HYG
1493	QB2HYG®
1788	QB3HYG*

Individually packaged, 10 per box. Shop northernsafety.com for replacement pods.

### **Hearing Protection**

### 3M F-A-R™ Push-Ins™ Ear Plugs



. Soft foam tip comfortably molds to fit a wide range of ear canals








Item#	Description	Qty/Box
21674	Uncorded	200 pr.
21675	Corded	100 pr.

1 pair per polybag. Uncorded-10 dispenser boxes per case: Corded-4 dispenser boxes per case.

### 3M E-A-R<sup>™</sup> Express<sup>™</sup> Pod Plugs



· Grip handle allows easy insertion, and foam tips stay clean, even when your hands are dirty



	Pliable handle for easy insertion
_	3

Item#	Description	Qty/Box
1371	Uncorded	100 pr.
1900	Corded	100 pr.

1 pair per Pillow Pak®, 4 dispenser boxes per case.

### Honeywell Quiet® Reusable Foam Ear Plugs

- · Built-in flexible foam stem assures easy insertion and removal
- Allows wearer to adjust plugs for a comfortable fit
- · Smooth outer skin is non-irritating, soil-resistant, and washable for safe re-use
- Bright orange color makes compliance checks easy

Item#	Description	Qty/Box
2488	Uncorded	100 pr.
2489	Corded	100 pr.

1 pair per polybag, 10 dispenser boxes per case.

## **MOLDEX** Glide

### Ear Plugs

- Unique, multi-curved stem rotates for a custom fit inside each ear canal
- · Large handle delivers easy insertion and removal
- . Simply push and twist for a comfortable seal
- · Large, soft foam tip offers a snug fit
- · Soft, triple flange plug can be washed and reused
- . Unique cord attachment allows easy length adjustment

Item#	Description	NRR	Qty/Box
7850	Foam Tip, Uncorded	30 dB	100 pr.
7852	Foam Tip, Corded	30 dB	100 pr.
7848	Triple Flange, Corded	27 dB	50 pr.

FREE

27

Triple Flange

Foam Tip

4 boxes per case.

### 3M No Touch™ Foam Plugs


seal in the ear canal












- Push-to-fit style means no ear plug roll down
- . Foam tips stay clean, even when your hands

Item#	Description	Qty/Box
160547	Uncorded	100 pr.
160550	Corded	100 pr.
1 pair per	package, 4 dispenser t	ooxes per case.

### E-A-R™ Push-Ins™ SofTouch<sup>™</sup> Ear Plugs

- · Flexible, pistol-grip handle and stem allow fingertip control for easy insertion
- · Helps eliminate dirt transfer for greater hygiene
- Tapered-cone shape and smooth, soft foam provide in-ear comfort & hearing protection





- · Unique, triangular stem
- · Curved, triple flange design
- Washable
- Item# 160632: features detectable cord and metal insert for use in food processing applications

NRR 31

Description
Standard Size
Junior Size
Standard Size, Metal Detectable

100 pair per box, 4 boxes per case.

### Ear Plug Dispenser

- · Clear acrylic dispenser holds up to 200 pair of ear plugs for easy access
- · Slanted interior allows packets to drop into opening for convenient dispensing
- Hinged lid keeps dust out and lifts for quick, easy restocking
- · Display free-standing or easily wall-mount with pre-drilled holes in back panel
- Measures 12'W x 13"H x 8"D

Item#

Increase Visibility...Increase Compliance

WEAR YOUR

EARPLUGS



NRR 30

### Honeywell

## LEIGHT

### Reusable Ear Plugs · Four flange design provides

- an excellent seal
- Internal fins create a noise-blocking barrier within the air pocket
- . Delivers maximum protection and greater comfort for extended wear
- . Firm stem and tapered shape assure easy insertion and removal

Item#	Description	Qty/Box
1705	Uncorded, in Polybag	100 pr.
1707	Corded, in Polybag	100 pr.
1708	Uncorded, w/Reusable Case	50 pr.
1709	Corded, w/Reusable Case	50 pr.

1 pair per package, 10 boxes per case.

### Honeywell

### SmartFit® Reusable Ear Plugs

- Patented Conforming Material Technology™ adapts to individual ear canals for exceptional comfort and longer wear times
- Flanged handle assures easy insertion and removal
- Detachable fabric cord allows corded or uncorded use
- · Easily washes with soap and water for multiple uses
- HearPack® storage case protects plugs when they're not in use

Item#	Qty/Box
21650	100 pr.

1 pair per HearPack®, 10 dispenser boxes per case.

### 3M Tri-Flange™ Reusable Ear Plugs

 Triple-flange design and pliable, pre-molded material deliver clean, comfortable hearing protection

· Fits flexibly in most ear canals

Item#	Description	Oty/Box
30861	w/Vinyl Cord	100 pr.
30862	w/Cloth Cord	100 pr.

26

1 pair per package, 4 boxes per case.

### 3M E-A-R™ UltraFit™ 27 Reusable Ear Plugs

- · Ergonomic pistol grip allows an
- · Pre-molded, triple-flange design fits comfortably in most ear canals
- Washable and reusable

Item#	Description	Qty/Box
25262	Uncorded	100 pr.
25263	Corded	100 pr.

4 dispenser boxes per case.

## NSI Soft Fit

### Reusable Ear Plugs

- · Non-irritating, latex-free silicone rubber
- Tapered shape and sturdy stem
- · Four-flange design offers safe, accurate, and comfortable seal
- Soap and water washable
- . Item# 289162: embedded metal in the plug allows easy metallic detection

Item#	Description	Qty/Box
289143	Uncorded	100 pr.
289144	Corded	100 pr.
289162	Metal Detectable	100 pr.
1 pair per	package, 10 dispenser boxes	s per case.

### Honeywell

### Fusion®

- Quadruple Soft Flange seal
- Soft, braided detachable cord allows corded or uncorded use
- · Metal Detectable: attached cord and metal stem ring are early detected by

	ited equipment	do	
Item#	Description	Qty/Box	NRR 27
21669	Small Size, Green	100 pr.	21
21670	Standard Size, Blue	100 pr.	
1490	Metal Detectable, Small Size	100 pr.	
1496	Metal Detectable, Standard Size	100 pr.	

Easy-grip 7

Flexi Firm® stem

### MOLDEX

### Rockets® Reusable Ear Plugs

- Easy grip handle
- Soft, flexible flanges and air-cushioned tip

1 pair per flip top box, 10 boxes per case.

- Item#'s 8853 and 8854: packaged in smooth, crush-resistant Pocket Pak®
- Item# 30913: metal spring inside the ear plug, metal detectable cord, and bright blue color are perfect for use in food processing applications

Item#	Description	Oty/Box	
8853	Uncorded	50 pr.	
8854	Corded	50 pr.	
30913	Metal Detectable	50 pr.	

1 pair per package, 4 boxes per case.

### 3M E-A-R™ UltraFit™ Reusable Ear Plugs

NRR 27

- · Pre-molded, triple-flange design fits comfortably in most ear canals
- · Item# 1367: bright color & stainless steel ball bearing in the stem offers Metal Detectable quick detection in food processing applications







**Hearing Protection** 



















# **Hearing Protection** 98

### Peltor™ Optime™ Ear Muffs

- provide a good seal and low pressure
- · Ear cups pivot for a comfortable, consistent fit
- . Select: low profile design won't interfere with workers' headgear
- Deluxe: provides comfortable all-day
- Wide, liquid and foam filled ear cushions
   Extreme: delivers maximum attenuation and maximum protection
  - Extreme Hi-Vis ear muff; ideal for road construction, airport, and utility workers
  - · Cap mount: easily fits most slotted hard
  - · Adjusts to 3 positions rest, usage, and storage

Description	NRR	Optime™ No.
d:		
Select	25 dB	98 dB
Deluxe	27 dB	101 dB
Extreme	30 dB	105 dB
Extreme Hi-Vis	30 dB	105 dB
nt:		
Select	23 dB	98 dB
Deluxe	24 dB	101 dB
Extreme	27 dB	105 dB
nent Hygiene Kits:		
For Select Ear Muffs		
For Deluxe Ear Muffs		
For Extreme Ear Muffs		
	Select Deluxe Extreme Extreme Hi-Vis nt: Select Deluxe Extreme Extreme ment Hygiene Kits: For Select Ear Muffs For Deluxe Ear Muffs	### Select

Muffs are individually packaged, 10 per case. Please call our Technical Support Reps with any questions about the Optime™ rating system.

# NRR 22 NRR 25

### Peltor™ X Series Ear Muffs

- · Lightweight ear muffs feature twin headband design for outstanding balance and comfort
- · Soft, wide cushions help maintain comfortable pressure
- · Ear muffs feature electrically-insulated, stainless steel wire headband for use in low voltage electrical hazard areas
- · Cap mount ear muffs are equipped with electricallyinsulated stainless steel wire arms

Item#	Description	NRR
Ear Muff	S.	
13747	X1	22 dB
13751	X4	27 dB
13755	X5	31 dB
Cap Mou	int:	
182717	X1	21 dB
182719	X4	25 dB
182718	X5	31 dB
Replacer	ment Hygiene Kits:	
13778	For X1 Ear Muffs	-
13780	For X4 Ear Muffs	_
13783	For X5 Ear Muffs	-
10 per ca	ise.	

### 3M Peltor™ Behind-the-Head Ear Muffs

- · Features stainless steel neckband and liquid/foam ear cushions for comfort and noise attenuation
- Peltor™ Optime™ 95: designed for use with headgear
- Peltor™ Optime™ 101: deluxe model can be worn with or without headgear
- Peltor™ Welding Helmet Ear Muff H505B: fits under welding helmets

A	
NRR 21 1706	NRR 17 1605

Item#	Description	NRR	Item#	Description	NRR
1706	Optime" 95	21 dB	1605	Welding Helmet	
2777	Optime" 101	26 dB		Ear Muff	17 dB
			_		

Muffs are individually packaged, 10 per case. Please call our Technical Support Reps with any questions about the Optime™ rating system.

### Honeywell LEIGHT

Dielectric protection for use in electrical environments

### Thunder®

- · Quick-click height adjustment offers easy use
- · Ventilated inner headband and soft foam ear cushions ensure maximum comfort
- Patented Air Flow Control™ technology offers optimal overall protection



Item#	Description
22892	Thunder T3
22893	Replacement Hygiene Kit
Individual	ly packaged, 10 per case.

32093 NRI 24	20934 NRR 30







## Honeywell

### LEIGHT VeriShield™ 100 Series Far Muffs

- Steel-wire construction with padded headband and memory foam ear cushions assures greater comfort and attenuation
- · Oil-resistant cup surface withstands oily, heavy work environments

Ear Muffs:           320933         Low Attenuation         24 dB           320934         High Attenuation         30 dB           320935         High Attenuation, Hi-Vis         30 dB           Cap Mount:         320936         Medium Attenuation         24 dB           320938         High Attenuation         27 dB           Replacement Hygiene Kits:         321011         For Low Attenuation         -           321012         For Medium Attenuation         -           321013         For High Attenuation         -	Item#	Description	NRR
320934         High Attenuation         30 dB           320935         High Attenuation, Hi-Vis         30 dB           Cap Mount:         24 dB           320936         Medium Attenuation         24 dB           320938         High Attenuation         27 dB           Replacement Hygiene Kits:         321011         For Low Attenuation         -           321012         For Medium Attenuation         -	Ear Muff	s:	
320935         High Attenuation, Hi-Vis         30 dB           Cap Mount:         320936         Medium Attenuation         24 dB           320938         High Attenuation         27 dB           Replacement Hygiene Kits:         321011         For Low Attenuation         —           321012         For Medium Attenuation         —	320933	Low Attenuation	24 dB
Cap Mount: 320936 Medium Attenuation 24 dB 320938 High Attenuation 27 dB Replacement Hygiene Kits: 321011 For Low Attenuation – 321012 For Medium Attenuation –	320934	High Attenuation	30 dB
320936         Medium Attenuation         24 dB           320938         High Attenuation         27 dB           Replacement Hygiene Kits:           321011         For Low Attenuation         -           321012         For Medium Attenuation         -	320935	High Attenuation, Hi-Vis	30 dB
320936         Medium Attenuation         24 dB           320938         High Attenuation         27 dB           Replacement Hygiene Kits:           321011         For Low Attenuation         -           321012         For Medium Attenuation         -	Cap Mou	int:	
Replacement Hygiene Kits: 321011 For Low Attenuation – 321012 For Medium Attenuation –			24 dB
321011 For Low Attenuation – 321012 For Medium Attenuation –	320938	High Attenuation	27 dB
321011 For Low Attenuation – 321012 For Medium Attenuation –	Replace	ment Hygiene Kits:	
			_
321013 For High Attenuation –	321012	For Medium Attenuation	_
	321013	For High Attenuation	-

## Ultra 29 Ear Muff

- Excellent full spectrum attenuation and low frequency attenuation
- Fork style headband provides even pressure distribution and greater balance
- · Extra-wide ear cushions and soft, padded steel headband

Item# NRR 14991 29 dB

▲ WARNING: Cancer and Reproductive Harm—www.P65Warnings.ca.gov

25270 NRR 26



29

Folds for easy

storage

## Interceptor" Folding Ear Muff Padded, foam-filled ear cups

- offer long-wearing comfort Item# 23640: adjustable
- CoolMax® headband wicks away moisture for cool wear
- Item# 25270: fits most slotted hard hats for maximum convenience

ltem#	Description	NRR	
23640	Headband	29 dB	
25270	Cap Mount	26 dB	

Individually packaged, 18 per case. Hard hat not included.

MARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov



### Hi-Visibility Ear Muffs

- · Reflective material on the headband and brightly colored ear cups provide visibility in a variety of lighting conditions
- Lightweight design, adjustable headband with moisture wicking technology, and foam-filled ear cushions assure comfortable wear

Item#	NRR
163366	29 dB

Please specify color: Hi-Vis Lime (HLE) or Hi-Vis Orange (HOE). Individually packaged.

## MSA left/RIGHT Cap Mount Ear Muffs

- Provides a more custom. comfortable fit for ears of all shapes and sizes
- Wider attenuation range protects against dangerous noise levels, yet allows you to hear traffic, alarms, and warnings
- Fits most slotted MSA protective caps
- Replacement hygiene kits contain: nair cushions and (1)-nair foam inse

Item#	Description	NRR	
29441	Low Attenuation	21 dB	
29442	Medium Attenuation	25 dB	
29443	High Attenuation	28 dB	
Replace	ment Hygiene Kits:		
29444	For Use With Item# 29441		
29445	For Use With Item# 29442		
29446	For Use With Item# 29443		
20 per ca	ase Hard hats not included		



### Ultra Light **Dielectric Series** Ear Muffs

- · Soft, foam-filled ear cushions
- Item# 27249: lightweight headband
- · Offers 3 wearable positions - over the

head, behind the neck, or under the chin

Item# 27244: universal blade allows use with most hard hats

20

2724

 Easily rotates away from ears when not in use and has convenient stand off and storage positions

Item#	Description	NRR
27249	Ear Muff	20 dB
27244	Cap Mount	30 dB

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov



Item#

14993

177815

### Hi-Vis Ear Muffs

- · Hi-vis ear cups add safety
- Item# 14993: padded headband and foam-filled ear cups, folds for easy storage
- Item# 177815: universal blade allows use in most hard hats

Description

Ear Muff



NRR 27 dB

23 dB

Cap Mount ▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

### TASCO Black Hawk

SoftSeal\* cushions

· Low profile headband with foam pad

Molded grips for easy adjustment

- Cap Mount Muffs: fit all major
- brands of slotted hard hats Low profile arm assembly features tension adjustment and offers convenient at-rest and storage positions






Item#	Description	NRR	
21005	Ear Muff	27 dB	
22904	Cap Mount Ear Muff	24 dB	
6019 Replacement Cushions (pr.) -			
Individua	ally packaged, 20 per case.		

### MOLDEX MX Ear Muffs

158768



· Soft, cushion-ribbed, open-air headband

· Features PVC-free, extra-soft foam and low-pressure cushions and headband

 MX-6: exclusive waffled cup improves NRR protection

Item# Description		NRR
158768	MX-5	27 dB
158769	MX-6	30 dB
158770	Hygiene Kit for MX-5	_
158771	Hygiene Kit for MX-6	-

1 per box, 10 boxes per case.





Glossy

surface







**Hearing Protection** 



## NSI Performer∘

### Rubber Coated String Knit Gloves

- Rubber latex palm coating offers better abrasion resistance and grip for lifting and handling rough objects
- . 10-gauge cotton string knit shell
- Elasticized knitwrist cuff helps keep out dirt and debris
- · Applications: maintenance, packaging, assembly, or light construction jobs

#### Item#

#### 22067

Please specify size: (S), (M), (L), (XL), or (2XL). 12 pair per package, 144 pair per case.



### **Economical Rubber** Coated Polyester Gloves

- · Dark colors hide dirt
- Applications: masonry, material handling, shipping, maintenance, and more

Item#

158814

Please specify size: (XS), (S), (M), (L), (XL), or (2XL). 144 pair per case.



Ultra-thin sandy grip coating assures optimum grip

### Performer<sup>®</sup> Ultra Soft Rubber Coated Gloves

- 15-gauge Modal\* and Spandex\* liner keeps hands cooler, and is fade- and shrink-resistant
- Quickly absorbs moisture
- Applications: material handling, assembly, and maintenance

223289

Please specify size: (S), (M), (L), or (XL). 144 pair per case.



### Performer® Flex Rubber Palm Coated Gloves

- Comfortable 100% polyester shell
- Applications: maintenance, packaging, assembly, and construction

Item#

30747

Please specify size: (S), (M), (L), (XL), or (2XL). 144 pair per case.



# NSV Rubber Coated

- Natural rubber coating, with crinkle finish on palms and fingers, protects against minor punctures, cuts, and sharp-edged materials
- Soft jersey lining
- Applications: recycling, light construction, and general purpose



more heavily dipped gloves

### Performer®Flex r

- . 18-gauge nylon shell is breathable and ultra-lightweight
- · Smooth finish latex coating adds grip
- Ergonomically designed for comfortable wear
- · Applications: maintenance, packaging assembly, material handling, & more

Item#

317272

Please specify size: (S), (M), (L), (XL), or (2XL). 144 pair per case.



### Rubber Coating

A great choice for maximum flexibility, grip, and durability in wet or dry applications.



12 pair per package, 72 pair per case.





### Durable rough finish rubber coating

## SHOWA Atlas® 300 Rubber Palm Coated Gloves

- Seamless stretch cotton liner with contoured hand
- Applications: farming, maintenance, fabrication, material handling, construction, or anywhere a sure grip is required

1487

Please specify size: (S), (M), (L), or (XL). 12 pair per package, 144 pair per case.

Item#





improved rubber coating provides

## NSI Ruf-flex® 2

### Rubber Palm Coated Gloves

- Ergonomically designed, 10-gauge seamless cotton liner
- Applications: masonry, material handling, and assembly work

Item#	Color	Item#	Color	Item#	Color
23268*	Blue	30745	Gray	30746	Red

Please specify size: (S), (M), (L), or (XL). \*Also available in (2XL). 12 pair per package, 72 pair per case.



## NSI Ruf-Hex® Plus

### Rubber Coated String Knit Gloves

- 10-gauge stretch knit shell
- · Dark colors hide dirt for longer wear
- Applications: maintenance, shipping and receiving, and construction

Item# 23275 Hook and loop closure provides a secure fit

Please specify size: (XS), (S), (M), (L), (XL), or (2XL). 12 pair per package, 72 pair per case.



## NSI Ruf-flex® D2

### Rubber Fully Coated Gloves

- . Fully dipped in smooth latex and palm coated in sandy finish latex for extra grip and protection against moisture and abrasion
- 15-gauge polyester shell
- Applications: general duty maintenance, assembly, construction, and material handling



Enhanced protection against moisture

### 290246

Please specify size: (S), (M), (L), (XL), or (2XL). 144 pair per case.

## NSI Ruf-flex®

### Premium Rubber Palm Coated Gloves

- . Textured rubber coating for optimal grip
- 10-gauge cotton/polyester liner
- Applications: maintenance, construction, material handling, and farming

Item# 19716

Breathable stretch gloves

Please specify size: (S), (M), (L), or (XL). 72 pair per case.





- · Soft, 15-gauge nylon knit shell with textured rubber coating
- Applications: assembly, maintenance, material handling, landscaping, fabrication, or any task requiring additional grip and dexterity

ltem#	Coating	ltem#	Coating
22398	Blue	27504	Black

Please specify size: (XS), (S), (M), (L), (XL), or (2XL). 12 pair per package, 144 pair per case.



## NSI Ruf-flax®Lite

### Hi-Vis Rubber Coated String Knit Gloves

- · Knitted, comfortable 13-gauge high grade polyester liner
- Seamless design reduces hand fatique
- Applications: assembly, maintenance, material handling, fabrication, or anywhere grip and dexterity are required

Item# Increased visibility promotes safety

### 15633

Please specify color: Hi-Vis Lime (HLE) or Hi-Vis Orange (HOE); and size: (XS), (S), (M), (L), (XL), or (2XL). 144 pair per case.



### Ruf-flox Air

- Flexible 13-gauge nylon shell
- Applications: material handling, assembly, small parts handling, maintenance, construction, and masonry



Item#

Foam latex coating reduces hand fatigue

Please specify size: (XS), (S), (M), (L), (XL), or (2XL). 12 pair per package, 144 pair per case.



100% silicone-free

### MaxiFlex® Ultimate™ by ATG® Hi-Vis Nitrile Coated Gloves

- Micro-foam nitrile palm coating
- Mimics the "hand at rest" position
- · Knitwrist cuff prevents dirt and debris from entering glove
- Applications: general assembly, micro-engineering, automotive components, painting, and horticulture

Item#

185484

Please specify size: (S), (M), (L), or (XL). 72 pair per case.

#### Ansell HvFlex® Foam Coated Gloves


Item# Coating	Itom#	Contina	
hand fatigue • Excellent grip in light oily conditions • Applications: general assembly and small parts handling	Hyflex 1 Pro	Topics .	V
<ul> <li>Knit nylon shell helps reduce</li> </ul>	Man.	INDIA <b>P</b> ER	

Item#	Coating	Item#
7327*	Gray	29033

Please specify size: (6), (7), (8), (9), or (10). \*Also available in size (11). 12 pair per package, 144 pair per case.

### Heavy-Duty Nitrile Coated Gloves

- . Sturdy nitrile coating over a heavy-duty cotton jersey liner resists oils, greases, and solvents
- Applications: handling rough surfaces.



Item#	Description	Size
2784*	Knitwrist, Palm Coated	M, L, XL
2786*	Knitwrist, Fully Coated	M, L, XL
2787	Safety Cuff, Palm Coated	Standard
2788	Safety Cuff, Fully Coated	Standard
2789	Safety Cuff, Rough Finish, Palm Coated	Standard

\*Please specify size: (M), (L), or (XL). 12 pair per package.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

### NSI Ultra Lite Nitrile Coated Gloves

- Delivers exceptional dry grip, even on smooth surfaces
- Ultra-lightweight nitrile coating provides cut, abrasion, snag, & puncture resistance
- · Outwears cotton 12-to-1, light leather 5-to-1, and PVC-coated gloves 3-to-1
- 100% cotton interlock liner
- · Applications: fabrication, inspection, and small parts assembly



TOP SELLER

Knitwrist cuff

Please specify size: (S), (M), (L), or (XL). 12 pair per package, 144 pair per case.

▲ WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov





### MaxiFlex® Ultimate Nitrile Coated Gloves

 Lighter, thinner gloves have micro-foam nitrile coating for optimum grip and breathability



· Applications: logistics, warehousing, wiring, handling small components, and more



Item#	Description	Item#	Description	
32040*	Smooth Grip	185482	Dotted Grip	
DI		OCL L WAL		SPE N

Please specify size: (S), (M), (L), or (XL). \*Also available in (2XL) or (3XL). 144 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

### 350 and 4500 Nitrile ப்பட Coated Gloves

- · Nitrile dipped, palm coated gloves resist cuts, snags, and abrasion
- · Snug, flexible fit

21CFF

Great snag and puncture resistance

Black

- Ergonomically designed for superior dexterity and flexibility
- . 350 has a cotton/poly seamless knit
- · 4500 gloves have a seamless knitted nylon shell

Item#	Description	Item#	Description
10200	350	10199	4500

Please specify size: (S), (M), (L), or (XL). 12 pair per package, 72 pair per case.

# MEMPHIS

### Medium Duty Nitrile Coated Gloves

- Fully coated in nitrile to provide excellent cut, abrasion, and puncture resistance
- · Interlock liner allows maximum sense of touch and dexterity
- · Applications: assembly, fabrication, inspection, material handling, shipping and receiving, and maintenance
- Launderable

#### Item#

Please specify size: (S), (M), (L), or (XL). 12 pair per package, 144 pair per case.

## Ansell Hylite™ Nitrile Coated Gloves

- Ergonomically designed gloves feature knitwrist cuff and 100% cotton interlock liner
- Unique nitrile textured palm provides exceptional dry grip, even on smooth surfaces
- Outperforms cotton by 12-to-1, light leather 5-to-1, and PVC-coated 3-to-1
- · Applications: medium-duty handling, assembly, or inspections
- Launderable

### Item#

Please specify size: (XS), (S), (M), (L), or (XL). 12 pair per package, 144 pair per case.



Provides excellent cut, puncture, and abrasion resistance

## NSI Foamflex XT

### Nitrile Coated Gloves

- Breathable 15-gauge nylon/ Spandex® liner
- · Dark colors hide dirt for longer wear

 Applications: general assembly, material handling, maintenance, and more

Item#

223287

Microfoam-coated to channel liquids away

Please specify size: (S), (M), (L), (XL), or (2XL). 144 pair per case.

WARNING: Cancer and Reproductive Harm—www.P65Warnings.ca.gov



## **NSI** Foam*flex*: 30748

### Nitrile Coated Gloves

- 100% machine-knitted, 15-gauge polyester shell
- · Applications: assembly, small parts handling, and many other general purpose applications



Item#

30748

Longer cuff for more protection

Please specify size: (S), (M), (L), (XL), or (2XL). 144 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

### NSI Foamflex: 4695 **Dotted Nitrile Gloves**

- Nitrile-coated palm with raised dot pattern
- 13-gauge nylon liner
- Applications: general assembly, automotive industry, handling oily parts, and anywhere reliable grip is required

Dotted surface enhances

Please specify size: (XS), (S), (M), (L), (XL), or (2XL). 144 pair per case. ▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

# NSI Foamflex

### Nitrile Coated Gloves

- · Resists snags and abrasion
- · Excellent grip in light oil applications
- 15-gauge nylon string knit liner
- Applications: general assembly, automotive, handling oily parts, construction, or anywhere superior dexterity and grip are required



Item#

24238

Heavier coating with optimum grip and dexterity

Keeps hands cool in hot environments,

and warm in cool temperatures

Please specify size: (S), (M), (L), or (XL). 12 pair per package, 144 pair per case.

▲ WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov

Item#

### Foam*flex*\* 4621 **Fully Coated Nitrile Gloves**

- Resists snags better and protects hands from abrasion
- 15-gauge nylon liner
- Applications: automotive, general assembly, handling oily parts, and more

Item#

Added liquid protection and grip in wet or oily tasks

Please specify size: (XS), (S), (M), (L), (XL), or (2XL). 144 pair per case. ▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

# **NSI** Foamflex

## Nitrile Coated Nylon Gloves

- Ensures exceptional dexterity, along with snag and abrasion resistance
- 15-gauge nylon string knit liner
- · Applications: small parts handling, general assembly, or anywhere maximum dexterity is required



Better handling in light oily conditions

Item#

Please specify size: (XS), (S), (M), (L), (XL), or (2XL). 12 pair per package, 144 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

A great choice for increased gripping strength while resisting abrasion, snags, and tears, especially for working in light oily applications

### Sandy nitrile coating provides excellent wet or dry grip

- 18-gauge bamboo blend liner is soft and comfortable
- · Absorbs sweat and resists odor
- Applications: general assembly, material handing, and more

#### Item#

### 321637

Please specify size: (S), (M), (L), or (XL).

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov


### **Gloves**

## Ansell HyFlex® **Ultra-Lite Polyurethane**

- Ultra lightweight, 18-gauge nylon liner assures comfortable, all-day wear
- . Thin, flexible polyurethane coating offers superior tactility and abrasion resistance
- Dark colors mask dirt to prolong use and prevent premature throwaway
- · Applications: automotive, machinery, and metal fabrication



Please specify size: (XS), (S), (M), (L), or (XL). 12 pair per package,



144 pair per case.

### Ansell

### HyFlex\*LITE Polyurethane Over Nylon Gloves

- · Delivers solid grip in dry and light oil environments
- Maximum dexterity
- · Applications: automotive, manufacturing, plastics industries, small parts handling and assembly, and more
- Launderable



Provides unsurpassed tactile sensitivity

Item# Liner/Coating 28864 Black/Gray 28865 White/White

Please specify size: (XS), (S), (M), (L), or (XL). 12 pair per package, 144 pair per case.



- 13-gauge nylon liner
- Prevent fingerprints on products
- Protects against microdamage
- Applications: precision work in dry or greasy environments
- Launderable

### Item#

Please specify size: (S), (M), (L), or (XL). 72 pair per case.

Polyurethane-coated palm offers anti-skid grip

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

### **Polyurethane**

A great choice for increased fit and sensitivity in a lightweight, non-linting glove.



### Ninia Lite Polyurethane **Coated Nylon Gloves**

- 30% lighter for greater tactile sensitivity
- 18-gauge nylon shell with polyurethane-coated palm and fingertips
- Knitwrist helps keep out dirt and debris
- Applications: general maintenance, assembly, and more

#### 267778

Please specify size: (XS), (S), (M), (L), or (XL).

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov



### Polyurethane Coated Nylon Work Gloves

- 13-gauge shell provides tactile sensitivity and dexterity
- Polyurethane coating offers abrasion resistance
- Applications: agriculture, assembly line production, automotive, carpentry, construction, manufacturing, material handling, and more



#### 197731

▲ WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov



- . Static wired thumb, index finger, and middle finger allow user to operate touchscreen phone or device without removing gloves
- 13-gauge seamless knit nylon polyester shell
- · Polyurethane coated palm and fingertips provides a secure grip in dry and slightly wet and oily conditions
- Applications: electronic and computer assembly, quality control, inspection, and more



Knitwrist cuff helps keep debris out

Latex FREE

### Item#

### 320096

Please specify size: (S), (M), (L), (XL), or (2XL).

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov



## G-TEK® GP Black Polyurethane Coated Work Gloves

Seamless nylon knit shell offers dexterity

- Breathable back design
- Applications: quality control, electronic and computer assembly, inspection, and general assembly

#### Item#

Please specify size: (XS), (S), (M), (L), (XL), or (2XL).





Pohfkr

PolyFle

### PolyFlex<sup>®</sup> Coolmax<sup>®</sup>

- . 18-gauge liner is constructed of 50% CoolMax 1/50% nylon fibers
- · Polyurethane coating
- · Applications: small parts assembly, maintenance, material handling, and more



#### 223437

Please specify size: (S), (M), (L), or (XL). 144 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov









# NSI PolyFlex

#### Polyurethane Coated Gloves Lightweight and breathable

- 13-gauge nylon knit liner
- · Non-linting gloves provide superior touch, sensitivity, and dexterity
- · Applications: assembly applications where product contamination is a concern

Item#	Color	Item#	Color	
26200	White	31935	Gray	
28881	Black			

Please specify size: (XS), (S), (M), (L), (XL), or (2XL). 144 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

PolyFlex





Increases warmth in cold weather!

### Poly*Flex<sup>®</sup> Thermo LT*

- 15-gauge Thermolite\*/nylon gloves hold heat, yet feel lightweight to reduce fatigue
- Soft, seamless liner wicks moisture away
- · Water-based polyurethane coating
- · Applications: warehouses, freight handling, refrigerator work, and general maintenance outdoors or indoors without heat

Item#

#### 223436

Please specify color: Hi-Vis Lime (HLE) or Hi-Vis Orange (HOE); and size: (S), (M), (L), or (XL). 144 pair per case.



# PolvFlex\*

NSI.

### Hi-Vis Polyurethane Coated Gloves

28991

· Seamless, 13-gauge, nylon knit liner

PolyFlex<sup>®</sup> Sandy Grip

· Seamless, 13-gauge polyester

· Water-based polyurethane palm

construction, manufacturing, and

general maintenance

- · Superior touch, sensitivity, and dexterity
- Applications: automotive, manufacturing, and small parts handling.

pp.	and the determinant, in	The state of the s
Item#	Color	Hi-vis colors enhance hand
28991	Lime	position awareness
28992	Orange	


Please specify size (XS), (S), (M), (L), (XL), or (2XL). 12 pair per package, 144 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

## NSI PolyFlex

#### Thermo

- Warm fleece interior and comfortable knitwrist cuff are great for cold weather
- Sandy finish polyurethane coating remains soft and flexible in cold temperatures
- · Water- and oil-resistant
- Applications: warehouses, cold storage work, and working indoors without heat





### 161780

Please specify size: (S), (M), (L), or (XL). 144 pair per case.











Superior grip without sacrificing sensitivity

Please specify size: (S), (M), (L), or (XL). 144 pair per case.

### Gloves

### NSI Ruf-flax Thermo Acrylic terrycloth gloves provide excellent insulation and comfort

 Crinkled rubber palm provides superior grip in wet or dry applications

for harsh temperatures

· Applications: construction, cold storage, unheated warehouses, yard and field work, municipalities, and freight handling



Item#	Description	 Great insulation & grip
31936	Black/Black	All in one

26096 Hi-Vis Yellow/Blue 15385 Hi-Vis Orange/Black


Please specify size: (S), (M), (L), or (XL). 12 pair per package,

72 pair per case.

## NSI Ruf-flex Thermo XVIII ME

### **Coated Gloves**

- Thick gloves protect in temperatures as low as -58°F
- Double-layered acrylic/ polyester shell delivers warm, comfortable wear



· Applications: cold storage work, municipalities, construction, and working indoors without heat



_	_	_
7	WIND IN	
L	450	N.

ltem#	<b>Palm Coating</b>	
162664	Nitrile	
159848	Latex	

Please specify color: Hi-Vis Lime (HLE) or Hi-Vis Orange (HOE); and size: (S), (M), (L), or (XL). 72 pair per case.

## NSI Ruf-Flox Thermo X THE ME

### Double-Dipped Coated Gloves

- Warm gloves make it easier to work in harsh, cold conditions!
- 13-gauge, double-insulated acrylic/ nylon liner delivers amazing warmth and comfort in cold environments
- Double-layer coating-smooth latex covers entire glove with a sandy finish palm coating-protects hands from moisture and provides excellent grip
- Applications: refrigeration, working indoors without heat, farming, construction, and more





### Item#

#### 290245

Please specify size: (S), (M), (L), or (XL). 72 pair per case.

# NSI KutShieldz THERMO XVNEME

### **HPPE Cut-Resistant Gloves**

- 13-gauge HPPE/polyester outer shell with 10-gauge acrylic/glass liner for warmth and cut protection combined
- Double-dipped coating features a sandy finish latex over smooth latex
- Sandy finish adds grip
- Applications: cold storage, construction, freight handling, and more







Item#

#### 321719

Please specify size: (S), (M), (L), or (XL).

# NSI HydrauliX®THERMO☆

### Water-Resistant Cold Weather Gloves

- Synthetic leather/ polyester construction
- Water-resistant coating protects against moisture
- Reinforced palm, finger patches, and thumb crotch
- Insulated fleece lining
- Hook and loop closure
- Applications: construction, outdoor work, general utility, and more



### Item# 312790

Please specify size: (S), (M), (L), (XL), or (2XL).

▲ WARNING: Cancer and Reproductive Harm—www.P65Warnings.ca.gov











- Insulated terry liner is great for cold temperatures
- Thermoplastic rubber knuckle strap protects against bumps and scrapes
- Synthetic leather palm
- Terrycloth sweatband
- Applications: automotive, road work, construction, and more





Please specify size: (S), (M), (L), (XL), or (2XL).

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov



Gloves with water-resistant coatings and insulating liners are great for construction, unheated warehouses, freight handling, and more.





- 13-gauge ThermoLite®/acrylic blend liner provides thermal insulation
- Engineered with hollow-core fibers that trap air, assuring greater warmth
- Keeps perspiration away from skin for more comfortable wear
- Resists shrinking for longer-lasting use
- Applications: maintenance, freight handling, and refrigerator work

#### Item#

#### 155942

1 dozen pair per package, 480 pair per case.

### Insulated Leather Palm Work Gloves

- · Durable leather gloves with soft red jersey lining help keep hands warm and comfortable
- · Features gunn pattern with full leather palm, index finger, fingertips, and knuckle strap
- Applications: farming, general maintenance, and construction

### Item#

#### 7445

12 pair per package, 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov







### Ninja Ice HPT Cold Weather Gloves

- HPT coating repels liquids yet provides firm wet or dry grip
- Two-layer terry/nylon liner
- Remains soft and flexible in temperatures as low as -58°F (-50°C)
- Snag-resistant for long-lasting wear
- Treated with Actifresh® to kill bacteria and promote freshness
- Applications: maintenance, landscaping, and more

### Item#

Please specify size: (M), (L), (XL), or (2XL). 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

## HOTHANDS Hand Warmers

- Portable heat packs are great for inside gloves and pockets
- · Air-activated packs provide warmth for up to 10 hours
- · Easy-to-use packs are odorless, non-toxic, environmentally friendly, and non-combustible

Item#	Description
15038	Single (1 pair)
15040	2.Pack

Quick, easy long-lasting warmth

Item# 15038: 240 pair per case; Item# 15040: 96 packs per case.





### Insulated Grain Leather Driver's Gloves

- · Insulating jersey lining keeps heat in
- · Welted thumb crotch with keystone thumb offers durability
- Slip-on cuffs with shirred elastic back
- Applications: operating construction equipment, fork lifts, and tractor trailers

### Item#

#### 1668

Please specify size: (S), (M), (L), or (XL). 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

Gloves

### Hi-Vis Reflective **Insulated Pigskin** Work Gloves

- Top grain pigskin gloves feature Heatkeep® thermal
- Gloves won't shrink or stiffen when wet, and dry soft and ready to wear
- Applications: construction, refrigeration, and more

Item#	Cuff
14078	Safety Cuff
14077	Knitwrist

Please specify size: (S), (M), (L), or (XL). 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov

### **Insulated Pigskin** Leather Palm Work Gloves

- Grain pigskin leather withstands moisture
- Won't stiffen or shrink when wet, and dries soft
- Soft jersey insulated lining contains 3M Thinsulate®
- Applications: construction, refrigeration,

Item#	Cuff
19943	Knitwrist
19944	Safety Cuff
12 pair p	er package, 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

### NSI Insulated Split **Leather Driver's Gloves**

- Offers great protection and abrasion resistance
- Features warm, red jersey lining, slip-on cuffs, and shirred elastic back
- Applications: working in construction, farming, and other outdoor applications

### Item# 2430

Please specify size: (S), (M), (L), or (XL). 12 pair per package, 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov



19943





## 15040

## NSI

### Side Split Leather Palm Work Gloves

- Sewn with Kevlar®
- Gunn pattern, wing thumb, elasticized
- canvas back, and rubberized cuff
- . Double palm: extra layer of heavy select side split leather on the palm, thumb, and fingers
- · Warm, comfortable fleece lining
- · Applications: construction, pipe fitting, lumber operations, iron and steel work, and lumber mills




Safety Cuff





Gauntlet Cuff



3120\* Safety Cuff-M, L, XL 3031\* Gauntlet Cuff-L, XL

Item# Description

Double Palm: 16759 Safety Cuff

Double Palm

\*Please specify size. 12 pair per package, 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

### Full leather back NSI Select Shoulder Full Leather Work Gloves

- Full leather back & palm provide optimum abrasion resistance
- · Cushions back side of hands against impact
- · Applications: heavy-duty jobs requiring full protection including farming, maintenance, and construction

### Resists liquids and abrasion

Item#	Description
3500	Safety Cuff
3029	<b>Gauntlet Cuff</b>

12 pair per package, 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

### Select Shoulder Leather Palm Work Gloves

- · Sturdy leather construction provides excellent abrasion resistance and ensures extended wear
- · Elasticized cotton back, and full leather index finger, palm, and knuckle strap
- · Applications: medium to heavy-duty lifting and handling applications

	many and managed approach		
Item#	Description		
16756	Knitwrist		
1342	Safety Cuff		
3131	Gauntlet Cuff		
12 pair	per package, 72 pair per case.		

▲ WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov









### Orange Back Split Leather Palm Gloves

- Leather palm protects against abrasion
- Rubberized safety cuff and wing thumb
- Shirred elastic wrists
- Applications: farming, maintenance, construction, landscaping, and more

#### Item#

#### 162218

72 pair per case.

▲ WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

### NSI. Hi-Vis Split Leather Gloves

- · Reflective material on cuffs and knuckles
- · 21/2" safety cuff
- Sturdy leather
- Applications: airport personnel, emergency response, mining, railroads, construction. heavy-duty road work, and more



#### Item#

#### 4705

72 pair per case.

▲ WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



### Big Jake™ Leather Palm Work Gloves

- Heavy, select chrome-tanned, side split leather
- Strong, heat-resistant Keylar® thread
- Features 100% cotton lining sewn at both sides, 9 oz. cotton back, and gunn pattern with 23/4" rubberized safety cuff
- Item# 25518: features premium side split leather palm, full leather thumb, forefinger, fingertips, and knuckle strap
- Item# 25519: full leather back gloves have a double leather palm and forefinger and a third layer at the base of the thumb

Applications: assembly, cable construction, farming, iron work,

25518

lumber industries, handling rebar and rope, and more







Please specify size: (M), (L), or (XL). \*Also available in (S). 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov





- · Rugged shoulder leather palm
- · Gunn pattern, wing thumb
- Comfortable, soft palm lining
- Applications: construction, maintenance, agricultural, and many other heavy-duty applications



Knitwrist

### Item# Description

Standard, Safety Cuff

Item# Description

Heavy-Duty, Knitwrist

12 pair per package, 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

## NSI Leather Palm Work Gloves

- . Gunn pattern, wing thumb, full leather index finger, fingertips, and knuckle strap, and elasticized cotton back
- · Applications: construction, agricultural, maintenance, and many other heavy-duty applications





30708

12 pair per package, 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm—www.P65Warnings.ca.gov

### Patch Palm Leather Work Gloves

- Cotton fabric back, rubberized safety cuff, gunn pattern, and wing thumb
- Applications: general purpose wear in construction, mills, and more

### Item#

1 dozen pair per package, 6 dozen pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

### Economical Leather Double Palm Work Gloves

- Elastic cotton back and wing thumb
- Rubber material in between two layers of fabric



2595

12 pair per package, 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm—www.P65Warnings.ca.gov

### NSII Leather Palm Knitwrist Gloves

- Split shoulder leather palms, with striped cotton back
- Clute cut pattern
- Applications: assembly, farming, maintenance,





construction, landscaping, and general purpose use

Item#	Description/Size	Item#	Description/Size
3200	Standard Grade, Large	3163	Standard Grade, Small

12 pair per package, 144 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

### Premium Shoulder Leather Palm Gauntlet Work Gloves

 Durable shoulder leather with comfortable gunn pattern

- · Elastic cotton back and lining
- Full leather index finger, fingertips, and knuckle strap
- Applications: construction, farming, and maintenance





Wing thumb reduces fatique and stress on seams

Description Item# Description Safety Cuff **Gauntlet Cuff** 

Item# 8841-please specify size: (S), (M), (L), (XL), or (2XL). Item# 8843please specify size: (M), (L), or (XL). 12 pair per package, 72 pair per case. ▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

### Double Palm Leather Work Gloves

- An extra layer of leather sewn on the palm, thumb, and index finger
- · Gunn pattern, wing thumb, and rubberized cuff
- Applications: fabrication, metal working, farming, construction, and other heavy industrial work





Two-color design alerts you to change gloves when leather wears thin

Item#	Description
3140	Safety Cuff, Select Grade
3141	Safety Cuff, Heavy-Duty Grade
3084	Safety Cuff, Heavy-Duty Grade, Small
3142	Gauntlet Cuff, Heavy-Duty Grade

12 pair per package, 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

## Leather Glove Buyer's Guide

### Types of Leather

#### Cowhide

Gunn pattern

Full leather thumb

 Comfortable, durable & resists abrasion



### Pigskin

- Extremely breathable
- Returns to original pliability after getting wet



#### Goatskin

- Offers greatest softness and tactile sensitivity
- Delivers strength and abrasion resistance



### Grain Leather

- Especially soft for superior dexterity



### Split Leather

 Provides great protection and abrasion resistance



### Leather Grade

Use these symbols to help you select the gloves that are best for your budget.











### Gloves



offers comfort and additional protection





### Smooth A/B grade cowhide leather palm provides excellent dexterity, durability, and abrasion resistance against minor bumps and scrapes

Grain Leather Driver's Gloves with Split Leather Back

- Gunn pattern, slip-on cuffs, keystone thumb, and shirred elastic back
- · Applications: operating farm equipment, construction machinery, and more

#### Item#

#### 296955

Please specify size: (S), (M), (L), (XL), or (2XL).

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

### NSI Economy Grain Pigskin Work Gloves

- · Becomes softer with each wear
- Won't stiffen after being exposed to moisture
- . Gunn cut, elastic cotton back, and wing thumb
- Applications: general purpose, including construction, farming, iron and steel work, maintenance, and more

#### 32030

▲ WARNING: Cancer and Reproductive Harm—www.P65Warnings.ca.gov





**IEMPHIS** 

### Road Hustler™ Premium Grain Leather Driver's Gloves

- Abrasion-resistant leather with rolled cuffs, keystone thumb, & gunn cut pattern
- Applications: fork lift drivers, farm and construction equipment, operators, utility workers, and more



MEMPHIS GLOVES

Work Gloves

Pigskin Leather Palm

exposed to moisture without stiffening

natural, soft texture after getting wet or

strap, forefinger, thumb, and fingertips

· Split pigskin leather returns to its

laundering, for long-lasting use

#### Item#

Please specify size: (S), (M), (L), or (XL). 120 pair per case.

Snort'n Boar™

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov


### Item#

72 pair per case.

### NSU Split Leather Driver's Gloves

- · Slip-on cuffs, straight thumb, shirred elastic back, and color-coded hems for easy sizing
- Applications: general purpose applications requiring good dexterity, including operating farm equipment, construction machinery, and tank trucks





#### Item#

### 2389

Please specify size: (S), (M), (L), or (XL). 12 pair per package, 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov



Item#

25522

Please specify size: (L) or (XL). 72 pair per case.

· Features safety cuff and full leather palm, knuckle

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

### Breathable pigskin leather

### Pigskin Split **Leather Work Gloves**

- · Soft, yet strong pigskin gloves offer excellent abrasion resistance
- Retains softness after being wet
- Features gunn cut, wing thumb, and full leather index finger, fingertips, and knuckle strap
- Cotton elasticized back
- Applications: maintenance, construction, farming, and assembly





### Item#

### 19799

12 pair per package, 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

# NSI Grain Pigskin

- Grain pigskin gloves become softer with each use, and stand up to moisture without stiffening
- · Offers excellent breathability and abrasion resistance while remaining tough and durable
- · Features wing thumb, safety cuff, full leather index finger, fingertips, and knuckle strap
- Gunn cut and elastic cotton back
- Applications: iron and steel work, farming, construction, and more


### Item#

#### 1680

12 pair per package, 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

















### Pigskin Grain Leather Driver's Gloves

- Soft and breathable enough for all-day wear
- Shirred elastic back, flexible keystone thumb, and reinforced thumb crotch
- Applications: operating machinery, farm equipment, and more

Grain pigskin returns to its natural softness after being wet





Item#	Grade
10897*	Standard
11308	Premium
Planca co	annihi niza: IC

Please specify size: (S), (M), (L), or (XL). \*Also available in (2XL). 12 pair per package, 120 pair per case.

▲ WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

### Soft Pigskin Leather with Enhanced Visibility

### Hi-Vis Grain Pigskin Driver's Gloves

- · Provides visibility in low light applications
- · Grain pigskin won't stiffen or shrink when wet
- · Returns to its original softness when dry
- Shirred elastic mesh back adds comfort and ventilation
- Applications: road work, transportation. and construction environments

#### 4599

Please specify size: (M), (L), or (XL). 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

### **Premium Grain** Leather Driver's Gloves

- · Premium top grain leather provides excellent abrasion resistance and dexterity
- Features keystone thumb for greater flexibility and shirred elastic back
- · Applications: operating or driving heavy equipment, tractor trailers, and fork lifts



### Item#

### 19798

Please specify size: (S), (M), (L), or (XL). 12 pair per package, 120 pair per case.

▲ WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

### **Grain Leather Driver's Gloves**

- Full grain leather offers superior dexterity and abrasion resistance
- Unlined, with slip-on cuffs, shirred elastic back, and color-coded hems for easy sizing
- Straight thumb offers durability
- Keystone thumb adds flexibility
- Applications: operating





Please specify size: (S), (M), (L), or (XL). \*Also available in (XS), (2XL), and (3XL). 12 pair per package, 120 pair per case.

▲ WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov

### NSU Grain Leather Gloves with Hi-Vis Orange Fingertips

- Shirred elastic back and keystone thumb design deliver comfortable, all-day wear
- . Color-coded hems for easier size identification
- Applications: road work, construction, and heavy equipment operation





Orange fingertips increase safety

Keyston

humb



291940

#### Great dexterity in a high-vis glove

Item#	Description
100918 No Safety Message	
291940	Watch Your Hands Message

Please specify size: (S), (M), (L), (XL), or (2XL). 120 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov



- · Comfortable gunn pattern
- . Standard: shirred elastic back
- · Premium: double elastic shirring

Item# Grade 1637 Standard, Straight Thumb Premium, Keystone Thumb

the strongest leathers

Ounce for ounce, one of

Please specify size: (S), (M), (L), (XL), or (2XL). 12 pair per package, 120 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov









# NSI Hydraulix

### Goatskin Sport **Utility Gloves**

- Excellent abrasion resistance
- Rugged double palm
- · Stretch knit back
- Applications: industrial and

automotive applications, construction, and other general purpose tasks

long-lasting

### 4699

Please specify size: (S), (M), (L), (XL), or (2XL). 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

### NSI Hydraulix® **Hi-Vis Goatskin Sport Utility Gloves**

- · Durable double palm
- · Comfortable stretch knit back
- Hi-vis colors increase hand position awareness
- . Applications: automotive, construction, road work, & more Item#

### 316981

Please specify color: Hi-Vis Lime (HLE) or Hi-Vis Orange (HOE); and size: (S), (M), (L), (XL), or (2XL). 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov



Versatile glove for work or play

Hook and loop

closure provides

### NSI Hydraulix\* Goatskin Mechanic's

## Work Gloves

- Soft, yet strong goatskin leather provides great dexterity
- Mesh back and vented fingers
- Slip-on cuff
- · Applications: maintenance, construction, automotive, and more

#### Item#

#### 317004

Please specify size: (S), (M), (L), (XL), or (2XL). 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov

# NSI Hydraulix'

## Sport Utility Gloves

- · Lightweight gloves with polyurethane-coated palm
- Nylon mesh back
- · Designed with a natural curve, gloves flex with each hand and finger movement
- · Applications: industrial and automotive work

### Item#

Please specify size: (M), (L), or (XL). 120 pair per package.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov



Secure hook 8

loop closure

### Goatskin Leather **Utility Gloves**

- · Double leather palm
- · Stretch knit back and elastic cuff with hook and loop closure
- Ideal for any applications that require superior dexterity
- Launderable

#### 29689

Please specify size: (M), (L), (XL), or (2XL). 6 pair per package, 48 pair per case.



Comfortable Gloves - Built to Last

## NSI Hydraulix\*

### Mechanic's Gel Gloves

- Silicone fingertip coating
- Gel padding helps dampen impact to reduce hand fatigue
- Padded Spandex® back stretches for optimum flexibility and comfort
- · Reinforced thumb and fingertips
- Applications: construction, garages, and more



closure

#### Item#

### 23402

Please size: (M), (L), or (XL).

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

## **APOLLO** Hi-Dex Mechanic's Gloves

- Synthetic leather/4-way Spandex<sup>®</sup>
- 7 mm foam rubber padding in the palm
- Padding in knuckles
- · Reinforced thumb crotch
- Adjustable Velcro® wrist closure
- Abrasion level 3
- Puncture level 3
- · Applications: working with oily parts and components or when dexterity is important to the task



#### Item#

### 162593

Please specify size: (M), (L), or (XL). 36 pair per case.





### Lightweight Full Finger Mechanic's Gloves

- · Stretch knit gloves with synthetic leather palm feature moisturewicking liner for cooler, more comfortable wear
- · Heat-resistant, synthetic leather palm permits use in many heavy-duty applications
- Elastic cuff with hook & loop closure
- Launderable

#### Item#

### 25521 Please specify size: (S), (M), (L), or (XL). 12 pair per case.



## The Protection You Need for General Purpose Tasks



## NSI Brown Jersey Work Gloves

- Durable, 65% cotton/35% polyester blend jersey fabric
- · Clute cut pattern, knitwrist cuff
- . Item# 2569: dots offer great grip and extended use
- Applications: maintenance, material handling, and farming

Item#	Description
4958	Economy, Standard
5556	Economy, Small
1594	Premium, Standard
2569*	9 oz., Standard, Dotted

\*Sold by the dozen pair, only. 300 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov



### ThermaStat<sup>™</sup> Insulator<sup>™</sup> Liners

- 100% DuPont<sup>®</sup> ThermaStat<sup>™</sup> fabric wicks away perspiration and traps warm, dry air next to the skin
- Reversible gloves withstand heat like wool for superior thermal insulation
- . Extra soft to prevent chafing
- Wear alone or as a liner
- Launderable resists shrinking and mildew

Item#	Color	
5536	White	

12 pair per package, 288 pair per case.



Helps protect against hot and cold temperatures

ltem#	Color
5538	Blue

## NEI

### Insulated Brown Jersey Work Gloves with Red Lining

- Full-fashion design features brown jersey fabric with insulating lining
- Slip-on style is warm and comfortable
- Applications: general purpose work in colder temperatures

#### Item#

### 1592

12 pair per package, 144 pair per case.



## NSI

### Cotton/Poly Blend String Knit Gloves

- Reversible cotton/ polyester
- Fabric stretches to conform to the hand
- Color-coded hems ensure easy size identification
- . Applications: general duty lifting and handling tasks

Item#	Description	Please Specify Size
17778	Light Duty, White	S, M, L
17780	Medium Duty, Gray	S/M, L/XL
17784*	Heavy-Duty	S/M, L/XL

\*Please specify color: Gray (GY) or White (WE). 1 dozen pair per package, 25 dozen pair per case.

## NSI

Item

19808

### 100% Cotton String Knit Gloves

- Ambidextrous gloves
- Color-coded cuffs for easy size identification
- Applications: lifting, parts handling, and more

THE STATE OF THE PARTY OF THE P
Elastic knitwrist cuff

#	Weight	Item#	Weight	
8	Light	19810	Heavy	

Please specify size: (S/M) or (L/XL). 1 dozen pair per package, 25 dozen pair per case.

### Inspection Gloves

- 100% Cotton Lisle:
- 2-piece ambidextrous pattern fits either hand
- Fabric absorbs oils to prevent smudges and stains when handling delicate parts
- Nylon: 100% lint-free tricot nylon knit conforms to the hand for excellent touch and sensitivity
- Helps keep hands cool and dry
- . Sized for a better fit
- · Color-coded hems offer easy size identification

### Item# Description

### Cotton Lisle:

1600 8" Length, Lightweight, Small 1599 8" Length, Lightweight, Standard 2876 8" Length, Lightweight, Extra-Large 2905 14" Length, Lightweight, Standard 2925 8" Length, Medium Weight, Small 3133 8" Length, Medium Weight, Standard 1982 8" Length, Heavyweight, Small 1980 8" Length, Heavyweight, Standard

Nylon: 1584\*

8" Length, Medium Weight

\*Please specify size: (7), (8), (9), (10), or (11).



Perfect for handling or inspecting delicate parts

### **Gloves**





### MaxiFlex® Cut® **Palm Coated Gloves**

- Nitrile micro-foam finish allows for a controlled grip in dry. precision handling applications
- 360° breathability
- Reinforcement between the thumb and forefinger
- Item# 204416 is ¾ dipped for added abrasion resistance
- Applications: assembly, finishing, inspecting, construction, HVAC, logistics, warehousing, and more

Item#	Description
161025	Smooth
161280	Micro Dotted
204416*	3/4 Micro Dotted
DI.	

Please specify size: (S), (M), (L), or (XL). \*Also available in (2XL). 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov




### superiorglove TenActiv™ Composite Knit Cut Resistant Gloves

- · High strength fibers are woven into the glove with comfort in mind
- Lint-free, continuous filament varn is stronger than steel, on an equal weight basis
- Non-shedding, polyurethane coating
- Applications: handling sharp objects, construction, metal fabrication, and automotive industry

tem#	Cut Lev
16308	A2
100446	45

Please specify size: (7), (8), (9), or (10). 240 pair per case.





- Palm padding of patented D30° helps dissipate impact and vibration
- Tanned suede synthetic leather palm and reinforcements
- Expansion gusset cuff
- · Applications: dry, wet, or oily conditions

Please specify size: (M), (L), (XL), or (2XL).

Item#

315539





### DURACoil Cut-Resistant Gloves

- Soft, 13-gauge DURACoil liner is reinforced. with HPPE and multi-filament polyester wrapping
- · Breathable foam nitrile coating protects hands from oils and abrasion
- · Applications: aerospace, automotive, construction, glass manufacturing, mechanical, and oil and gas industries

Description Item# Palm-Coated 315712 315713 3/4 Coated

Please specify size: (S), (M), (L), (XL), or (2XL).







durability

Cut Level

### TenActiv™ Series Foam Nitrile Cut Resistant Gloves

### · Foam nitrile palm coating provides excellent flexibility, dexterity, and grip in wet applications

- · Black color hides stains to prolong use
- · Applications: metal stamping, glass plants, construction, and handling sharp objects

18-gauge shell with high-strength composite fibers



Silicone free



Item#

100452

Please specify size: (7), (8), (9), (10), or (11). 144 pair per case.



### 541 Polyurethane Coated Gloves

- High Performance Polyethylene (HPPE) fibers shell
- Polyurethane-coated palm
- Breathable back and fingers
- Seamless, ergonomic design
- · Lint-free gloves eliminate fingerprints
- Applications: delicate, precise applications where there is risk of being cut

Item#

24280

Please specify size: (S), (M), (L), (XL), or (2XL). 72 pair per case.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov



### Dexterity® Impact superiorgiove Resistant Cut Gloves

- · Ergonomically designed, 13-gauge knit shell
- Thermoplastic rubber backing reduces impact
- · Composite blend liner features silica-infused fibers and Keylar®
- Nitrile palm coating offers puncture- and abrasion resistance and secure grip in wet or oily conditions
- Applications: mechanical, oil and gas, and construction

Excellent cut protection without added bulk

Item#

16312

Please specify size: (M), (L), (XL), or (2XL). 240 pair per case.











## Dyneema® Blends Protect Against Cuts & Lacerations

### Ansell

### HyFlex® 11-435 **Cut Resistant Gloves**

- Water-based polyurethane enhances dexterity and is better for the environment
- Unique blend of nylon, Lycra®, glass fibers, and Dyneema® offers Level A3 cut resistance
- Gray palm coating hides soil, providing longer wear and reducing overall replacement
- Anti-static and silicone-free
- Applications: handling hard-edged objects, assembly, maintenance, and glass or metal applications

16300

Please specify size: (S), (M), (L), or (XL). 144 pair per case.





### Black Dyneema® Diamond Blended Gloves with PU Coating

- . Dyneema® Diamond Technology fiber is 2x stronger than standard Dyneema®
- . Form-fitting, 13-gauge liner is lightweight and provides excellent dexterity, tactile sensitivity, and level A4 cut resistance
- · Polyurethane-coated palm and fingertips offer great abrasion resistance and outstanding wet/dry grip
- Touchscreen-compatible for added convenience
- Applications: metal handling, electronics, glass cutting, and more

#### Item#

#### 223430

Please specify size: (S), (M), (L), or (XL). 72 pair per case.





### Cut Pro™ Dyneema® **Cut-Resistant Gloves**

- Seamless 13-gauge Dyneema® shell provides high strength
- Features Cool-Touch comfort construction
- · Polyurethane coating enhances wear and grip
- · Applications: automotive assembly, farming, material handling, HVAC, and more



Please specify size: (S), (M), (L), (XL), or (2XL).

▲ WARNING: Cancer and Reproductive Harm—www.P65Warnings.ca.gov







Great cut resistance and grip in wet or oily conditions

## Superior Touch Foam

· Dyneema® liner provides excellent cut and abrasion resistance without sacrificing dexterity

Nitrile Gloves with Dyneema®

- · Lint-free, continuous filament yarn construction is great for applications where lint and particulate contamination is a concern
- Lightweight, flexible design assures comfortable, all-day wear
- Black foam nitrile coating provides enhanced grip while hiding dirt to prolong use
- Applications: handling oily, sharp steel, glass, or circuit boards

Item#

29111

Please specify size: (7), (8), (9), or (10). 240 pair per case.







### **G60 PURPLE NITRILE\*** KLEENGUARD Cut Resistant Gloves

- Dyneema® fabric assures excellent cut
- Coated fingertips enhances protection
- Nitrile dots on both sides add grip
- · Snug-fitting design
- Ambidextrous design
- · Applications: glass/metal handling, paper making, and automotive/aircraft assembly

28077

Please specify size: (S), (M), (L), (XL), or (2XL). 12 pair per case.





### 18" Cut Pro™ Dyneema® Diamond Cut-Resistant Sleeve

### Dyneema® offers cool-to-touch properties to dissipate body heat and pass moisture

- from inside of the sleeve to the outside Advanced elbow gusset offers a great range
- of motion
- 10-gauge sleeve is fiberglass-free
- Applications: demolition, glass handling, agriculture, HVAC, and more

Item#

321851









### 18" Cut Pro™ Dyneema® Diamond Silicone-Coated Cut-Resistant Sleeve

- Silicone grid pattern on both sides adds grip and promotes longer use
- 10-gauge Dyneema® fibers with Cool-Touch technology assures comfort and compliance
- Applications: agriculture, bottling, canning, salvage, and more

Item#

320911



### Powder-Free Disposable Nitrile Gloves

- . Strong 8 mil gloves
- Smooth finish assures superior tactile sensitivity
- · Rolled cuff eases donning and doffing
- Applications: municipalities, food

processing, light assembly, automotive, and laboratories



Please specify size: (S), (M), (L), or (XL). 50 gloves per box, 20 boxes per case.



### Megaman Absorbent Lined Nitrile Gloves

- · Fully textured gloves with multilayer construction and a DriTeK™ moisture-wicking lining
- Provides dexterity and tactile sensitivity
- MilTek™ technology delivers a more consistent thickness across the entire glove, minimizing the differences from finger to palm and from palm to cuff
- Applications: light manufacturing, assembly, fabrication, and janitorial

Description Item# 208666 10 Mil, 11" Length Please specify size: (XS), (S),

(M), (L), (XL), (2XL), or (3XL). 50 gloves per box.







- Soft 100% nitrile provides better puncture and abrasion resistance than most vinyl or latex gloves
- · Rolled cuff
- Ambidextrous, powder-free gloves resist intermittent chemical contact or splash
- . Item# 22884: textured fingertips offer good wet or dry grip

22884

- Item# 26364: smooth finish provides great tactile sensitivity
- Applications: mechanics, maintenance, & law enforcement

Item#	Description	Mfg. Model#
22884	4 Mil, 91/2" Length	7700PFT
26364	6 Mil, 11" Length	9700PF
DI		VI.) 50 -l

Please specify size: (S), (M), (L), or (XL). 50 gloves per box, 20 boxes per case.





Hi-vis orange color enhances hand position awareness for added safety





32520

## SI - FlexShield HD

## Heavy-Duty Disposable Nitrile Gloves

- 100% nitrile construction eliminates latex allergy reactions
- · Applications: automotive, food service, industrial, chemical, food processing, and manufacturing


Item#	Description	Color	Oty Per Box
170401*	Powder-Free, 7 Mil, 9.5" Length	Orange	100
226628 BE	Powder-Free, 8 Mil, 9.5' Length	Blue	50
226628 BK	Powder-Free, 8 Mil, 9.5' Length	Black	50
Please spec	ify size: (S), (M), (L), (XL), or (2XL), *2	XL and 2XL: 90	aloves per box

FDA

284842

Powder-free

### **◆\$Flex**Shield® Nite Black Disposable Nitrile Exam Gloves



- · Textured fingertips enhance grip
- Provides superior strength to resist abrasion, tears, and chemical splash
- Controlled manufacturing process ensures consistent quality
- Annlications: laboratories industrial

settings, assembly, and more		4//
Item#	Description	Oty Per Box
32520	4 Mil, 91/2" Length	100
284842	6 Mil, 12" Length	50
Please sp	ecify size: (S), (M), (L), (XL), or	(2XL). 10 boxes per case.





### **Black Powder-Free Nitrile Exam Gloves**

- Distinct color masks stains
- 5.5 mil fingertip thickness, 4.7 mil palm thickness
- · Applications: industrial and automotive industries. correctional facilities. and more

and mo	16	
Item#	Description	F
29151	9½* Length	
Please s	pecify size: (S), (M), (L), (XL), or (2XL).	Т
100 glove	es per box, 10 boxes per case.	





### **Foot Protection**

Seamless Construction Offers Long Wear





### > DUNLOP

### Polyblend PVC/Polyurethane Shoes and Boots

- . Hardened steel ladder shank offers extra safety and comfort
- Item# 2741: features special blend of polyurethane and PVC
- · Ideal for use in food processing, mining, oil refineries, and more
- Item#'s 155157 and 155152: constructed of 100% waterproof polyblend compound
- Provides superior resistance to animal fats (especially poultry), acids, oils, greases, and chemicals
- · Steel toe complies with ASTM and CSA standards

Item#	Description
2741	6" Steel Toe
155157	16" Goliath Plain Toe
155152	16° Goliath Steel Toe

Item# 2741-Please specify Men's full size: 6, 7, 8, 9, 10, 11, 12, or 13. Item#'s 155157 and 155152-Please specify Men's full size: 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, or 15.

### DUNLOP

### Chesapeake® 14" PVC Boots

- · Lightweight, modern design is 25% lighter than classic PVC boots
- Energy absorbing BAY-LOC outsole has channels to repel water
- Steel toe complies with ASTM standards

Description
Plain Toe
Steel Toe

Please specify Men's full size: 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, or 15.

### SERVES XTP Xtra Traction Performance Steel Toe Boots

 PVC injection-molded construction is liquid-proof and resistant to organic chemical deterioration common in poultry and fish processing, as well as oil rigs, mining, and general industrial environments

 TDT dual compound outsole is designed for longer wear and slip resistance



#### Item#

Please specify Men's full size: 6, 7, 8, 9, 10, 11, 12, 13, or 14.

### SERVUS CT™ Economy Knee Boots

- · Boot height increases with shoe sizes, assuring a better fit and greater comfort
- . Unique, tapered design won't catch on the back of your calf while walking
- · Contoured heel cup reduces heel slippage
- · Steel toe complies with ASTM standards

item#	Descriptio		
26612	Plain Toe		
26611	Steel Toe		



### DUNLOP

### Flex3™ PVC Boots

- 16" PVC boots provide excellent resistance to animal and poultry fats, acids, oils, greases, and chemicals
- · Nylon net lining allows easy on and off
- · Steel shank offers firm arch support
- Power-Lug<sup>®</sup> outsole ensures excellent abrasion resistance for longer wear, slip resistance, and cushioning
- Steel toe complies with ASTM standards

Item#	Description	Item#	Description	
4295	Plain Toe	4293	Steel Toe	
Please	specify Men's full size	c 5, 6, 7, 8, 9, 10,	11, 12, 13, 14, or 15.	

### **Economy PVC Boots**

- 13" PVC boots provide dependable, waterproof protection
- · Cut-off band allows height adjustment
- Rugged tractor lug outsole offers reliable traction
- Steel toe complies with ASTM standards

#### **Provides Excellent Traction**

Item#	Description	ltem#	Description
5690	Plain Toe	5693	Steel Toe

Please specify Men's full size: 7, 8, 9, 10, 11, 12, or 13.

### TINGLEY

Remains flexible, even when kneeling or bending

### 16" Rubber Metatarsal Boots

- Abrasion-resistant rubber in key areas improves performance and durability
- Floating metatarsal guard provides flexible protection, even while bending, kneeling, and crawling
- Internal ankle support system helps reduce injuries
- · Abrasion- and slip-resistant, sure grip cleated outsole offers safer footing
- Steel toe complies with ASTM Electrical Hazard standards Item#



Please specify size: 7, 8, 9, 10, 11, 12, 13, 14, or 15 Medium Width.

Work Boot

Delivers 100% waterproof protection

### 為 LACROSSE Meta Safety Toe Met Guard

- Ozone- and abrasion-resistant rubber provides 100% waterproof protection
- · Narrowed ankle pocket grips the top of the foot better and locks heel in place to prevent excess rubbing and chafing
- 16" boot features fiberglass shank for stability
- Steel midsole and full metatarsal guard ensure excellent protection
- . Trac-Lite" outsole delivers excellent traction in mud, snow, and loose terrain
- · Ideal for mining, refining, and heavy manufacturing



### 91869

Please specify Men's full size: 7, 8, 9, 10, 11, 12, 13, 14, or 15.













ASTM

### TINGLEY Premier® G2 15" Steel Toe Knee Boots

- Injection molded construction provides 100% waterproof protection
- Features soft and flexible upper material, and cushioned, removable, shock-absorbing, polyurethane insole
- · Resists fats, certain acids, hydrocarbons, caustics, and other chemicals
- Chevron Plus<sup>®</sup> outsoles provide excellent slip resistance, good abrasion and chemical resistance, and walking comfort
- Ideal for food processing, dairy, beverage, chemical, and petroleum
- Safety-toe meets ASTM F2413 M/I/75/C/75 EH for steel toe caps and Electrical Hazard protection

#### Item#

#### 151119

Please specify Men's full size: 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, or 14.

▲ WARNING: Cancer and Reproductive Harm− www.P65Warnings.ca.gov

### SERVUS Neoprene III Boots

- Triple-dipped neoprene construction is 100% waterproof and protects against many hazardous environments
- Extremely durable, yet pliable boots are lighter weight than ordinary rubber boots
- Item# 26620: Neo-Grip® sole and heel grip wet surfaces for better traction
- Item# 26621: Chevron sole and heel provide added slip resistance on slick surfaces
- Steel toe complies with ASTM standards



26621

Chevron

Outsole

#### Item# Description

26620 12" Steel Toe w/Neo-Grip" Sole and Heel 26621 15" Steel Toe w/Chevron Sole and Heel

Please specify Men's full size: 7, 8, 9, 10, 11, 12, or 13.

### DUNLOP

### Superpoly® 16"

### Steel Toe Boots

. Specially formulated, urethane/ PVC compound provides great chemical resistance

ASTM 16" boots feature replaceable cushion insoles, heel and toe bumpers for added durability, cut-off band for easy height adjustment, and kick-off lug for quick on-and-off



#### 26766

Please specify Men's full size: 7, 8, 9, 10, 11, 12, or 13.

#### DUNLOP

### Sureflex 16" Steel Toe Boots

- PVC/compound upper and PVC/nitrile sole, providing 100% waterproof protection
- Resists animal fats, petroleum, oils, grease, and chemicals
- Features comfortable, removable insole, and steel shank for added arch support
- Kick-off lugs assure easy removal Item#



### Please specify Men's full size: 7, 8, 9, 10, 11, 12, or 13.

## TINGLEY Flite™ 15"

### Safety Knee Boot

- Rugged construction made from Aerex 1.5.5" - a proprietary, chemical-resistant, thermally-insulative blend
- 40% lighter boots, compared to most steel toe PVC and rubber knee boots
- Chevron® Plus delivers slip resistance on wet, contaminated surfaces
- Cleated outsole spits out debris for grip on indoor and outdoor surfaces
- Composite safety toe meets ASTM Electrical Hazard standards

Description ltem# Description 187169 Cleated Outsole Chevron® Plus Outsole Please specify Men's full size: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, or 15 Medium Width.

### TINGLEY Pylon 16" Steel Toe Neoprene Knee Boots

 Chemical-resistant, 100% waterproof neoprene resists solvents, caustics, hydrocarbons, oils, fats, and acids

. Dense fabric liner allows easy on and off, and wicks away moisture and condensation

 Features removable polyurethane contour cushion insoles, and steel shank for arch support

 Chevron outsoles resist abrasion and provide excellent anti-slip protection



#### 92141

Please specify Men's full size: 6, 7, 8, 9, 10, 11, 12, 13, or 15.

### > DUNLOP

#### DuraPro® Boots

- Sloped comfort top rim prevents chafing and reduces discomfort when walking, bending, and kneeling
- Honeycomb-design inside the heel reduces impact when walking

High-performance outsoles



· XC style boots are blue for use in food processing industries

**XCP Boots** 

· Steel toe complies with ASTM standards

Item#	Description	Outsole
XC Boots:		
161351	Plain Toe	Safety-Loc
161338	Steel Toe	Safety-Loc
XCP Boots:		
94624	Plain Toe	Chevron
94626	Steel toe	Chevron

Please specify size: 7, 8, 9, 10, 11, 12, 13, or 14 Medium Width.

Resists Oil.

and Ozone

### DUNLOF

ASTM

### Steel Toe Chest & Hip Waders

Features durable PVC uppers with polyester

backing	kick-off lugs, built-in steel es, and excellent cold we	shanks, steel
Item#	Description	Complies
2552	Hip Wader	ASTM

Item#	Description
2552	Hip Wader
2551	Chest Wader

Please specify Men's full size: 7, 8, 9, 10, 11, 12, 13, or 14.





ASTM

XC Boots





### Foot Protection

### TINGLEY

### Steplite X® 15" Polyurethane Steel Toe Boots

- · Features seamless, 100% liquid-proof polyurethane construction, soft, flexible upper, fully lined interior, and removable contour PU insole for superior comfort
- · Self-insulating-keeps feet cooler in the heat, warmer in the cold
- · Self-cleaning, slip-resistant, cleated outsole assures superior grip
- · Ideal for food processing, dairy, meat processing, farming, and agriculture
- Item# 189111: steel toe meets ASTM F2413 M I/75 C/75 EH
- Item# 189112: steel toe meets ASTM F2413 M I/75 C75

Item#	Description	Item#	Description	
189111	EH-Rated, Cleated	189112	Cleated	

Please specify Men's full size: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, or 15.

### DUNLOP

### Purofort® Multigrip **Steel Toe Safety Boot**

- Lightweight, yet durable boots are great for food processing applications
- . Thermal insulation assures warmth in temperatures to -4°F
- · Orthopedic insole design provides long-wearing comfort
- Slip-resistant outsole offers safe footing

### Item#

### 160036

Please specify color: Green (GN) or Yellow (YW); and Men's full size: 7, 8, 9, 10, 11, 12, 13, 14, 15, or 16 Medium Width.

# kamik 🚖 Safety Toe Rubber Boot

- · Lightweight, waterproof synthetic rubber upper features waterproof, adjustable nylon collar for a secure fit
- Removable, 8mm Thermal Guard liner assures warmth in cold temperatures and wicks away perspiration Rated to -40 F!



#### 17604

Item#

Please specify Men's full size: 7, 8, 9, 10, 11, 12, 13, or 14.




### Hi Chore™ Steel Toe Boot

- · Stretch-fit topline binding keeps the warmth in and the cold out
- . Flex-foam bootie with 4-way stretch nylon is lightweight, flexible, and 100% waterproof

Description

- · 16" high upper features breathable, moisture-wicking lining, removable sock lining, and natural rubber overlays
- · Self-cleaning outsole with stability-enhancing wide cut heel base provides outstanding traction on rough terrain



94554	Plain Toe		17144*	Steel Toe
Please :	specify Men's full size: 7, 8,	9	, 10, 11, 12,	or 13. *Also available
in 6 and	14			



### Hazmax® Chemical Resistant Steel Toe Boots



Ideal for Emergency Responders, Hazmat Technicians, and Site Remediation Workers

- . Item# 2013 offers limited flash fire protection and features a steel toe with EZ Decon sole
- Designed to fit over a chemical protective suit
- . Item# 4226 features handy kick-off lug, Ultragrip® sipe sole, and non-absorbent polyester lining
- Meets and surpasses NFPA 1991 Flammability Test
- Steel toe/midsole plate meets ANSI and CSA standards for impact, compression, and puncture resistance
- Both styles meet NFPA 1991 Chemical Penetration Resistance Requirements

Item#	Description	Item#	Description
2013*	11" EZ-Fit Boot	4226**	16" Knee Boot
*Please	specify Men's size: 6-8 (S	s), 9-10 (M), 1	1-12 (L), or 13-15 (XL).

- \*\*Please specify Men's size: 7, 8, 9, 10, 11, 12, or 13.

### DUNLOP

### **Boot Liners**

- . 16° Borg liner provides added warmth for workers in cold environments
- Fits most non-insulated knee boots

### Item#

#### 5792

Please specify Men's size: S (6-7), M (8-9), L (10-11), or XL (12-13).



 11\* upper is constructed of 500-denier nylon, providing a 100%







waterproof and windproof barrier against the harshest elements

- Item# 26548: provides excellent traction in tough, winter weather
- Item# 26549: 16 replaceable studs deliver flexible, lightweight slip resistance in slippery conditions

Item# Description		Item# Description	
26548	w/Perma Sole	26549	STABLicers®

Please specify size: (S), (M), (L), (XL), or (2XL). NOTE: Order one size larger when wearing over work boots. For the most accurate sizing, measure the sole of the work shoe or boot you're wearing beneath the overboots. See sizing chart at northernsafety.com

### HOTHANDS Foot and Toe Warmers


- · Provides hours of heat
- Ultra thin warmers provide a safe, natural heat for hours of comfort in cold temperatures
- Adhesives help keep warmers in place





16774

16776



### **Foot Protection**



### 6" PowerWelt

- Ever-Guard™ waterproof leather upper resists heat and abrasion
- · Features antimicrobial mesh lining, contoured tongue design, and steel shank
- Non-marking, slip- and oil-resistant Ladder Lock" outsole

### Item#



Please specify size: 7, 716, 8, 816, 9, 916, 10, 101/2, 11, 111/2, 12, 13, or 14 Medium Width.







### Work Boot

WOLVERINE

- Unique, CarbonMAX" safety toe resists heat and cold, and is 50% lighter than steel, yet provides the same protection
- . Durable, full grain leather upper with mesh lining and padded collar and tongue provides long-wearing comfort



#### Item#

Please specify Men's size: 7, 7 1/2, 8, 8 1/2, 9, 9 1/2, 10, 10 1/2, 11, 11 1/2, 12, 13, or 14 Medium Width.



## Men's

### Steel Toe Work Boot Relaxed fit design

- assures a roomier fit
- Embossed leather uppers provide long-lasting durability
- Padded collar and tongue offer comfortable wear







Memory foam insole provides unsurpassed comfort

Please specify Men's size: 7, 7 1/2, 8, 8 1/2, 9, 9 1/2, 10, 10 1/2, 11, 11 1/2, 12, 13, or 14 Medium Width.



Item#

94605

### Women's Celerity Steel Toe Safety Shoe

- · Stylish shoes feature safety knit upper and breathable lining for comfortable wear
- Features TPU in toe and heel area for added durability, EVA midsole, rubber outsole, and torsion control system
- Exceeds ASTM standards for toe impact I/75 and compression C/75 protection Item#


### 268101

Please specify Women's size: 5, 6, 61/2, 7, 71/2, 8, 81/2, 9, 91/2, or 10.



### Waterproof Insulated Steel Toe Nubuck Work Boot

- Seam-sealed waterproof leather uppers with direct-inject construction
- Thermolite<sup>®</sup> 400g insulation
- Oil-resistant, non-marking rubber outsole has rugged outdoor lugs



Description



Please specify Men's size: 7, 71/2, 8, 81/2, 9, 91/2, 10, 101/2, 11, 111/2, 12, 13, or 14 Medium Width.

### WOLVERINE

ASTM

### Blade LX 6" Met Guard Hiker

- · Waterproof, full-grain leather upper has moisture-wicking mesh lining for added durability and comfort
- Removable EPX" anti-fatigue footbed and advanced comfort polyurethane midsole support and cushion every step




#### Item#

#### 219591


Please specify Men's size: 7, 7 1/2, 8, 8 1/2, 9, 9 1/2, 10, 10 1/2, 11, 11 1/2, 12, 13, or 14 Medium Width.



### Men's Steel Toe Sneaker



for cooler wear



Lug patterned, high traction, rubber outsole offers secure footing

#### 161359

Please specify size: 7, 71/h, 8, 81/h, 9, 91/h, 10, 101/h, 11, 111/h, 12, 13, or 14 Medium Width.

## Reebok

### Men's Composite Toe Work Boot

- Rugged leather upper for lasting wear
- Security-friendly boots are metal-free
- Air comfort technology and removable EVA cushion insert with sponge rubber heel wedge insole assures maximum comfort



### 174939

Please specify Men's size: 4, 41/2, 5, 51/2, 6, 61/2, 7, 71/2, 8, 81/2, 9, 91/2, 10, 101/2, 11, 111/2, 12, 13, 14, 15, 16, or 17 Medium or Wide Width. Also available in 18 Medium Width. This product is shipped directly from the manufacturer.



















### STABIL. **Heel Cleats**

- · Combines flexibility of rubber with lightweight durability of plastic
- · Cleat-free forefoot allows safe driving
- · Provides secure fit on shoes and boots

#### Item#

327485



## IMPACTO Midcleat

- Versatile snow and ice traction with superior grip and stability
- · Ideal for workers moving outside to inside
- · Hi-vis and reflective for added safety

#### 327488

One size fits all.



# IMPACTO

### TURBOTOE Safety Overshoe

- · Fits tightly over existing shoes, providing a solid protective cap
- Perfect for visitors, casual or temporary workers. management, clerical, and sales people
- Flexible, 100% waterproof, PVC construction won't harden or crack
- Slip-resistant treads help liquid flow away from the foot

#### Item#

#### 32017

Please specify size: S (M6-7; W8-9), M (M8-9; W10-11), L (M10-11; W12-13), XL (M12-13), or 2XL (M13-14).



### Puncture-Resistant Insoles

- Comfortable, lightweight, flexible design
- Stainless steel plate protects against puncture wounds to feet caused by nails, scrap metal, iron shards, and rocks
- Ideal for construction, waste management, manufacturing firefighters, agriculture, and more

manui	manufacturing, in engineers, agriculture		
Item#	Fits Size		
24269	Women's 7/8, Men's 5/6		
24270	Women's 9/10, Men's 7/8		
24271	Women's 11/12, Men's 9/10		
24272	Women's 13/15, Men's 11/12		
24273	Men's 13/15		



### PolySorb® Heavy-Duty Insoles

- Special heel strike and forefoot cushions help protect and comfort your feet
- Absorbs shock and impact, providing extreme comfort and cushioning

Item#	Fits Size	
26791	Women's 5/6	
26792	Women's 7/8, Men's 6/7	
26793	Women's 9/10, Men's 8/9	
26794	Women's 11/12, Men's 10/11	
26795	Men's 12/13	
26796	Men's 14/15	



Item#

103418

30710



Steel Toe Cap


ASTM



## Foot Guards

Item# Description 1475 Plastic, 41/2" Wide

51/2" Wide



· Plastic and steel guards have rubber straps on heel for a snug fit



6" Wide 4802 Women's Aluminum Alloy, 41/2" Wide

Item#	De	scr	ipti	on
			_	

4803	Men's Steel Toe Guard
	41/2" Wide
4804	Women's Steel Toe
	Guard, 4" Wide
1478	Replacement Strap for
	#'s 1476 and 4800
1477	Replacement Strap for

### Aluminum Alloy Metatarsal Guards

 Lightweight aluminum distributes and absorbs shock through high density

neoprene pau		
Item#	Description	
4172 4174	Lace-On Guards Strap-On Guards	



# IMPACTO

### Metguard Safety **Footwear Attachment**

- · Extremely durable, yet lightweight polycarbonate material provides excellent defense against falling objects
- Item# 26778 attaches using footwear's laces
- Item# 26779 allows use with non-lace up footwear

ltem#	Description
26778	Lace-On Guards
26779	Straps (pair)



### **CEtrekkers**

 Spikes: equipped with durable tungsten carbide spikes for excellent traction on icy surfaces

· Chains: twisted link design assures safe footing on packed and crusty snow

traction design has hundreds of biting edges to provide aggressive traction on snow and ice

Diamond Grip: patented

Easy on and off




Comfortable Enough to be Worn All Day

Foot Protection

		DIAMOND GRIP
Description	Item#	Description
Spikes Chains	30712	Diamond Grip

Please specify size: Item# 103418-(S/M) or (L/XL); Item#'s 30710 and 30712-(S), (M), (L), or (XL). Visit northernsafety.com for sizing chart.





#1475



### Respirators

### 3M 8210 and 8511 N95 Particulate Respirators

- . Minimum 95% filter efficiency against certain non-oil based aerosol particulates
- · Adjustable noseclip with foam strip
- . Item# 4945: has exhalation valve and braided headband
- Do not use for asbestos or sandblasting



8210



	Approved	TOT OLLLL	
Item#	Description	Oty/Box	
8210	8210	20	
31702	8210V w/Exhalation Valve	10	
4945	8511 w/Exhalation Valve	10	

8 boxes per case.

### MOLDEX 2200 and 2300 N95 Particulate Respirators

 Naturally contoured facepiece and soft foam nose flange provide comfortable

95% efficient in non-oil areas

 Item# 2848: exhalation valve allows you to exhale easily for cooler respiration

Won't collapse in humid environments



Item#	Description	Oty/Box
2589	2200 N95	20
2848	2300 N95 w/Exhalation Valv	re 10

### 3M 8515 N95 Particulate Welding Respirator

- 3M" Cool-Flow" exhalation valve
- Easy-to-adjust M-noseclip
- Soft, braided headbands
- Provides 95% efficiency against non-oil particulates
- · Ideal for welding, soldering, cutting, grinding, and sanding

#### 23569

10 per box, 8 boxes per case.



### 3M 8200 N95 Particulate Respirator


- · Proprietary filter material provides minimum 95% efficiency against certain non-oil based particulates
- . Two-strap design with dual-point attachment
- Adjustable nose clip with nose foam
- . Ideal for bagging, grinding, sanding, sweeping, woodworking, and other dusty applications

## Item#

### 27531

20 per box, 8 boxes per case.









### 3M N95 Particulate Welding Respirators

- Innovative 3M" Cool Flow" exhalation valve
- Adjustable straps ensure a secure fit

· Ideal for welding, torch cutting, soldering, grinding, brazing, sanding, and working with molten metals in non-oil areas

Item#	Description	Item#	Description	
4378	8512 N95	4399	8212 N95	
10 per b	ox, 8 boxes per case.			

### 3M Aura™ 9210+ and 9211+ N95 Particulate Respirators

- · Designed to direct exhaled air away from the nose panel, helping to reduce eyewear fogging
- Soft inner material adds comfort
- · Individual packaging and flat fold design offer easy storage in tool boxes, lockers, and pockets
- Item# 15759: Cool Flow exhalation valve reduces heat build-up inside the respirator

Item#	Description	Qty/Box
15756	9210+	20
15759	9211+	10

12 boxes per case.





### **GERSON** 1730 N95 Particulate Respirator

- Strong, welded headstraps
- · Double shell design resists high heat and humidity
- · Smooth inner lining ensures worker comfort and acceptance
- 95% efficiency in non-oil applications

6587

20 per box, 12 boxes per case.




### GERSON 1740 N95 Particulate Respirator With Exhalation Valve

- Exhalation valve provides cooler. easier breathing
- Durable double shell design stands up to high heat and humidity
- Smooth inner lining ensures comfortable wear
- 95% efficiency

Item# 6597





### Respirators

### 3M 8576 P95 Particulate Respirator

- · Provides reliable protection against oil and non-oil based particulates
- · Carbon layer offers relief from nuisance level\* acid gases
- . Proprietary 3M" Cool Flow" valve reduces heat build-up for cool, dry comfort
- M-noseclip easily adjusts for a secure seal and custom fit
- Minimum filter efficiency of 95%
- Ideal for glass etching, chemical and paper processing, brewing operations, and aluminum smelting

#### Item#

#### 8134

10 per box, 8 boxes per case.

### 3M 8577 P95 Particulate Respirator

- Minimum 95% efficiency against certain oil and non-oil particles
- · Odor-removing carbon layer provides relief from nuisance level\* organic vapors
- . Cool Flow exhalation
- valve offers easier exhalation and cool comfort
- . M-noseclip easily adjusts for a comfortable fit

#### Item#

#### 4255

10 per box, 8 boxes per case.

\*Nuisance level refers to concentrations less than the OSHA PEL or applicable government occupational exposure limits, whichever is lower.

### 3M 8271 P95 Particulate Respirator

- Lightweight, disposable respirator with foam faceseal
- Adjustable M-noseclip
- One-way 3M" Cool Flow" exhalation valve
- . 95% efficiency for both oil and non-oil based particles

#### Item#

### 4642

10 per box, 8 boxes per case.

### Honeywell

### NOWTH Saf-T-Fit® Plus N95 Respirators

- Molded cup design is more durable and longer-lasting
- . Humidity-resistant filter and low breathing resistance increase comfort in hot conditions
- · Ideal for dusty operations, grinding, sanding, sweeping, and more

Item# Description

w/o Exhalation Valve 1800 1804 w/Exhalation Valve



### GERSON N100 Particulate Respirator

- Flexible-edge technology and closed-cell foam nose cushion help provide a great fit for a wide range of facial sizes
- Extra large exhalation valve offers cooler. more comfortable wear
- 99.97% efficient against oil-free particulate aerosols
- · Ideal for lead abatement, pharmaceutical manufacturing, soldering, welding, and general construction use

Protection for nuisance-

level acid gases

Relief from nuisance-level organic vapors

Cool Flow exhalation valve

helps keep wearer cooler

Color-coded for easy

size identification

### 31621

NIOSH

NIOSH

NIOSH

10 per box, 10 boxes per case.

## MOLDEX

### N99 Particulate & Welding Fume Respirators

 Reliable 99% filter efficiency protects

against most welding fumes in non-oil areas



Ideal for Welding

. Item# 9859 features adjustable straps for a custom fit

#### Item# Description

9849 2310 N99 w/Standard Straps 9859 2315 N99 w/Adjustable Straps

10 per bag, 6 bags per case.



## NIOSH



NIOSH

### Honeywell

### MORTH 7190 N99

### Low Maintenance Particulate Respirator

- Provides a minimum filter efficiency of 99% in non-oil areas
- · Large filter and patented coaxial valving system help reduce breathing resistance for comfortable wear
- Protects against certain concentrations of fumes generated during welding and fits under most welding helmets



Item# Description 4097 Respirator

4099 Replacement Filters (2/pk)

50 per case.





### Disposable Respirator Dispenser

- Conveniently dispenses masks without a box
- . Hinged lid protects masks from dust, yet offers easy access
- · Clear acrylic construction lets you monitor levels for easy refilling
- Wall mountable
- . 516"W x 8"H x 516"D

#### Item#

5592







### Respirators











Quick latch mechanism adds convenience

### 3M Half Mask Reusable Respirators

- . Dependable respirators are comfortable to wear
- Lightweight facepiece and easy-to-adjust headstraps for worker comfort and acceptance
- Low maintenance, reusable facepiece
- Low-profile design for better vision and accommodating safety glasses
- Item#'s 18994, 183829, and 20096: Cool Flow" exhalation valve helps reduce heat and moisture build-up on the face
- Bayonet style cartridges and filters sold separately

Item#	Description
6600	6000 Series
18994	6500 Series
183829	6500 Series Quick Latch
20096	7500 Series

Please specify size: (S), (M), or (L).



3M

Center adapter directs air and moisture downward

### 6000 Series Full Face Reusable Respirator



- Innovative center adapter provides cooler breathing
- Soft, lightweight, silicone face seal provides outstanding comfort
- Smooth surface assures quick, easy cleaning and helps prevent debris from depositing in valve area
- Easy-to-adjust, 4-strap suspension offers easy donning and doffing
- · Large lens provides excellent vision
- · Optional lens protectors reduce scratching
- Bayonet style cartridges and filters sold separately

Item#	Description
7417*	Full Facepiece
7419	Lens Protectors (25/pkg)
*Please s	specify size: (S), (M), or (L).



# Ultimate FX FF-400 Full Facepiece Reusable Respirator

- Revolutionary advance in respiratory protection
- Low profile bayonet design helps improve balance and provides better weight distribution
- Large lens features Scotchgard" protector
- Durable, long-lasting head harness features a 6-strap configuration for a secure fit
- Comfort cradle positions the respirator more comfortably on the head
- Soft, silicone nose cup and faceseal are engineered for maximum durability, comfort, and resilience
- Patented 3M" Cool Flow" exhalation valve helps reduce heat and moisture build-up and allows for easier breathing
- Cartridges, filters, and lens protectors sold separately

Item#	Description
29691*	Full Facepiece
29692	Lens Protectors (25/pkg)
*Please	specify size: (S), (M), or (L).



### 3M 7800 Series Reusable

**Full Face Respirator** 



- Scratch-resistant lens offers long lasting use
- Soft silicone facepiece features double-flange face seal, nosecup, and 6-strap adjustable harness for a snug, comfortable fit
- Large polycarbonate lens provides excellent visibility and protection
- Speaking diaphragm facilitates clear and reliable communication
- Cartridges, filters, and lens protectors sold separately

Item#	Description
4340°	Full Facepiece
4342	Lens Protectors (25/pkg)
*Please	specify size: (S), (M), or (L).

Ite	em#	Description	Recommended For Respiratory Protection Against:	Mfg. Model#	Oty/Pack
66	10	Organic Vapors Cartridge	Organic Vapors.	6001	2
16	1704	Organic Vapors Cartridge w/ESU	Organic Vapors.	6001i	2
66	12	Acid Gases Cartridge	Chlorine, Hydrogen Chloride, Chlorine Dioxide, Sulfur Dioxide, Hydrogen Sulfide.	6002	2
66	14	Organic Vapors/Acid Gases Cartridge	Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Hydrogen Sulfide.	6003	2
) (E	16	Ammonia/Methylamine Cartridge	Ammonia, Methylamine.	6004	2
) 66	18	Formaldehyde*/Organic Vapors Cartridge	Organic Vapors, Formaldehyde*.	6005	2
90	456	Mercury Vapors/Chlorine Cartridge	Mercury Vapors, Chlorine.	6009	2
66	20	Multi-Gas and Vapors Cartridge	Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Chlorine Dioxide, Ammonia, Methylamine, Formaldehyde*, Hydrogen Fluoride, Hydrogen Sulfide.	6006	2
50	76	P100 Filter Cartridge	99.97% efficient against solid or liquid particles, including oil-based particles.	7093	12
66	23	Organic Vapors/P100 Filter Cartridge	Organic Vapors. 99.97% efficient against solid or liquid particles, including oil-based particles.	60921	2
16	1705	Organic Vapors/P100 Filter Cartridge w/ESLI	Organic Vapors. 99.97% efficient against solid or liquid particles, including oil-based particles.	60921i	2
) (C	21	Organic Vapors/Acid Gases/P100 Filter Cartridge	Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Hydrogen Sulfide. 99.97% efficient against solid or liquid particles, including oil-based particles.	60923	2
66	22	Multi-Gas and Vapors/P100 Filter Cartridge	Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Chlorine Dioxide, Ammonia, Methylamine, Formaldehyde*, Hydrogen Fluoride, Hydrogen Sulfide. 99.97% efficient against solid or liquid particles, including oil-based particles.	60926	2
99	90	P95 Particulate Filter	Minimum 95% efficient against solid or liquid particles, including oil-based particles.	2071	2
2	57	P100 Particulate Filter	Minimum 99.97% efficiency against solid or liquid particles, including oil-based particles.	2091	2
50	73	P100 Particulate Filter w/Nuisance Level Organic Vapor Relief*	Minimum 99.97% efficiency against solid or liquid particles, including oil-based particles. Nuisance level Organic Vapors relief.	2097	2
29	693	Advanced P100 Particulate Filter	Minimum 99.97% efficiency against solid or liquid particles, including oil-based particles.	2291	2
29	694	Advanced P100 Particulate Filter w/Nuisance Level Organic Vapor Relief*	Minimum 99.97% efficiency against solid or liquid particles, including oil-based particles. Nuisance level Organic Vapors relief.	2297	2
500	2	Filter Adapter	Required to use item#'s 9990 and 3257 with chemical cartridges.	502	2
50	74	N95 Particulate Prefilter	Minimum 95% efficient against solid or liquid particles in non-oil areas. Requires item# 5008, when used with chemical cartridges.	5N11	10
50		P95 Particulate Prefilter	Minimum 95% efficient against oil and non-oil contaminants. Requires item# 5009, when used with chemical cartridges.	5P71	10
50		Prefilter Cover	Required to use item#'s 5074 and 5075 on cartridges. Also required to hold item#'s 5074 and 5075 on item# 29466.	501	2
<b>29</b>	466	Filter Adapter	Required to use item#'s 5074 or 5075 alone. Item# 5009 also required.	603	2

## 3M 7800 Full Face Series Replacement Parts and Accessories

ltem#	Description	Oty/Pack	
7282	Inhalation Valve	1	
7283	Exhalation Valve	1	
7884	Window Lens	1	

ONE COOR END	Face Caries Bon	Issament Parts
DUUU FUII	l Face Series Rep	lacement Parts

ltem#	Description
23725	Exhalation Valve
7388	Inhalation Valve
7389	Inhalation Gasket
7390	Spectacle Kit
7391	Lens Assembly
10326	Head Harness

ltem#	Description	Qty/Pack	
7893S	Headstrap Assembly	1	
7887	Inhalation Valve Gasket	2	
7882	Nose Cup Valve Assembly	2	

A WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov

3M	FF-400 Replacement Parts	
Item#	Description	
23725	Exhalation Valve	
29765	Replacement Lens	
29766	Head Harness	
29767	Comfort Cradle Head Harness Attachment	

Respirators **Outstanding Design** and Protection TOP SELLER Honeywell NORTH

### 7600 Series Full Facepiece Respirator

- Hard-coated polycarbonate lens allows a wide field of vision
- Specially designed lens minimizes distortion
- . Dual sealing flange and 100% silicone construction provide superior fit and comfort
- . Convenient chin cup properly positions the facepiece
- Features direct cartridge-to-facepiece connection, 5-strap harness for a secure fit, oral nasal cup to prevent fogging, speaking diaphragm for easy communication, and neck strap that allows wearer to "park" the respirator when not in use
- · Cartridges and filters sold separately
- Manufactured in an ISO 9001 Registered facility

NIOSH

Item# Description 14618\* Facepiece

Peel Away Lens Protectors (Pack of 15)

\*Please specify size: Small (S) or Medium/Large (ML).



- Item#'s 7700 and 176383: soft silicone facepiece conforms to facial features for worker comfort
- Sealing flange eliminates pressure points
- Item# 7700: extended side flanges ensure the best possible seal during talking or other facial motions
- Low mask profile also provides ample room for protective eyewear
- Item# 5540: soft thermoplastic rubber construction delivers comfortable wear
- Item# 176383: speech diaphragm improves voice clarity
- Item# 211120: triple flange design provides a superior fit to accommodate hard-to-fit workers
- Cartridges and filters sold separately
- Manufactured in an ISO 9001 Registered facility

Item#	Description
7700	7700 Series Silicone
5540	5500 Series Low Maintenance
176383	RU8500 Series Silicone
211120*	RU8800 Series Silicone

Please specify size: (S), (M), or (L). \*Please specify size: (S) or (ML).



### Honeywell NORTH

### 5400 Series Full Facepiece Respirator

- One of the lightest respirators on the market...weighs just 14 oz.
- Soft, pliable facepiece seal offers a comfortable, secure fit
- Durable polycarbonate lens ensures a wide field of vision and protects against flying particles
- · Cartridges and filters sold separately
- Manufactured in an ISO 9001 Registered facility

NIOSH

Item# Description 20793\* Respirator

1941 Lens Protectors (Pack of 15)

\*Please specify size: Small (S) or Medium/Large (ML).



Improved Fit and Comfort

### Honeywell

NIOSH

### **RU6500 Full Facepiece Respirators**

- · Wide viewing area offers distortion-free visibility and optical clarity
- · Silicone nose cup and seal assure a soft, comfortable fit
- · Deeper threaded cartridge connector virtually eliminates accidental disconnections and worker exposure to contaminants
- · Polycarbonate lens resists impact
- · Cartridges and filters sold separately



Item# Description 161706 5-Strap Suspension 161708 Mesh Head Net Please specify size: (S), (M), or (L).

# Honeywell MORTH

## N-Series Cartridges and Filters

Item#	Description	Recommended For Respiratory Protection Against:	Mig. Model#	Oty/Pack
3950	Organic Vapors Cartridge	Organic Vapors.	N75001L	2
3951	Acid Gases Cartridge	Chlorine, Hydrogen Chloride, Chlorine Diaxide, Formaldehyde, Sulfur Diaxide, Hydrogen Fluoride.	N75002L	2
3952	Organic Vapors/Acid Gases Cartridge	Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Chlorine Dioxide, Hydrogen Fluoride.	N75003L	2
3943	Ammonia/Methylamine Cartridge	Ammonia, Methylamine.	N75004L	2
2946	Defender" Multi Contaminant Cartridge	Organic Vapors, Formaldehyde, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Fluoride, Ammonia, Methylamine, Hydrogen Sulfide.	75SCL	2
3959	P100 Particulate Filter	99.97% efficient against solid or liquid particles, including oil-based particles.	7580P100	2
3963	Organic Vapors Cartridge/P100 Filter	Organic Vapors. 99.97% efficient against solid or liquid particles, including oil-based particles.	7581P100L	2
3964	Organic Vapors/Acid Gases Cartridge/ P100 Filter	Organic Vapors, Chlorine, Hydrogen Chloride, Chlorine Dioxide, Hydrogen Fluoride, Sulfur Dioxide. 99.97% efficient against solid or liquid particles, including oil-based particles.	7583P100L	2
381	Acid Gases Cartridge/P100 Filter	Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, Formaldehyde. 99.97% efficient against solid or liquid particles, including oil-based particles.	7582P100L	2
3082	Ammonia/Methylamine/ P100 Filter	Ammonia, Methylamine. 99.97% efficient against solid or liquid particles, including oil-based particles.	7584P100L	2
3884	Defender" Multi Contaminant Cartridge/ P100 Filter	Organic Vapors, Formaldehyde, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Fluoride, Ammonia, Methylamine. Hydrogen Sulfide for escape only. 99.97% efficient against solid or liquid particles, including oil-based particles.	75SCP100L	2
3849	P100 Pancake" Particulate Filter	99.97% efficient against solid or liquid particles, including oil-based particles. Requires item# 3854 when used with chemical cartridge.	75FFP100	2
24507	P100 Pancake" Filter w/Organic Vapors Acid Gas and Ozone Odor Relief	Nuisance level Organic Vapors, Chlorine, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Fluoride, Hydrogen Sulfide. 99.97% efficient against solid or liquid particles, including oil-based particles.	75FFP100NL	2
3854	Pancake Filter Adapter	Required to hold item# 3849 on top of a chemical cartridge.	N750035	2
3826	N95 Particulate Prefitter	Requires item# 4325 to use on top of cartridge. Requires item#'s 4328 and 4325 to use alone.	7506N95	10
<b>4325</b>	Cover and Base	Required for filters to attach to gas and vapor cartridges.	N750036	2
G21	Cover and Filter Holder	Required to attach filters to facepiece.	N750037	2

## Honeywell

Replacement Parts

Item#	Description	For Use With*	Oty/Pack
1943	Inhalation Valve	HM, FF	6
1945	Exhalation Valve	HM, FF	4
1748	Exhalation Valve Seat	HM	2
1750	Exhalation Valve Guard	HM	1
1752	Cradle Suspension System	HM	1
1754	Cartridge Connector	HM, FF	2
1756**	Polycarbonate Lens	FF	1
1758	Lens Clamp Screw	FF	2
1760	Lens Clamp Nut	FF	2

ltem#	Description	For Use With*	Qty/Pack
1762**	Headstrap	FF	1
1768	Valve Seat (Oral/Nasal Cup)	FF	2
1770**	Nut Adapter	FF	1
1772	Valve Seat	FF	1
1774**	Valve Guard	FF	1
1776	Spectacle Frame Assembly	FF	1
1778	Quantitative Fit Test Adapter	HM, FF	1
	f Mask, FF-Full Facepiece. **For us tured in an ISO 9001 Registered fac		spirators, only.

## **Understanding Fall Protection & Confined Space**

alls are the leading cause of accidents in the workplace...at the high cost of painful injuries, lost time, and lost money. Your workers must be protected. OSHA has established a variety of guidelines designed to involve both employers and workers in an ongoing effort to ensure workplace safety.

### **Building a Fall Protection Program**

#### **Identify Hazards**

Whenever a worker is at a height of more than 4', a hazard exists. If the hazard cannot be removed, workers should be provided with and trained to use personal protective equipment.

#### Understand OSHA and ANSI Regulations

Regulations will vary, based on the workplace, the specific job performed, etc. It is important to know which regulations apply to your workers, and to comply at all times.

#### Write Your Fall Protection Plan

Your plan should consist of proper work, supervision, and rescue procedures, appropriate products to be utilized, and training responsibilities.

#### Select Your Fall Protection Products


Review the types and styles of products that are available. and determine which products are right for your workers.

#### Train Your Workforce

All workers should be trained to:

- Identify fall hazards
- Inspect and maintain their personal fall protection equipment
- Select appropriate equipment
- Identify suitable anchor points
- Observe proper tie-off procedures
- Properly use their equipment
- Implement rescue procedures

### Product Categories for Fall Protection



Components include:

- Personal Protective Gear Ex.: Full Body Harness
- Connecting Device Ex.: Shock Absorbing Lanyard. Self Retracting Lifeline, Fall Limiter
- Anchorage Point Ex.: D-Bolt Anchor, Anchorage Strap, Beam Anchor, Wire Hook, Scaffold Choker

Fall Arrest


### Holds worker in place, leaving their hands free to perform tasks

Components include:

- Personal Protective Gear Ex.: Full Body Harness with Side D-rings or Full Body Harness with Back D-Ring and Body Belt
- Connecting Device Ex.: Rebar Assembly, Wall Form Hook Assembly, Adjustable Rope Lanyards
- Anchorage Point Ex.: Rebar, Wall Form, Beam

### Lowers and supports workers, keeping their hands free for tasks

Components include:





 Anchorage Point – Ex.: Tripod, Davit Arm and Base, Ladder Mount System



Positioning

Suspension

### Federal Safety Standards

OSHA 1926.501: This section sets forth requirements for employers to provide fall protection systems. All fall protection required by this section shall conform to the criteria set forth in 1926,502 of this subpart.

OSHA 1926-502: Employers shall provide and install all fall protection systems required by this subpart for an employee, and shall comply with all other pertinent requirements of this subpart before that employee begins the work that necessitates the fall protection.

### Confined Space Protection

Although personal arrest and retrieval systems protect against falling and facilitate rescue in confined spaces, there are other hazards that may be present. Gases or fumes might build up, or there could be a lack of adequate ventilation. To check for the presence of gas, workers should use confined space gas monitors or detector tubes with a gas detector pump. When spaces require ventilation, electric or gasoline powered blowers with ducting will do the job. Special saddle vents are also available for manholes


## The Basics of Every Personal Fall Arrest System is Easy as A • B • C • D.

Anchorage Point - commonly referred to as a tie-off point, the structure that supports the fall protection system (ex: I-beam) Anchorage Connector - used to join the connecting device to the anchorage point (ex. anchor strap)

Body Harness - worn by the worker to connect him/her to the fall protection system

Connecting Device – attaches to the D-ring(s) of the body harness to join the worker to the anchorage connector (ex. self-retracting lanyard)

Descent/Rescue – a rescue plan of a fallen worker is a crucial and required part of all Fall Protection Programs (ex. winch system)



LL = Lanyard Length DO = Energy Absorber Deceleration Distance (3.5 Pt Total) HH = Height of the Harness Dorsal D-Ring from the Worker's Feet Anchor Point to Nearest C = Clearance to Obstruction During RD = LL + DD + HH + C

Fall Arrest (1 Pt Required Plus 1 Pt for D-Ring Movement and Syste Materials Stretch = 2 Ft Total) RD = Required Distance Below

### Foreman and Foreman+ Full Body Harnesses

- EasyFit leg and chest straps feature 5-point adjustability, ensuring a comfortable fit
- Removable 4" waist positioning assembly and work belt can carry up to 3 tool bags
- · Full-feature harness is equipped with (2)-lanyard keepers and 7½° StayPut shoulder pads
- Foreman+ features comfortable, double-stitched back pad

Item# Description

Foreman w/EasyFit Tongue Buckles, Back & Side D-Rings Foreman+ w/EasyFit Tongue Buckles, Back & Side D-Rings

Universal size fits most.





### Double-sided, high Durable molded strength web for twist EVA comfort with FLOWSCAPE" air circulation Removable and aluminum D-rings movable for proper fit and comfort Quick connect leg buckles OSHA

### FlowTech™ Harnesses


- Patented FLOWSCAPE™ Technology keeps harness off the body
- Durable rip-stop and ballistic nylon pad assemblies and abrasion-resistant lycra lining assure long-lasting wear
- Aluminum D-rings, torso adjusters, and belt closure provide rugged performance
- Heavy-duty, single ply work belt with 9-position adjustments

Item# Description

31668 w/Back D-Ring and Quick Connect Buckles

31669 w/Back & Side D-Rings and Quick Connect Buckles

Please specify size: (M), (L), or (XL).



### The Evolution of Comfort Abrasionresistant Lumbar pad webbing provides great comfort 7,000 lb. web rating Quick connect buckles ANSI OSHA

### COMFORTECH Full Body Harnesses

- Unique combination of memory foam and gel padding
- Padding is removable and hand-washable for added convenience
- Nylon fabric resists abrasion, punctures, and tearing
- Quick-connect buckles are made from high strength alloy steel

Item# 24513: lumbar pad provides great comfort  Item# Description	
24512	w/Back D-Ring
24513	w/Back & Side D-Rings

Please specify size: Small/Medium (SM) or Large/Extra Large (LXL).

### Journeyman **Full Body Harnesses**

ANSI OSHA

- Lightweight, electroplated aluminum D-rings optimize work positioning
- One-handed adjustments
- · Built-in dorsal strap keeps D-ring in place
- Visi-Lock quick-connect buckles have visual indicator





ANSI OSHA

Item#	Description
197730	w/Tongue Buckle Leg Straps, Back D-Ring
222570	w/Quick-Connect Leg Straps, Back D-Ring
196015	w/Quick-Connect Leg Straps, Back & Side D-Rings
222572	w/Quick-Connect Leg Straps, Back & Side D-Rings, & Back Belt

Please specify size: Item#'s 197730 and 222570-(SL), (XL), or (2XL); Item# 196015-(S), (M), (L), (XL), (2XL), or (3XL); Item# 222572-(S), (M), (L), or (XL).

### ComforTech ACT

- · Gel-infused shoulder and waist pads
- · Alloy steel leg adjusters withstand tough conditions
- Pliable air mesh adapts to worker's movements for a customized fit









Item#	Description
222573	w/Tongue Buckle Leg Straps, Back D-Ring
222574	w/Visi-Lock Quick-Connect Leg Straps, Back D-Ring
222575	w/Tongue Buckle Leg Straps, Back & Side D-Rings,
	Back Pad & Back Belt
222577	w/Visi-Lock Quick-Connect Leg Straps,
	Back & Side D-Rings, Back Pad & Back Belt
Please s	pecify size: (S), (M), (L), (XL), (2XL), or (3XL).



## Full Body Harness/Lanyard Combo

- · Offers quality, durability, and one-piece convenience Harness:
- . High strength webbing features 6,200 lb. minimum test strength
- Mating buckle leg and chest straps offer easy donning
- . 5-point adjustability with front torso adjusters assure a comfortable, secure fit
- . Includes sliding back D-ring, lanyard keeper, and back side web torso strap

### Lanyard:

- . 6' long with integral shock absorber
- 13/6" tubular webbing
- . Stress-indicating safety tabs let user know when unit has been involved in a fall and should be removed from service
- · Includes free carry bag for added convenience

#### Item#

#### 26979

Universal size fits most.





22592

Mating buckle





## NSI Highlander

### Full Body Harnesses

- . 5-point adjustability, with friction buckle front torso adjusters, delivers a comfortable fit
- . Equipped with lanyard keeper, mating buckle chest straps, and sliding back D-ring
- . Webbing features minimum 6,200 lb. breaking strength
- . Back side web strap and color-coded shoulder and leg straps ease donning
- Stress-indicating safety tabs let user know when harness has been involved in a fall and should be removed from service



Universal size fits most.

Item#	Description
22756	w/Tongue Buckles, Back D-Ring
22757	w/Tongue Buckles, Back & Side D-Rings
22754	w/Mating Buckles, Back D-Ring
22755	w/Mating Buckles, Back & Side D-Rings



## Highlander<sup>®</sup>

### Premium Full Body Harnesses

- · Get all the features you want in a harness at an incredible price
- Durable webbing features 6.800 lb. minimum test strength
- . 5-point adjustability with friction buckle front torso adjusters
- High-vis red color provides added safety
- BackTrack torso keeper and color-coded straps assure easy donning

Tongue buckle

leg straps

- · Stress-indicating safety tabs alert user when harness has been involved in a fall and should be removed from service
- . Includes twin lanyard keepers, sub-pelvic strap, and sliding back D-ring

Item#	Description
22592	w/Mating Buckles, Back D-Ring
22593	w/Mating Buckles, Back & Side D-Rings
22594	w/Tongue Buckles, Back D-Ring
22595	w/Tongue Buckles, Back & Side D-Rings

Universal size fits most.











## Trauma Relief Straps

· Helps prevent onset of suspension trauma injury after a fall

- · 2-part system attaches easily to front torso straps of most full body harnesses
- Adjustable to fit most users, regardless of height
- · Features continuous loop for both feet, improving stability and allowing the user to shift as needed for comfort

Brings relief and eases strain after a fall



### 13676





### DuraTech® 6' Mini Web Self-Retracting Devices

- Compact size offers user comfort
- Swivel eye connectors reduce lifeline leg twisting
- · Internal locking pawls provide quick, positive stopping action
- Abrasion-resistant Dyneema® webbing and impact-resistant housing assure longer service
- Integral shock absorber limits fall arrest forces
- Impact indicator alerts user unit has been involved in a fall and should be removed from service

Item#	Description
Single Leg:	
160887	Swivel Eye and Alloy Steel Snap Hook
160891	Swivel Eye and Alloy Steel Rebar Hook
160908	Swivel Eye and Aluminum Carabiner & Rebar Hook
160910	Aluminum Carabiner and Aluminum Captive Eye Carabiner
Twin Leg:	
160913	Carabiner w/Alignment Clip and Alloy Steel Snap Hooks
160918	Carabiner w/Alignment Clip and Alloy Steel Rebar Hooks
160922	Carabiner w/Alignment Clip and Aluminum Rebar Hooks
160923	Carabiner w/Alignment Clip and

Aluminum Captive Eye Carabiner



## NSI Duratech 9' Leading Edge Personal Self-Retracting Lifelines



	ead anchorage and up to ne user's D-ring	
	ximum user capacity	
Item#	Description	
Single Leg:		11
319559	w/Steel Snap Hook	7 7
319562	w/Steel Rebar Hook	
319570	w/Aluminum Rebar Hook	200
319571	w/Aluminum Carabiner	(l. Al. 1
Twin Leg:		
319572	w/Steel Snap Hooks	319574
319573	w/Steel Rebar Hooks	
319574	w/Aluminum Rebar Hooks	ANSI OSHA
319575	w/Aluminum Carabiners	APPROVED APPROVED

## NSI 20' Contractor Web Self-Retracting Lifeline

Dyneema® webbing resists cuts and abrasion

- · Compact and durable
- External energy absorber reduces fall forces
- . Limits fall arrest forces to 900 lb. and deceleration distances under 24°
- Ideal for applications where clear fall distances are limited
- Weighs only 4 lb.
- Load-indicating swivel carabiner

Item#	Description	ANSI OSHA
324254	20' Web	APPROVED APPROVED

### NSI Contractor Cable Self-Retracting Lifelines

- ¾s galvanized steel cable is rated at 4,000 lb.
- Alloy steel frame offers superior strength and durability
- Lightweight and durable
- . Limits fall arrest forces to 900 lb. and keeps deceleration distances under 24"





Swiver carabiners have 3,500 lb. gate strength		()		
Item#	Cable Length	Item#	Cable Length	_
30987	20"	30989	50'	
30988	30"			

### DuraTech® Leading Edge SRL with Side Lead Out

- · Provides functionality for jobs that require a foot-level or elevated anchor point and a Leading Edge lifeline
- Offers a smooth cable payout and retraction, reducing nuisance lock-up and allowing workers to move effortlessly on the jobsite
- Features a dual deceleration system, including an internal inertial brake and external energy absorber
- External energy absorber includes patented ViewPack cover
- · Housing is constructed with rugged, lightweight aluminum and is stackable
- Equipped with extra large, double locking anchorage carabiner and load-indicating swivel snap hook
- <sup>7</sup>/<sub>22</sub> galvanized steel cable

Item#	Description
292538	15' w/Swivel Snap Hook
292540	20' w/Swivel Snap Hook
292541	30' w/Swivel Snap Hook
292542	60' w/Swivel Snap Hook

Self-Retracting Lifelines

These products do not qualify for free shipping.

# Contractor Leading Edge

- Dual-deceleration system reduces the risk of cable failure in a fall event on a sharp or leading edge
- Inertial brakes and locking pawls combined with external energy absorber assure reliable protection
- Heavy-duty, <sup>7</sup>/n° galvanized steel cable increases cut resistance
- Glass-filled polycarbonate housing prolongs service life
- May be used as a traditional SRD for overhead anchorage options or in below harness D-ring anchorage conditions
- 310 lb. maximum user capacity

Item# Description

292535	20' w/Swivel Connector and 31/4" Steel Carabiner
183563	30' w/Swivel Connector and 31/4" Steel Carabiner
183565	50' w/Swivel Connector and 31/4" Steel Carabiner

These products do not qualify for free shipping.



ANSI OSHA







## **Fall Protection**



# **Shock Absorbing Lanyards**

- · 6' lanyard with integral shock absorber provides an effective alternative to traditional shock packs
- 13/4" tubular webbing employs minimum 6,000 lb. breaking strength

	$\overline{}$
IZMA	AHZO
MITOI	MUSO
APPROVED	APPROVED

Item#	Description
27131	w/2 Locking Snap Hooks
27132	w/Locking Snap Hook and Rebar Snap Hook
27133	100% Tie-Off w/3 Locking Snap Hooks
27134	100% Tie-Off w/Locking Snap Hook and 2 Rebar Snap Hooks



# NSI Elastic Shock Absorbing Lanyards

- Expands from 4½"-6" to reduce trip hazards
- . Keeps fall arrest forces below 900 lb. and deceleration distances under 42" for optimum safety
- Internal shock absorber provides an excellent alternative to traditional shock packs
- 1<sup>3</sup>/<sub>4</sub>" tubular polyester web employs a minimum 8,500 lb. breaking strength
- Durable construction resists abrasion and UV degradation for long-lasting use

$\overline{}$	_
ANICI	OCUA
ANSI	OSHA
APPROVIS	APPROVED

Item#	Description
27135	w/2 Locking Snap Hooks
27136	w/Locking Snap Hook and Rebar Snap Hook
27137	100% Tie-Off w/3 Locking Snap Hooks
27138	100% Tie-Off w/Locking Snap Hook and 2 Rebar Snap Hooks



## Rope Grab and Vertical Lifeline System

- · Rope Grab: alloy steel construction with yellow cadmium plating assures long-lasting use
- Features 2' connector ring for greater safety and compatibility
- Hinged double-locking safety mechanism with directional indicator prevents improper attachment to lifeline
- · Gravity-operated cam mechanism locks rope grab onto lifeline when a fall occurs
- Only for use with %\* polyester rope
- . Shock Absorbing Lanyard: features heavy-duty 1" web, ClearPack shock absorber, and 2 locking snap hooks for connection to rope grab and harness
- Vertical Lifelines: \( \frac{1}{2} \), 3-strand polyester rope is equipped with double locking snap hook and opposite taped end
- Steel thimble resists wear

Item#	Description	ANSI OSHA
23291	Self-Tracking Rope Grab	APPROVED APPROVE
27016	3' Shock Absorbing Lanyard	
27017	30° Lifeline	
27018	50° Lifeline	
27019	100' Lifeline	

## Anti-Panic Rope Grab with 3' Lanyard

- · Fall arrester automatically locks onto the line in a fall event
- Anti-panic function places pressure on the lifeline should a user grip the lever in the open position
- Anti-inversion hinge cam prevents upside-down installation

Item#	Description	
315506	w/Snap Hook	





## NSI Hinged 1/2 Self-Tracking Anti-Panic Rope Grab

- Anti-panic function places pressure on the lifeline if the lever is gripped in the open position
- Hinged design allows installation at any point on the lifeline
- Cam-action braking design quickly locks on the lifeline to arrest
- Tension roller and internal spring keep the device in position and provide mobility up and down the lifeline

Item# 320378

















## ExoFit NEX<sup>™</sup> Climbing Harness

- · Front D-Ring assists with climbing applications
- Revolver™ vertical torso adjusters and memory-fit adjustment system prevent webbing from slipping and controls excess webbing
- Repel<sup>®</sup> Technology resists moisture and adds
- Lightweight Tech Lite™ aluminum D-rings deliver optimum security
- Breathable lining keeps user drier and more comfortable
- · Built-in, non-slip shoulder, hip, and leg padding provides secure wear
- Equipped with integral suspension trauma straps and Duo-Lok\* quick connect buckles

Item#	# Description		
13680	w/Back & Side D-Rings		
Please	specify size: (M) (L) or (XL)		











## ExoFit<sup>™</sup> Plus Comfort Harnesses

- · Shoulder, back, and leg padding improves worker comfort
- Reflective material enhances visibility in low-light conditions when illuminated by a light source
- Fixed dorsal D-ring helps maintain proper dorsal D-ring position and reduces the need to readjust during the workday

Item#	Description	
314601	w/Back D-Ring,	
	Quick Connect Leg Straps	
314603	w/Front, Back, & Side D-Rings,	
	Quick Connect Leg Straps	

Please specify size: M, L, or XL. These products are shipped directly from the manufacturer.





## ExoFit™ Harnesses

- . Single piece of material in the shape of an X wraps around you for the ultimate in no-tangle donning and comfort
- · Non-slip, cushioned shoulder pads relieve pressure, and in a fall, absorb shock and help distribute weight
- . Quick release chest and leg buckles are fast, efficient, and completely secure
- . Torso buckles adjust easily and hold straps firmly in place
- · Aerospacer Dri-lex lining draws moisture away, keeping workers drier
- Item# 12978: vest-style harness allows user to carry tools and is ideal for construction applications
- · Features sewn-in hip pad and removable body belt
- 420 lb. weight capacity

Item#

19655

Description

w/Back D-Ring














19656 w/Back & Side D-Rings 12978 Construction Style w/Back & Side D-Rings, Removable Body Belt

Please specify size: M (170-250 lb.) or L (250-310 lb.).



## ExoFit NEX<sup>™</sup> Full Body Harness

- Duo-Lok™ quick connect buckles allow fast, one-handed use
- Revolver<sup>®</sup> vertical torso adjusters eliminate loose ends and lock into place to prevent slippage

Tech-Lite™ lightweight alloy D-rings provide a high level of

- security and comfort and are an industry first . Built-in pocket conveniently holds and protects a cell phone, camera, or other items
- Moisture-wicking, breathable hybrid padding adds comfort and features
- water-repellent technology web
- Reflective material on legs, chest, shoulders, and back offers greater visibility
- Molded lanyard keepers eliminate tripping hazards
- Stand-up, spring-loaded dorsal D-ring eases connections
- Suspension trauma straps on both sides provide post-fall relief
- i-Safe<sup>™</sup> and labels are Velcro<sup>®</sup>-covered for protection and easy access
- 420 lb. weight capacity

Item# Description 30675 w/Back D-Ring

Please specify size: (M), (L), or (XL).



All the Features, Comfort,

and Durability You Need



# Trusted Lanyard Technology

Stronger, lighter, and more durable than ever





# EZ-STOP ™ 6' Lanvards




- Repel<sup>™</sup> webbing resists chemical, water, abrasion, and cut resistance
- · Innovative shock absorber and thin webbing reduce weight and bulk
- State-of-the-art rebar and snap hooks are lightweight, yet super
- Hi-vis reflective material keeps you safe in low light conditions

Item#	Description
12528	3/4" Web w/2 Steel Snap Hooks
12530	1/4" Web w/Aluminum Snap Hook and Rebar Hook
12532	3/4" Adjustable Web w/Steel Snap Hooks
12534	Vinyl Covered Cable w/2 Steel Snap Hooks
12537	3/4" Web w/Aluminum Snap Hook and
	2 Aluminum Rebar Hooks
220034	100% Tie-Off w/Comfort Grip Snap Hooks
220035	3/4" Web w/Comfort Grip Aluminum Snap Hook and Rebar Hook



## EZ-Stop™ Tie-Back Lanyards



- · Low profile size and ultra-thin webbing reduce weight and bulk for the user, encouraging maximum productivity and
- Equipped with high visibility striping, and floating D-ring for tie-back
- Redesigned, lightweight yet durable rebar and snap hooks

## Item# Description

## Single Leg:

12557 w/Steel Snap Hooks

12572 w/Aluminum Snap Hook and Rebar Hook

12576 w/Steel Snap Hook and Rebar Hook

## Twin Leg:

12585 100% Tie-Off w/3 Steel Snap Hooks

100% Tie-Off w/Aluminum Snap Hook and 2 Rebar Hooks 12587 12589 100% Tie-Off w/Steel Snap Hook and 2 Rebar Hooks






## FORCE2™ 6' Lanyards

· OSHA approved to use where there is no overhead anchorage and the only option is to tie off at your feet

Repel™ webbing provides high resistance to cuts, abrasion, water, and chemicals

 Ultra small, yet reliable shock absorber and webbing reduce weight and bulk, increasing comfort and productivity

Rated for 310 lb. for 12' free fall and up to 420 lb. for a 6' free fall









ANSI OSHA

Fall Protection

12487

12485



## Shockwave 2<sup>™</sup> Shock Absorbing Lanyards

Stretches from 4'-6'

 Abrasion-resistant tubular webbing protects energy-absorbing inner core

Features self-locking snap hooks

. Impact indicator allows user to visually inspect lanyard for a fall

. Limits arresting forces to 900 lb. or less

Item#	Description
27145	w/ <sup>3</sup> / <sub>4</sub> " Self-Locking Snap Hooks
8836	100% Tie-Off w/3/4" Snap Hooks
27146	w/Self-Locking Snap Hook and 21/4" Rebar Snap Hook
220040	100% Tie-Off w/Comfort Grip Snap Hook and 21/4" Rebar Snap Hooks
220041	w/Comfort Grip Snap Hook and 21/4" Rebar Snap Hook









## Fall Protection WrapBax™ 26' Tie-Back

## Shock Absorbing Lanvards

Eliminates the need for an anchor

Heavy-duty webbing provides five times more abrasion resistance

Built-in web guide directs the webbing into the open hook for simple,

- Unique hook design is easily differentiated from standard lanyards, eliminating confusion and ensuring proper use
- . 5,000 lb. hook capacity from every direction, including the gate
- Limits arresting forces to 900 lb. or less

	ltem#	Description
--	-------	-------------

4205 w/2 Locking Snap Hooks 4207



## Eye Wash

## Honeywell Fendall Pure Flow® 1000 Emergency Eve Wash Station

· Unique nozzle system delivers contaminantfree saline solution (sold separately)

. Gravity-fed flow rate and flushing stream height are constant during the entire 15-minute wash cycle

ANSI


SEI

- · Ergonomic design provides ample room for head and shoulders
- · Safety-sealed activation pull strap displays expiration date
- · Saline cartridges, sold separately, require no special plumbing, and are maintenance-free and easy to replace

Item#	Description	
4106	Emergency Station	_
4108	Saline Fluid Cartridges (Set of 2)	)

These products are shipped directly from the manufacturer and do not qualify for free shipping.


## Honeywell Fendall Porta Stream® Gravity-Fed Eye Wash Stations



. Saline concentrate is included with both stations and is instantly released with the pull of a strap

. 6-gallon station provides up to 6 minutes of flushing

. 16-gallon station provides up to 15 minutes of flushing Item# Description



	~		-	
71	K-	n		O D
	<b>U</b> -	м	<b>G</b>	vIII

1101	6-Gallon Station
1102	16-Gallon Station
1899	Dust Cover for #1102
1893	Replacement Strap
Replace	ment Concentrate:
1103	70 oz. Concentrate (make

oncentrate (makes 6 Gal.) for #1101 180 oz. Concentrate (makes 16 Gal.) for #1102 1104

These products are shipped directly from the manufacturer and do not qualify for free shipping.

## **Honeywell**

Item# Description

## Fendall Flash Flood® **Eve Wash Station**

· Gentle pH-balanced eye flush solution instantly activates by pulling the retainer strap

· Station comes equipped with one gallon replaceable saline solution cartridge (refills sold separately)

. Station and rack can be wall mounted or placed on a flat surface



item#	Description	Convenient portable station can
1107	Flash Flood® Station	be mounted close to hazards
1108	Refill Cartridge (1 Gal.)	
1109	Storage Rack For Refill Cartrid	ges
1106	Replacement Retainer Strap	

These products are shipped directly from the manufacturer and do not qualify for free shipping.

## **Honeywe**

## Eyesaline® Solution

- · Premix can be poured directly into the eye wash station with no mixing required
- · Concentrate allows on-site mixing with tap water to prepare a flushing solution
- Packaging is safety-sealed and dated with clear instructions for use

Item#	Description
1110	3 Premix Solution
1103	70 oz. Concentrate (makes 6 Gal.)
1104	180 oz. Concentrate (makes 16 Gal.



## Vision Aid™ Emergency Radians Eye Wash

- . 16-gallon capacity station delivers at least 15 minutes of non-injurious flow
- · Includes easy-mount wall bracket, portable water preservative, test card, and drainage hose
- . Item# 265155: when the station is activated, siren and flashing light automatically alert nearby workers that help is needed



Quick, One-Step Activation Ensures Instantaneous Flow



Item#	Description	Mfg. Model#
265154	Station	REW01116
265155	Automatic Alarm System	REWALARM

## Bradley @ On-Site Gravity-Fed Eye Wash and Waste Cart

· Eyewash is easy to activate with pull down hinged tray arm

· Mounts to a wall or can be placed on a countertop for added convenience

· Provides a full 15 minute flush at a minimum 0.4 gallons per minute, using only 7 gallons of water

 Water preservative, item #6663, sold separately



24805

Item#	Description
24805	Eye Wash Station
24806	Waste Cart

These products are shipped directly from the manufacturer and do not qualify for free shipping.



## SPEAKMAN'

## GravityFlo® Portable **Emergency Eye Wash Station**

- · Easy, pull down activation
- · Large, 21-gallon tank
- Tamper-resistant fill cap
- · Can be wall mounted, or placed on shelf



This products is shipped directly from the manufacturer and does not qualify for free shipping.



ANSI

## ( Haws

## Portable Eye Wash

- · 9-gallon, polyethylene tank provides reliable, .4 GPM flushing for a full 15 minutes
- · Molded-in handle assures easy portability and maximum convenience





## Reliable, gravity-fed eye wash

Item#	Description
27549	Portable Eye Wash
6663	Water Preservative, 8 oz.



6663



## Gravity Operated Eve Wash

 Portable eye wash station has 16-gallon capacity and will flush for over 15 minutes



Item#	Description			
6661	Eye Wash Station			
6663	Water Preservative	80		

These products are shipped directly from the manufacturer and do not qualify for free shipping.




## SPEAKMAN'

## GravityFlo® Portable ANSI Compliant Eye Wash

 20-gallon, high-density polyethylene tank provides a run time in excess of the 15 minutes required by ANSI

fluids, minimizing slip hazards



Item#	Description	Mfg. Model#	
30835	GravityFlo® Station	SE-4300	
30837	Replacement Drench Hose	SE-4920	

These products are shipped directly from the manufacturer and do not qualify for free shipping.

## Eye and Face Sterile Wash Station

- · Excellent for emergency first aid eye wash and irrigation, cleaning cuts. abrasions, and minor burns
- Sterile, non-saline formula is free from additives, chemicals, preservatives, propellants, and buffer
- . Can be mounted with adhesive tape for maximum convenience

I	1	ı	8	ľ	1	1	Ø
			,	,			-



# Aquarion® Self-Contained Eye Wash Stations

- Sealed, ready-to-use cartridges ensure safe, contaminant-free eye flushing
- Self-evacuating cartridges, sold separately, maintain required flow for 15-minute flush without any external force





- . Once activated, flow begins in less than 1 second
- . Item# 31563 can be mounted on a wall, column, or cart
- Item# 95051: insulating blanket and 120VAC internal heater prevents freezing of fluid
- · Heater is rated Class 1 Div 2 Groups R C and D

Item#	Description	
31563	Eye Wash Station	
95051	Portable Eye Wash Station w/Heat Option	
31564	Eye Wash Preservative Cartridges (set of 2)	

These products are shipped directly from the manufacturer and do not qualify for free shipping. Cartridges sold separately.

## Encon' *Helios* **Emergency Eye Wash**

 Slender profile assures easy installation in small areas or narrow hallways that are close to facility hazards

 Fluid is stored in a self-contained 9.4-gallon tank

 Equipped with bracket for wall, column, or cart mounting

Self-draining for easier maintenance

 Lightweight, compact design allows 1-person installation

· No external parts necessary to assemble or install

 Includes (1)–8 oz. bottle of Hydrosep® water preservative to preserve water for up to 90 days

Item#	Description	Mfg. Model#
166906	Station	HE100
166912	Hydrosep® Water Additive (4-pack)	01110764







## SPEAKMAN Portable GravityFlo® Eye Wash

- 9-gallon tank provides 15 minutes of flushing at 0.4 GPM
- Can be placed on table, or wall-mounted for greater versatility

Mfg. Model# Item#

This product is shipped directly from the manufacturer and does not qualify for free shipping.

## First Aid



## 2015 ANSI Compliant First Aid Kit

- · 25-person, Class A bulk kit with Types I & II plastic case
- Compact size is ideal for office, job site, or vehicle Item#





## 162531

Visit northernsafety.com for kit contents.

## FIRST AID ONLY Unitized 2015 ANSI Compliant First Aid Kit

· Case has gasket to keep contaminants out

Item#	Description	Addison
162534	Metal Case	
162535	Plastic Case	
162536	16-Unit ANSI Class A Refill	

Visit northernsafety.com for kit contents.





Single-Use

Packaging

ANSI ISEA



# FIRST AID ONLY

## Mini Clear Blue First Aid Kit

- 29-piece kit is ideal for everyday small emergencies
- · Good for cuts and scrapes of all sizes

Item#

## 321613

Visit northernsafety.com for kit contents.







## FIRST AID ONLY

## ANSI Compliant 10-Person First Aid Kit

- Contains the items you need to treat minor injuries
- · Weatherproof case keeps contents dry

tem#	Description
181516	Plastic Case
21612	Metal Case

Visit northernsafety.com for kit contents.

Briefcase

FIELDTEX First Aid Kit

Soft-sided, briefcase-style

Visit northernsafety.com

for kit contents.

Item#

100645

case with carry handles is

easy to take to emergencies

Honeywell Construction

variety of first aid items for most

features easy carry handle and wall-mountable design

· Latex-free kit provides a wide

minor injuries encountered in a construction environment Tough polypropylene case

NORTH First Aid Kit



# FIRST AID ONLY

## Unitized ANSI First Aid Kits

 Contains all 10 ANSI required items

Item#

Kits:

31943

31945

· Metal case with gasket has convenient carry handle, and can be wall-mounted for quick access



Single-Use Packaging



### Description Description Item# Refill Bricks: 10-Unit 31944 10-Unit 16-Unit 31946 16-Unit

Visit northernsafety.com for kit contents.

# FIRST AID ONLY

## Soft-Sided Vehicle First Aid Kits

- Convenient, soft-sided kits store easily in vehicle
- Zipper closure and clear pockets

-	Description
28125	104-Piece Kit
28126	143-Piece Kit

Visit northernsafety.com for kit contents.





Item#

29745

GENUINE FIRST AID - QUALITY FIRST - SAVING LIVES .

Visit northernsafety.com for kit contents.


## Easy Access 2015 ANSI First Aid Kit

. Class A kit: contents deal with most common types of workplace injuries

. Class B kit: contains a broader range of supplies to deal with more complex injuries



185336



Class B. 50-Person Visit northerneafety com for kit contents



## Vehicle First Aid Kit

. The supplies you need for on-the-road emergencies



## 28129

Visit northernsafety.com for kit contents.



## Soft Pack First Aid Kit

- Softside kit fits easily into glove boxes and desk drawers for quick, convenient access
- Durable construction features zipper closure and clear plastic compartments



## Item#

## 24509

Visit northernsafety.com for kit contents.







# 25-Person Metal First Aid Kit

- Rugged steel case keeps contents secure
- Wall mountable

Item#

### 14283

Visit northernsafety.com for kit contents and refills.

## Essential Vehicle First Aid Kit

- . Convenient, soft-sided kit is the perfect size for your vehicle
- Zipper closure and clear plastic pockets keep contents secured



## Item#

6 per case. Visit northernsafety.com for kit contents.

ANSI ISEA

## #10 First Aid Kit

· Weatherproof plastic kit is great for many kinds of jobsites



## 30143

12 per case. Refills sold on page 231. Visit northernsafety.com for kit contents.

## #25 First Aid Kit

- Sturdy, weatherproof kit has a wide variety of first aid items to use in workplace emergencies
- Bright letters increase kit visibility

## Item#

## 30145

12 per case. Refills sold on page 231. Visit northernsafety.com for kit contents.

## #25 First Aid Kit

- Premium quality contents treat up to 25
- 6 partitioned areas keep contents organized
- Features convenient molded carry handle with slots for vehicle mounting
- · Compact size is ideal for office, vehicle, or job site

## Item#

## 23330

Visit northernsafety.com for kit contents.



## #10 Economy First Aid Kit

- · Weatherproof poly box keeps contents dry
- · Can be wall-mounted in a permanent location for added convenience

## Item#

## 6615

12 per case. Visit northernsafety.com for kit contents.



## #50 Original First Aid Kit

- Equipped with a large assortment of first aid products to assist in almost any emergency
- Rugged metal kit resists dust and moisture to keep contents clean and dry

## Item#

## 31937

Visit northernsafety.com for kit contents and refills.



## #75 Original First Aid Kit

- · Kit provides a large assortment of first aid supplies to meet your needs
- · Heavy-duty metal cabinet resists moisture and dust

## Item#

## 31938

Visit northernsafety.com for kit contents and refills.



## #100 Original First Aid Kit

- · Provides a variety of first aid supplies to meet the needs of 100 people
- · 3-shelf vertical design with door pockets provides quick dispensing of first aid products
- Heavy-duty metal cabinet is equipped with wall mount hangers and carry handle

## Item#

ISEA

## 31939

Visit northernsafety.com for kit contents and refills.

## MEDI-FIRST

## Two-Shelf First Aid Kit





Convenient carry handle and wall mounting holes offer versatility

Item#

24768

Visit northernsafety.com for kit contents.



## MEDI-FIRST

## Three-Shelf First Aid Kit

- · Convenient door pouch offers easy access to supplies
- · Features long-lasting steel construction and durable powder-coat finish





24769

Visit northernsafety.com for kit contents.

## MEDI-FIRST

## Four-Shelf First Aid Kit

- · Durable, heavy-duty, steel cabinet features powder-coat finish
- · Versatile kit has carry handle for easy transport, and is wall-mountable
- Refillable for added convenience

Item#

24770

Visit northernsafety.com for kit contents.







## MEDI-FIRST

## Five-Shelf First Aid Kit

- · Heavy-duty steel cabinet features powder-coat finish
- · Convenient door pouches store smaller items
- Refillable for added convenience



Visit northernsafety.com for kit contents.







Item#

24764


24765

24766

24767

## MEDI-FIRST First Aid Cabinets

- . Steel construction and powder-coat finish
- · Handy door pouches offer access to frequently used supplies
- . Equipped with handle and holes for wall mounting
- · Create a specialized kit to fit your needs



281/6" x 191/4" x 65/6"

5-Shelf Cabinet Visit northernsafety.com for kit contents.



## First Responder First Aid Kit

- Portable, 158-piece kit
- Sturdy, 100-denier cordura, semi-rigid carry bag features carry handle, handy shoulder strap, side pockets, main compartment with removable divider and pocket, zippered

pouch in the lid, buckle closure, and business card holder

## Item# 21994

Visit northernsafety.com for kit contents.

## Basic Life Support Trauma Bag

- Four, clear, color-coded zippered pouches in the main compartment allow easy identification of supplies
- Two large front pockets, and two side pockets provide additional storage

## 26627

Visit northernsafety.com for kit contents.

### Honeywell Emergency NORTH **Medical Kits**

 Bags feature inside pockets, elastic holders, and heavy-duty zippered closure

Item#	Description
28058	Small Kit
28059	Large Kit
Visit n	orthernsafety.com for kit conte





## Extra-Large First Responder Kit

- Extra-large kit is ideal for responding to medical emergencies
- Equipped with convenient carry handles and shoulder strap
- Rugged fabric duffel bag has compartments and side pockets to keep contents organized



## 296049

Visit northernsafety.com for kit contents.

This product is shipped directly from the manufacturer and does not qualify for free shipping.



Water-repellent construction

## Arsenal® Trauma Bags

- · Durable, puncture- and abrasion-resistant, 600D polyester bag features foam padded interior and sidewalls
- Equipped with reflective trim on end panels and ID card window

Item#	Description	Item#	Description	
25012	Small Bag	25013	Large Bag	

Please specify color: Blue (BE) or Orange (OE). Visit northernsafety.com for kit contents.









# Keep Your First Aid Cabinet Stocked...Economically



# NSI First Aid Kit Refills

	- I II St Alu Itit II ciliis	
Item#	Description	Pieces Per Unit
31953	NSI® Plastic Bandages, 1" x 3"	100
31954	NSI® Plastic Bandages, 1" x 3"	50
31957	NSI® Plastic Bandages, 1" x 3"	16
31899	NSI* Woven Fingertip Bandages	60
31951	NSI* Woven Knuckle Bandages	40
31952	NSI® Woven Bandages, 3/4" x 3"	50
31955	NSI® Sterile Gauze Pads, 2" x 2"	6
31956	NSI* Sterile Gauze Pads, 3" x 3"	4
2036	Waterproof Adhesive Tape, 1" x 5 yd.	1
2031	Waterproof Adhesive Tape, 2" x 5 yd.	1
1495	Elastic Bandage, 2" x 5 yd.	1
7565	Non-Adhesive Sterile Pads, 2" x 3"	100
7967	Co-Lastic Bandage, 2" x 5 yd.	1
31958	Bandage Compress, 4*	1
28002	Bloodstopper	1
30962	Alcohol Prep Pads, 13/4" x 31/4"	200
16172	Alcohol Antiseptic Wipes	10
31972	NSI* First Aid Burn Cream	6
31974	Antiseptic Wound Cleaner	10
31975	Hydrocortisone Cream	12
30983	Povidone-Iodine Prep Pads	100
16174	Povidone-Iodine Prep Pads	10
31964	NSI* Sting Relief Wipes	10
31971	Ammonia Inhalant Ampules	10
31962	NSI* Triple Antibiotic, .5 gm ea.	20
31965	Cold Pack, 4" x 5"	1

Item#	Description	Pieces Per Unit
9305	Oval Eye Pad, 21/s" x 25/s"	50
31959	Eye Pad w/Adhesive Strips	4
31960	CPR Mask	1
31977	Non-Aspirin Tablets, 2/pk	100
31978	Non-Aspirin Tablets, 2/pk	50
31979	Red Biohazard Waste Bag	1
28007	Cotton-Tipped Applicators	100
13732	4" Titanium Scissors	1
28008	Plastic Tweezers	1
31966	Major Wound Compress, 8" x 10"	1
31963	NSI® Triangular Bandage, Non-Sterile	1
31969	Tape, 1/2" x 21/2" yd.	2
31968	Nitrile Exam Gloves, pr.	2
31967	First Aid Guide	1
4229	Eye Care Kit	1
4231	Eye Wash, 1 oz.	1
4233	Fabric Bandages, 1" x 3"	16
279231	Fingertip Bandages	10
4238	Knuckle Bandages	8
4240	Knuckle Bandage/Fingertip Bandage Coml	bo 9
4264	Wound Seal Pour Packs	2
4266	Wound Seal Rapid Response Bottle	1
16168	Liquid Skin	1
4246	Snake Bite Kit	1
4248	Tick Removal Kit	1

## Splinter Out™

- Sterile, disposable, and individually wrapped to reduce the risk of contamination
- Unique design features a sharp. tri-beveled point for loosening and pulling out splinters
- Easy-to-use instructions are printed

on each package				
Item#	Description	Item#	Description	
7355	Hinged Box of 20	7356	Pack of 2	





## Splinter Forceps

- Fine point removes even the smallest foreign body
- Durable stainless steel construction

Item#	Description
1755	31/2" Splinter Forceps
1751	41/2" Carmalt Forceps
30012	51/2" Slide Lock Tweezers

## Splinter Tweezers with Magnifier

- Stainless steel tweezers with sharpened precision points assure easy splinter removal
- · Magnifier helps locate objects that aren't easily seen with the naked eye

## Item#

## 26185

12 per case.



## Blood Pressure Cuff and Stethoscope

- Blood Pressure Monitor: calibrated, adult-sized cuff features rugged, nylon construction with reliable hook and loop closure
- Equipped with standard bulb and air release valve for controlled, accurate readings
- Includes zippered carry case for safe storage
- · Features 5-year manufacturer's calibration warranty on the gauge
- . Stethoscope: die-cast, zinc alloy chest piece, and chrome-plated earpieces assures long use
- Non-chill ring ensures patient comfort
- Latex-free safe for healthcare providers and patients with latex allernies

Item#	Description
24604	Blood Pressure Cuff
24605	Stethoscope, Single Head



Junkin Basket Stretchers . Item# 26753: all-welded, rigid steel construction delivers strength and

- durability during rescue operations Nylon web straps at chest, abdomen, thigh, and calf secures patient for safe transport
- . Item# 26754: rugged, high-density, polyethylene shell is supported by stainless steel outer rail permanently attached with stainless steel semi-tubular rivets
- · Ideal for rescue situations in unusually rugged conditions, such as construction sites, mining, and industrial sites

I	Item#	Description
	26753 26754	Lightweight Steel Basket Plastic Basket

These products are shipped directly from the manufacturer and do not qualify for free shipping.

## Junkin **Plastic** Backhoard



- Rugged, yet lightweight one-piece polyethylene construction
- · Low profile backboard features twelve large hand holes for easy handling, and built-in runners
- Measures 72'L x 16'W

Item# Equipped with four nylon straps to hold patient securely in place 26594

This product is shipped directly from the manufacturer and does not qualify for free shipping.

## Médique<sup>\*</sup>

## Fire and Rescue Blanket

- 70% wool/30% polyester blend assures warmth and comfort
- . 60" x 80" blanket has non-toxic, fireproof coating for added protection
- Includes plastic case to keep blanket clean and dry until it's needed

Item#

31984

## Emergency Medical Blanket

- Absorbent, disposable blanket provides warmth in an emergency
- Yellow color ensures visibility
- 54" x 80"

Item#

28029



## Survival Wrap

- Reflects up to 90% of radiant energy
- . Use as a reflector to warn oncoming traffic or signal rescue parties
- 52" x 84"

Item#

## 26570

250 per case.



4716

WATERUE

## WATERJEL **Burn Kits**

 General Purpose Kit contains the following sterile burn dressings: (1)-12" x 16". (2)-4" x 4", (2)-2" x 6"; (1)-dispenser box of 25

single-dose packets of Burn Jel®, and (1)-emergency sterile wrap


· Industrial/Welding Kit contains the following sterile burn dressings: (1)-12" x 16", (1)-8" x 18", (2)-4" x 4", (2)-2" x 6", (1)-4" x 16"; (1)-dispenser box of 25 single-dose packets of Burn Jel®, and (1)-emergency sterile wrap

πem#	Description
4712	General Purpose Kit
4716	Industrial/Welding Kit



## **Burn Kits** · Small Kit contains: (1)-12° x 16°

sterile burn dressing, (2)-4" x 16" sterile burn dressings. (2)-4" x 4" sterile burn dressings, (2)-3° x 4 yd.



 Large Kit contains: (1)-30" x 36" sterile burn wrap, (1)-12" x 16" face mask, (1)-8" x 18" sterile burn dressing, (1)-4" x 16" sterile burn dressing, (3)-4" x 4" sterile burn dressings, (4)-3" x 4 yd. sterile gauze rolls, and (1)-scissors

4724

30122

¢,

24501

Item#	Description	ltem#	Description
24746	Small Kit	24501	Large Kit



### WATERJEL Burn Jel®

- . Combines the cooling effect of gel with the pain-relieving qualities of lidocaine
- · Soothes burns on contact
- · Won't trap heat like petrolatum-based topicals
- We 20122 and 4726; single does nackets aliminate cents

- Itellin 2	30122 and 4726. Single dose packets eliminate contamination
Item#	Description
4724	4 oz. Squeeze Bottle
30122	Dispenser Box of 6
4726	Dispenser Box of 25



## First Aid **Burn Blankets**

· Helps deliver a consistent standard of care for 1st, 2nd, or 3rd degree burns



- Stops the burning process, dissipates the heat and quickly soothes burns
- . Covers and protects to help prevent infection
- Pre-saturated no need for water, saline, or re-wetting
- Can also be used to extinguish flames on victims, put out small fires, and protect against intense heat and flame during egress

ltem#	Description
223317	3' x 21/2' Burn Wrap
223318	6' x 5' Fire Blanket

## WATERJEL

Item#

## First Responder Burn Dressings

223310 Once applied, non-stick dressing immediately begins to lower skin temperature, stops the burning process,

dissipates the heat, and quickly soothes burns

- Clear, fragrance-free, water-based, water-soluble gel provides emergency, one-step burn care for 1st, 2nd, or 3rd degree burns
- Covers and protects to help prevent infection
- Pre-saturated dressing doesn't need water, saline, or re-wetting



223307	2" x 6" Burn Dressing
223308	4" x 4" Burn Dressing
223309	4" x 16" Burn Dressing
223310	8" x 18" Burn Dressing
223311	12" x 16" Burn Dressing
223312	8" x 20" Hand Burn Dressing

Description





BURN DRESSING





WATERUEL

# Essential Supplies For Your First Aid Cabinet

## Sterile Pads

- Strong, versatile, highly absorbent 4-ply, non-woven pads
- Designed to cover superficial wounds such as cuts, scrapes, and burns
- Good for cleaning minor wounds and prepping skin
- Individually wrapped

Economical Alternative to Gauze Pads



Item#	Size	Oty/Box
7239	2" x 2"	10
7241	3" x 3"	10
7243	4" x 4"	10
7259	2" x 2"	100
7270	3" x 3"	100

Won't Stick to Skin or Hair

## Co-Lastic® LF

- Self-sticking wrap provides consistent compression
- Conforms easily to hard-to-bandage areas
- Eliminates the need for pins, clips, and tapes
- Latex-free coating is safe for those with latex allergies
- Comfortable, lightweight, water-resistant material
- · Connortable, lightweight, water-resistant material
- Great for support, compression, protection, and securing dressings

Item#	Size	Item#	Size	
7967	2" x 5 yd.	7975	3° x 5 yd.	

## 3M

## Coban<sup>™</sup> Self-Adherent Wrap

- Self-adhesive wrap sticks only to itself
- No need for clips, pins, or tapes
- Won't irritate skin or get caught in hair
- Porous wrap lets skin breathe
- Thin, light, water-resistant
- material is more comfortable than ordinary elastic wraps
   Ideal for securing dressings, compression bandaging, wrapping
- Ideal for securing dressings, compression bandaging, wrapping sprains and strains, and much more

Item#	Size	Self-Sticking
7804	2" x 5 yd.	Elastic Wrap
7805	3" x 5 yd.	

## Economical Elastic Bandages

- Polyester elastic bandages are economically priced to fit any budget
- Stretchable fabric can be easily adjusted for proper tension
- Clips included for secure fastening

nem#	Size
1495	2° x 5 yd.



Item#	Size	
1479	4" x 5 yd.	







## Johnson Johnson Sterile Rolled Gauze

- Ideal for securing dressings on hard-to-bandage areas, or areas where flexibility is important
- Soft, absorbent material clings to itself for faster, neater, safer bandaging

ltem#	Size	Item#	Size
8807	2" x 2 yd.	8809	4" x 2 yd.
8808	3" x 2 yd.		



Good for injuries needing support

## Triangular Bandage

- Large, 40" x 40" x 56" bandage can be used as a pressure dressing or binding for splints
- Ideal for slings
- Includes 2 safety pins

Item# 31963



## Sterile Stretch Gauze Bandage

- Self-clinging bandage with non-ravel edges easily covers hard-to-wrap areas
- Packaged in dust-proof, sealed boxes
- Stretches to 4 yards for additional coverage and holding strength

Item#	Size
6105	1" x 2 yd.
6115	2 x 2 yd.



Item#	Size
6120	3" x 2 yd.

## Durapore™ Surgical Tape

- · Latex-free, hypoallergenic adhesive prevents allergic reactions
- · Silk-like tape adheres well to skin for secure bandaging
- · Bidirectional tear assures easy use
- . General purpose tape is ideal for immobilization and securing regular and bulky dressings

Item#	Size	Rolls/Box	
24502	1/2" x 10 yd.	24	
24503	1" x 10 yd.	12	

## Johnson Johnson Elastikon™ Elastic Tape



Item#	Size	Rolls/Box		
5172	1" x 21/2 yd.	12		
5174	2" x 21/2 yd.	6		
5174	2" x 21/2 yd.	6		

## Waterproof Adhesive Tape

- · General purpose waterproof adhesive holds securely, even when wet
- Tri-cut tape has three widths on one spool

Item#	Size
2035	1/2" x 5 yd.
2036	1" x 5 yd.
2031	2" x 5 yd.
2050	Tri-cut (1/2", 5/8", 7/8") x 5 yd.

Stays on... even when wet!

Excellent strength... excellent adhesion



## Bandage/Surgical Scissors

- · Economically priced scissors feature high quality stainless steel construction
- . Bandage scissors have one blunt point and one rounded tip
- · Surgical scissors have one sharp point and one blunt point

Item#	Description
1759	51/2" Bandage Scissors
4903	71/4* Bandage Scissors
4406	41/2" Surgical Scissors
1761	51/2* Surgical Scissors





## **Porous First Aid Tape**

- Durable, versatile tape provides strength, excellent adhesion, and maximum breathability
- · Non-sterile, single-use
- Latex-free

Item#	Size	Rolls/Box		
26956	1/2" x 10 yd.	24		
26975	1" x 10 yd.	12		
26977	2" x 10 yd.	6		

## Johnson Johnson **Waterproof Tape Pinked Edges Assure** Easy Tearing

- · Strong, plastic-coated cotton tape is great for holding dressings in place
- Easy to unwind and tear
- Tough plastic spool won't corrode in moist environments



13734



- cut through thick fabrics, leather, tape, and bandages
- · Contoured handles assure a firm
- Item#'s 4408 and 4409 feature durable stainless steel blades
- Item# 13734: titanium blades are 3 times harder than stainless steel



Item#	Description	on	Siz	0
4408*	Steel		51/2	•
4409*	Steel		71/2	ž*
13734	Titanium		7	
*Please s	necify handle	color: Black (BK)	Rlue (RF)	or Orange (OF)


Please specify handle color: Black (BK), Blue (BE), or Urange (UE).

## First Aid



## **Emergency Dressings**

 Multi-purpose trauma dressing has moisture-resistant barrier for



- · Large pad wicks quickly and prevents fluid from pooling
- 10" x 30"
- · Emergency pressure dressing offers maximum compression when held in place with attached bandage roll
- Highly absorbent pad provides excellent coverage
- Pad measures 9.01° x 5.12°, bandage is 4° x 4.1 yd.

Item# Description		
24615	Trauma Dressing	
24614	Pressure Dressing	

Item# 24615-25 per case; item# 24614-50 per case.

## **Butterfly Wound Closures**

- · Closes small wounds without stitches
- Sterile
- · Individually wrapped

Close cuts before they get infected

Item#	Size	Qty/Box
2066	Medium (15/8" x 3/8")	100
2067	Large (23/4" x 1/2")	100
12 per	case.	



Oval Eye Pads

Individually wrapped

Size

2" x 3"

3" x 4"

Non-Stick

Absorbent

· Can be applied

and removed

Non-Adhesive:

Item#

7565

7575

without disturbing the wound

. Unique design allows air in and moisture out for faster healing

Item#

7665

7675

Adhesive Ends:

2" x 3"

3" x 4"

· Adhesive ends provide easy, one-step application

Qty/Box

100 100

Sterile Pads

- · Soft, highly absorbent cotton pads provide maximum comfort and protection
- · Individually wrapped, sterile

Item#

9305

50 per box.



esive End

Qty/Box

100

100

## 3M Steri-Strip™ Skin Closures

- Non-invasive design reduces scarring and the risk for infection
- · Provides wound support and increases the tensile strength of the wound
- · Breathable and sterile with hypoallergenic adhesive



FIRST AID

CHAR WATERSEAL

13887

Item#	Size	Strips/Box
2351	1/s" x 3"	250
2352	1/4" x 3"	150

Item# 2351-5 strips per envelope; Item# 2352-3 strips per envelope. 50 envelopes per box, 4 boxes per case.

FIRST AID

## Waterseal Bandages

- · Breathable, waterproof bandages are super-thin and comfortable
- · Highly absorbent wound pad is great for protecting minor wounds Latex-free
- · Item# 13889: made of ultra-strong, reinforced, durable material and long-lasting adhesive, assuring bandage stays on the wound longer

Item#	Description	Qty/Box	
13887	Clear	50	
13889	Super Strip	50	
24 boxes	per case.		



## URAD Medi-Strips®

# Wound Closures

 Exceptionally porous fiber backing with reinforced filaments delivers comfort and strength

- Medical-grade adhesive keeps strip securely in place, yet is gentle on the skin
- Use in addition to, or in place of sutures
- 1/4" x 3"

Item#

31950



## Adhesive Bandages

- · Highly absorbent non-stick adhesive pad
- Ventilated design allows skin to breathe
- · Plastic strips are ideal for larger cuts and bruises that require extra coverage
- · Fabric bandages are individually wrapped and sterilized, and are perfect for knees and elbows

Item# Description Qty/Box 1070 2" x 41/2" Plastic 50 50 1622 4-Wing Fabric 24 per case.




1622


Breathable

Protection

## MEDI-FIRST Blue Metal **Detectable Bandages**



Bright blue color helps you visually locate bandages



Item#	Description	Qty/Box	
24670	1" x 3" Plastic Strips	100	
24671	1" x 3" Woven Strips	100	
24672	Woven Knuckle	50	
24673	Woven Fingertip	50	

24671

24673

**Fingertip** 

## Super-Band™ Fabric Bandages

- · Flexible fabric adheres firmly to the skin, even over moisture or perspiration
- Naturally conforms to skin for reliable protection and comfort

· Ventilated design lets skin breathe to promote healing

· Non-stick pad won't reopen or irritate wound when removed

Each strip individually wrapped and sterilized

Item#	Size	Oty/Box	Item#	Size	Qty/Box
1580	3/4" x 3"	100	1602	Knuckle	100
1595	1" x 3"	100	1607	Fingertip	100

## Johnson Johnson Band-Aid® Brand Flexible Fabric Bandages

· Get the protection and comfort you need when

minor cuts and abrasions occur on the job

- Flexible stretch-woven fabric, with long-lasting adhesive, provides a
- Open-weave design ensures proper ventilation to promote healing
- Highly absorbent, soft pad won't reopen wounds when removed

Item#	Size	Qty/Box
4434	3/4" x 3"	100
4444	1" x 3"	100



## First Aid Sheer Bandages

- · Non-stick pad won't stick to wounds
- Latex-free bandages
- Sterile individually wranned

Item#	Description Qty/Box		
14791	Sheer Strips, Assorted	50	
14789	Sheer Bandages, 1" x 3"	100	
14794	Waterproof Bandages, 1" x 3"	50	
14787	Variety Pack Bandages	280	



## Premium Woven Bandages

- · Long-lasting bandages adhere to skin, even over moisture and perspiration
- . Open-weave fabric promotes healing
- . Highly absorbent pad protects and cushions the wound
- Each strip individually wrapped and sterilized

Item#	Size	Oty/Box
31952	3/4" x 3"	50
6401	1" x 3"	50
6405	1" x 3"	100
6404	2" x 3"	50
31951	Knuckle	40
6406	Knuckle	100
31899	Fingertip	40
6407	Fingertip	100







# NSI Plastic Bandages

- · Breathable bandages provide comfort and promote faster healing
- . Non-stick pad won't stick to the wound
- Adhesive on all sides of the pad prevents contamination and protects the wound
- Rounded corners prevent snagging and roll-up
- Sterile

Item#	Size	Qty/Box	
31954	1" x 3"	50	
31953	1" x 3"	100	
32044	Assorted	80	

# **Quick Relief for Injuries and Aching Muscles**





## Instant Cold or Heat Packs

- · Activate with a single squeeze for immediate use
- . Flexible material conforms to the body
- . Cold pack reduces swelling and is ideal for minor sprains, burns, nosebleeds, and headaches
- . Heat pack helps treat neck pain, muscle strains, arthritis, aches, back and shoulder injuries, tension, and cramps

Item#	Size	Qty/Case
Cold Pac	ks:	
100682	4" x 5"	24
100684	5" x 9"	24
Heat Pag	sk:	
100685	5" x 9"	24

## Nexcare™ Reusable Cold Pack

- Ideal for pain and swelling caused by minor bumps, bruises and sprains
- Soothes minor aches and stiffness

Item#	Size	
1064	4" x 10"	

12 per case.





# Non-Toxic and Latex-Free

## Insta-Kool™ HazMat Free Cold Packs

- Instant activation allows quick use
- · Stays colder longer than other packs

Item#	Description	Qty/Case
24486	Kit Size, 4" x 6"	80
24487	Junior Size, 5" x 7"	48
24488	Large Size, 6" x 8"	24

## Instant Cold Pack

- Instant activation allows quick use
- · Provides first aid relief for minor injuries by reducing swelling and relieving pain

Item# Size 31965 4" x 5"

Ideal for Muscle Injuries and Aches





Item#	Description
22236	Dispenser Box of 100
22763	16 oz. Pump Dispenser
22764	32 oz. Pump Dispenser
22765	1 Gallon

Item# 22236-10 boxes per case; Item# 22763-24 per case; Item# 22764-16 per case.

### WATERJEL Muscle Jel

- · Clear, smooth, greaseless formula provides fast relief for back and muscle aches, arthritis, joint strains, sprains, and bruises
- · Therapeutic, analgesic compound cools and soothes, then warms and penetrates deep to relieve pain
- Active ingredient: Menthol 3.5%
- · Item# 24781: convenient, individual 3.5g packets assure hygienic use

Light and greaseless



218442

ltem#	Description	Fast-Acting, Deep,
30111	Dispenser Box of 24	Penetrating Relief
24781	Dispenser Box of 96	
218442	Roll-on 3 oz	

Item#'s 30111 and 24781-12 dispenser boxes per case.



## **Biohazard Personal Response Kit**

Lightweight poly carry case is portable and convenient to have on hand in case of emergencies.

## Kit Contains:

- Personal Protection Pack: (1)—disposable hospital gown, (1)-pair booties, (1)-eye/face shield, (1)-pair latex gloves, (1)-bouffant cap, (1)-biohazard bag, (2)-antimicrobial hand wipes
- CPR Pack: (1)—CPR mask, (1)—pair latex gloves, (2)—antimicrobial hand wipes
- Spill Clean-Up Pack: (1)—pair latex gloves, (1)—2 oz. bottle fluid solidifier, (1)-scoop and scraper, (2)-antimicrobial hand wipes, (2)-germicidal wipes, (1)-biohazard bag

**Bio-Hazard** 

lesponse Kit

Each pack is individually wrapped and clearly identified.

Item#

3540

## Biohazard Response Kit

- Provides personal protection and spill clean-up for two people
- Metal cabinet has carry handle for easy transport
- Wall-mountable for permanent storage
- Individual packs
  - reduce costs replace only what's used
- Inside door pocket allows convenient storage for incident reports and other necessary forms

## Complete Kit Contains:

- · Personal Protection Pack: (2)-disposable hospital gowns, (2)-pair booties, (2)-pair latex gloves, and (2)-eye/face shields
- Spill Clean-Up Pack: (1)-16 fl. oz. germicidal solution, (1)-5 oz. fluid solidifier, (2)-scoops and scrapers, (1)-pair latex gloves, (2)-biohazard bags, and antimicrobial hand wipes
- Door Pocket Pack: CPR mask, latex gloves, antimicrobial wipes. biohazard bag

Item#	Description
3530	Complete Kit
Replaceme	ent Packs:
3532	Personal Protection Pack
3534	Spill Clean-Up Pack



## Bloodborne Pathogen Personal Protection Kit

- 28-piece kit provides all the necessary contents for fast, safe clean-up
- Portable plastic case is wall-mountable

## Kit Contains:

- 1 disposable gown with full sleeves
- 2 disposable shoe covers
- disposable bonnet
- eye shield with ear loop mask
- pair exam quality gloves
- fluid control solidifier pack, 21 gm
- 8" biohazard scoop
- 2 biohazard bags, 10-gallon capacity, 24" x 24"
- 2 clear bags with twist ties

3 disposable clean-up towels

- 3 antiseptic cleansing wipes (sting free)
- 2 germicidal wipes, 5" x 8". (kills germs), covers 7.5 sq. ft.
- 1 CPR pack, includes: 1 CPR one-way valve faceshield, 1 pair large exam quality gloves, and 3 antiseptic cleansing wipes (sting-free)
- 1 Bodily Fluid Pick-up Guide




23426


Refillable Kit

Saves Money!

## First Step Blood Clean-Up and Exposure Protection Kits

Convenient, single-use kits are compact and easy-to-use.







 Includes: (1)—pair latex gloves, (1)—large absorbent towel, (1)-pre-moistened antimicrobial hand wipe, and (1)-biohazard bag

Item#	Description
5088	Blood Spill and Surface Clean-up Kit
5089	First Aid Exposure Protection Kit

## FIRST AID ONLY. Bloodborne Pathogen Unitized Spill Clean-up Kit

- Compact kit is ideal for personal bloodborne pathogen protection and spill clean-up
- Includes necessary items for fluid clean-up. protective apparel kit, and bodily fluid pick-up guide



Item#	Description	Item#	Description
287666	Complete Kit		Spill Clean-up Pack Protective Apparel Pack



## Outdoor Exposure













## Outdoor Skin Protection Kit

- Skin Protection Kit: 6%"H x 5%"W x 1"D size
- · SunX: oil-free, non-greasy, and PABA-free formula provides UVA/UVB protection
- · BugX: repels mosquitoes, ticks, fleas, mites, black flies, sand flies, and deer flies
- 30% DEET
- BugX DEET-Free: repels mosquitoes, ticks, fleas, deer flies, chiggers, no-see-ums, gnats, red bugs, and black flies
- StingX: Benzocaine-saturated pads provide effective treatment for stings from bees, wasps, hornets, fire ants, and other biting and stinging insects
- · IvyX Pre-Contact: apply before potential exposure to poison ivy, oak, or sumac
- · lvyX Cleanser: use after contact with plants to remove irritating oils from skin
- · Anti-Itch Gel: effective on insect bites, rashes, and more

Item#	Description	Qty/Size	
23324	Kit	-	
24235	Kit Refill	-	
2663	SunX/BugX Pouches	50/pack	
2667	SunX/BugX DEET-Free Lotion Pouches	50/pack	
24847	StingX Towelettes	25/pack	
24848	IvyX Pre-Contact Towelettes	25/box	
24849	IvyX Cleanser Towelettes	25/box	
156457	Anti-Itch Gel Bottle	2 oz.	
156458	Anti-Itch Gel	25/box	



Item#	Description
SPF 50:	
2001	4.4 oz. Tube



## Sunscreen

- Reliable sunscreen offers protection against UV rays
- · Sweat- and water-resistant formula

Item#	Description
SPF 30:	
1991	4 oz. Bottle
1993	6 oz. Tube
1995	6 oz. Spray
1997	34 oz. Bottle

Great For Outdoor Workers

## AfterBite<sup>\*</sup>

The Itch Eraser\*

 Provides instant itch relief for bites from mosquitoes, black flies, ticks, chiggers, and horse flies



12238

12 per case.



## Tick Stuff<sup>™</sup>

- . Spray outer clothing to repel and kill biting insects, including ticks, mosquitoes, mites, and more
- Not intended for use directly on the skin
- · Active ingredient: permethrin




Item# 28929



CDC



## Multi-Purpose Foil Pack With Dry Towel



- · Sunscreen contains vitamin E and soothing aloe vera gel
- · Each foil pack contains sunscreen lotion, and (1)-single-use, dry, utility towelette
- . Towelette is gentle on skin, face, and hands, and is great for absorbing sweat, dirt, sunscreen, and more

## Item#

93918

50 packs per box.





## Sunscreen Lotion **Packets**

- Helps prevent sunburn, especially for people with skin sensitive to the sun's
- · Convenient 3.5g pouch



- PABA-free
- Single-use packets minimize mess and reduce cross-contamination
- SPF 30

Item#

12522

25 pouches per box.



## Tick Removal Kit

 Water-resistant, poly box measures 4" x 21/4" x 11/4"

## Kit Contains:

1 tick remover

5 certi-strip adhesive bandages, vinyl, 1" x 3"

5 alcohol wipe-ups, T x 2" 3 certi-sporyn, antibiotic cream, 1 gm.

Item#

28142

## NSI Snake Bite Kit First Aid Kit Refill

- Handy refills save money
- · Contents set up to meet

U.S. Forest Service specifications

- All-in-one kit contains tools and clean-up for snake bites and instructions for use
- Great as a refill for regular and unitized first aid kits Kit Contains:
- 2 adhesive bandages, 1" x 3"
- 2 antiseptic wipes
- 1 venom extraction pump 2 ammonia inhalants
- 1 tourniquet 1 disposable scalpel
- 1 plastic carrying case
- 1 instruction book









## Tecnu® Poison Oak-N-lvy® Cleanser:

 Use within 8 hours of contamination to remove toxic oils of poison ivy, oak, and sumac before rash develops

## Tecnu® Rash Relief® Spray:

 Cooling spray helps relieve symptoms, promotes healing, and dries oozing of poison ivy, poison oak, and poison sumac rash

## CalaGel® Medicated Anti-Itch Gel:

· Relieves all major symptoms of poison plant dermatitis, insect bites, minor sunburn, and other skin irritants

ltem#	Description	Size
4533	Tecnu* Poison Oak-N-Ivy* Cleanser	4 oz.
4534	Tecnu® Poison Oak-N-Ivy® Cleanser	12 oz.
93780	Tecnu® Poison Oak-N-Ivy® Cleanser	50/box
93778	Tecnu® Rash Relief® Spray	6 oz.
4536	CalaGel® Medicated Anti-Itch Gel	6 oz.
158138	CalaGel® Packet Dispenser Box	144/box

Item# 4533-48 per case. Item# 4534-12 per case. Item# 93780-6 dispenser boxes per case. Item#'s 93778 and 4536-24 per case.

## 3M Ultrathon™ Insect Repellent

· Advanced 3M formulation creates an effective barrier that repels mosquitoes that may carry West Nile Virus and Zika, and ticks that may carry Lyme Disease

s, fleas, & deer flies

<ul> <li>Also repel</li> </ul>	s biting flies, chiggers, gnat
Item#	Description
175406	6 oz. Spray
175407	2 oz. Lotion





## Off!® Skin Protection

- Off! Deep Woods\*: protects against mosquitoes, flies, ticks, chiggers, and fleas for up to 6 hours
- Off! Active™: sweat-resistant spray repels mosquitoes, biting flies, ticks, and gnats for up to 4 hours
- 15% DEET
- 25% DEET . Both are EPA Registered

Item#	Description	Size
24711	Off! Deep Woods®	6 oz. Aerosol
24712	Off! Active"	6 oz. Aerosol



## CoseTel SunXº Sunscreen Products

- Provides excellent UVA/UVB protection
- Pass FDA requirements for 30+ SPF protection
- · Lip Balm: high quality beeswax formula with slight mint flavor





Item#	Description	Oty
Lotion:		
24232	Dispenser Box	Box of 25 Pouches
12765	Wall Mount Dispenser Box	Box of 50 Pouches
24234	4 oz. Bottle	_
Lip Balm:		
24785	125 oz Tube	_

## **Outdoor Exposure**



Moisturizers and botanicals soothe damaged skin

Item#	Description	Qty/Size
29795	Pre-Contact Solution Lotion	4 oz.
24848	Pre-Contact Solution Towelettes	25/box
24849	Cleanser Towelettes	25/box
3057	Pre-Contact Solution/Cleanser	50/box
156448	Post Contact Cleanser	4 oz.



# Insect Repellent

· Water-based formula contains 30% DEET for long-lasting protection

 Effective protection against mosquitoes, gnats, no-see-ums, sand flies, biting flies, deer flies, stable flies, black flies, chiggers, red bugs, and



Item#	Description	Item#	Description
28434	Spray, 2 oz.	24846	Towelettes,
28436	Spray, 4 oz.		Box of 25

## **Bug Barrier Personal** Insect Repellents

. Spray directly on exposed skin to repel mosquitoes, chiggers, fleas, ticks, stable flies, black flies, and more



## **Powerful DEET Protection**

Item#	Description	Size
14595	Bug Barrier II	6 oz.
14596	Bug Barrier II	12 oz.
14597	Bug Barrier 100%	2 oz. Pump Spray
12 per c	ase.	



## DEET-Free Insect Repellent

- Non-flammable, industrial formula
- Safe for use on fire-retardant (FR) clothing
- All-natural environmentally-friendly

ltem#	Description
2637	Spray, 4 oz.
9374	Wristband
2639	Towelettes



## Heat Stress



electrolyte drink is high in potassium and low in sodium to help replenish essential electrolytes lost to heat stress and fatigue

- . Simply tear open the Qwik Stik and add to a 20 oz. bottle of water
- Single-serve

Item# Quantity 23277 Pack of 50

Please specify flavor: Fruit Punch (FP), Grape (GE), Lemonade (LE), Lemon-Lime (LL), Mixed Berry (MB), Orange (OE), or Strawberry-Lemonade (SYLE).





## Freezer Pops

Refreshing frozen pops provide all the essential minerals and electrolytes to	E 201 (1 E 3 E 1 E 1 E 1 E 1 E 1 E 1 E 1 E 1 E
combat heat stress	F) (1974)
Sqwincher* Assorted Pack: contains	THE P. LEWIS CO., LANSING, MICH.
10 pops of assorted flavors: Cherry, Grape,	Park -
Lemon-Lime, Orange, and Mixed Berry	Enjoy Frozen or as a Cold Drink!
Sawincher® Zero: great tasting and sugar-free	or as a Cold Drink!

Item#	Description	Quantity
24791	Sqwincher <sup>®</sup> Assorted	Case of 150
93978*	Sqwincher® Zero	Case of 150
*Please specify flavor: Fruit Punch (FP) or Tangerine Orange (TEOE).		
150 pops per case.		



## Powder Pack"

- Handy packs are easy to transport to the job site, and mix in seconds
- · Just add water for a low-sodium, high-potassium activity drink
- · Helps prevent dehydration and lost work time by enabling the body to quickly absorb replacement minerals



Please specify flavor: Fruit Punch (FP), Grape (GE), Lemon-Lime (LL), or Orange (OE). 80 packs per case.

### 14472 21/2 Gallon Mix

Please specify flavor: Cherry (CY), Cool Citrus (CC), Fruit Punch (FP), Grape (GE), Lemonade (LE), Lemon-Lime (LL), Mixed Berry (MB), Orange (OE), Tea (TA), or Tropical Cooler (TC). 32 packs per case.

### 14473 5 Gallon Mix

Please specify flavor: Cherry (CY), Cool Citrus (CC), Fruit Punch (FP), Grape (GE), Lemonade (LE), Lemon-Lime (LL), Mixed Berry (MB), Orange (OE), or Tropical Cooler (TC). 16 packs per case.



. Simply add water to the foil packet, and you've got 6 oz. of instant electrolyte

Packaging doubles as a cup for maximum convenience

. High potassium, low sodium beverage helps replace fluids and minerals lost to dehydration

Item#	Quantity
14474	Box of 50

Please specify flavor: Cherry (CY), Cool Citrus (CC), Fruit Punch (FP), Grape (GE), Iced Tea (IT), Lemonade (LE), Lemon-Lime (LL), Mixed Berry (MB), Orange (OE), or Tropical Cooler (TC). 50 packs per box, 4 boxes per case.

# Liquid Concentrate



 Provides a cost-effective way to keep workers hydrated on the job

 Liquid concentrate mixes instantly with water for a great-tasting electrolyte drink

. Offers the optimal balance of fluid and e to combat dehydration

70		Mar.
ı	100 11	
elec	trolytes	27841

ltem#	Description	Qty/Case
27841	12 oz. Cups, 100/pack	_
14470	5 Gallon Concentrate	6

Please specify concentrate flavor: Fruit Punch (FP), Grape (GE), Lemonade (LE), Lemon-Lime (LL), or Orange (OE).







## Concentrate

 Perfect for diabetics or workers monitoring their intake of calories and carbs

· Great-tasting electrolyte beverage is high in potassium and low in sodium to help fight heat stress and fatigue

64 oz. concentrate makes 5 gallons

Item#	Quantity
29262	Case of 6

Please specify flavor: Fruit Punch (FP), Grape (GE), Lemon-Lime (LL), or Orange (OE). 6 per case.



or Orange (OE). 20 packs per case.

· Low calorie, low sodium, and rich in potassium

 Provides hydration and electrolyte replacement to help meet the demands of active workers

Makes 3 gallons

Item#

Please specify flavor: Fruit Punch (FP), Grape (GE), Lemon-Lime (LL),







## Drinking Coolers & Cups

 Take tough, portable coolers almost anywhere in the workplace to prevent dehydration and fatique



Rugged handles lock into place

Pour spout on 1-gallon cooler, and fast-flowing spigot on 3- and
 7-gallon coolers allow quick dispensing into cups

Item#	Description
2044	1-Gallon Cooler
5766	3-Gallon Cooler
5767	7-Gallon Cooler
2028	7 oz. Cups (pack of 100)
2032	12 oz. Cups (pack of 100)



## 5-Gallon Cooler

 High-density polyurethane foam keeps drinks cold longer

All-plastic construction features UV inhibitors

- · Lid fits tight against the cooler
- · Industrial strength, quick-flow spigot
- Equipped with universal mounting bracket to accommodate most cup holders (sold separately)

Item#


29264



## No Sugar! No Calories!

## **Powder Pack**





- · Assorted pack includes Fruit Punch, Grape, Lemon-Lime, and Orange
- Makes 2½ gallons

Item# Description
166096 Powder Pack\*\*

Please specify flavor: Fruit Punch (FP), Grape (GE), Lemon-Lime (LL) or Orange (OE). 8 packs per bag, 4 bags per case.

Item#

160078 Powder Pack" Assorted Flavors

32 packs per case.



## Half the Calories!

## Powder Packs

- Get all the benefits and great taste of Gatorade for half the calories
- Provides electrolyte-charged hydration for workers in hot, humid conditions

Item#	Description
179643	6-Gallon Mix

Please specify flavor: Fruit Punch (FP) or Grape (GE).

Helps prevent heat stress illness on jobsites



## Instant Powder



- Simply mix the powder with the indicated amount of water for an instant, refreshing drink
- Variety Pack contains (8)—2<sup>1</sup>/<sub>2</sub>-gallon packs of each flavor: Fruit Punch, Lemon-Lime, Orange, and Riptide Rush

Item#	Description
14464	1-Gallon Miv

Please specify flavor: Fruit Punch (FP), Lemon-Lime (LL), Orange (OE), or Riptide Rush (RR). 40 packs per box.

14465 21/2-Gallon Mix

Please specify flavor: Fruit Punch (FP), Glacier Freeze (GF), Lemon-Lime (LL), Orange (OE), or Riptide Rush (RR). 32 packs per case.

14466 6-Gallon Mix

Please specify flavor: Fruit Punch (FP), Glacier Freeze (GF), Lemon-Lime (LL), Orange (OE), or Riptide Rush (RR). 14 packs per case.

28814 21/2-Gallon Variety Pack



# Powder

 Low sodium beverage replaces essential minerals to help fight heat stress





- Blend of electrolytes and carbohydrates provides optimal hydration, replenishment, and refueling
- G2 Series sticks offer the same great Gatorade® taste, with only 25 calories

the B. Daniel			
Item#	Description	Item#	Description
31443	G Series	31444	G2 Series

Please specify flavor: Item# 31443—Fruit Punch (FP), Lemon-Lime (LL), or Orange (OE); Item# 31444—Fruit Punch (FP), Glacier Freeze (GF), or Grape (GE). 8 sticks per pack, 8 packs per case.



## Liquid Concentrate & Dispenser Rack

- Single gallon bottle yields 6 gallons of refreshment
- Portable dispenser rack comes with 2 dispenser pumps, and holds 2 containers of concentrate



14467 \*1-Gallon Concentrate

## Accessories:

3620 Dispenser Rack w/2 Pumps 3622 Dispenser Pump, Only 2032 12 oz. Cups, 100/pack

\*Please specify flavor: Fierce Grape (FG),

Fruit Punch (FP), Lemon-Lime (LL), or Orange (OE). 4 gallons per case.



## **Heat Stress**

## igloo Drinking Coolers

- Extra UV inhibitors prevent cracking
- Ultratherm polyurethane insulation keeps drinks cold longer
- Recessed drip-proof spigot offers easy dispensing
- 3-, 5-, and 10-gallon coolers include convenient mounting bracket for optional cup dispenser
- Cooler rack is equipped with 1½\*
   webbed cinch strap for convenient vehicle mounting



Item#	Capacity	
7631	2-Gallon	
7632	3-Gallon	
7633	5-Gallon	
7634	10-Gallon	
Item#	Description	

## Accessories:

24485 41/2 oz. Cups, 200/pack

7873 41/2 oz. Cup Dispenser (3-, 5-, & 10-Gallon)

7875 Cooler Rack (3- & 5-Gallon) 12242 Cooler Rack (10-Gallon) 12240 Push Button Spigot



## Hi-Vis Ranger Hat





- · Polyester construction with mesh venting panels keeps workers cool
- · Convenient, adjustable drawstring keeps hat in place
- . Hold cooling material under water for one minute to activate
- . Cooling effects last for up to 4 hours

Item#	Description
25647	Ranger Hat
2933*	Ranger Hat w/Cooling Towel

Please specify color: Lime (LE) or Orange (OE); and size: (S/M) or (L/XL). \*Only available in Lime. 6 per case.



## Low Profile Hydration Pack

- Tough, 420D nylon shell stands up to long-term wear and tear
- Closed cell insulation keeps water cool for hours
- TPE polymer bladder ensures water tastes like water, not like plastic
- Large mouth opening allows easy filling and cleaning
- Zip-up cap cover keeps out dirt and debris
- Holds up to 70 oz.



2630 HOE

\*Please specify color: Hi-Vis Lime (HLE) or Hi-Vis Orange (HOE).

## Medique'

## **Heat Stress Relief Kit**

- Contents help rehydrate, lower core body temperature, and restore electrolytes
- Easily stores in vehicle, tool box, or worksite

## Item#

96136

Visit northernsafety.com for kit contents.

## Medique Medi-Lyte

- Provides temporary relief from heat stress, muscle fatigue, & cramping due to perspiration mineral loss
- . Sodium-, sugar-, and lactose-free
- Active ingredients per tablet: Calcium Carbonate 10.64 mg, Potassium Chloride 40 mg, and Magnesium Oxide 12 mg



MEDI-FIRST

## Electrolyte replenisher

Item#	Description
5564	Dispenser Box of 100 (50/2's)
5566	Dispenser Box of 500 (250/2's)
Dosage in	structions printed on each packet.

## SPER Heat Stress Meter

- Accurately determines heat stress index based on the cumulative effect of air temperature, air movement, relative humidity, and radiant heat
- Lightweight meter has a typical response time of 15 seconds
- Can be used indoors or outdoors
- Equipped with audible alarm, adjustable to your WBGT threshold
- Dimensions: 10° x 2° x 1¾°
- · Weight: 4 oz.

Technical Specifications				
WBGT	Range 0-50°C 32-122°F	Resolution 0.1	Accuracy a2°C indoor, 3°C outdoor (-15-40°C) otherwise a25 indoor, 35°C outdoor	
Air Temp (TA)	0-50°C 32-122°F	0.1	10 PC	
Globe Temp (TG)	0-80°C 32-176°F	0.1	a2°C (15-25°C)	
Relative Humidity (RH)	0-100%	0.1	s3% (10-90%) otherwise s5%	

Item# 31331

2630 HLE 4

6 Nor Limited MANUFACTURER WARRANTY



# CONTROL

## **Evaporative Cooling Vest**

- Lightweight, durable, washable, and non-toxic
- Soak in cool water for 1-3 minutes for 5-10 hours of cooling relief
- V-neck design with zipper closure
- Features quilted nylon outer shell with specially designed cooling liner, water repellent inner liner, and elastic trim

Item# 24581

Please specify color: Hi-Vis Lime (HLE) or Royal Blue (BE); and chest size: M (37-39), L (40-42), XL (43-45), 2XL (46-48), or 3XL (49-51). 50 per case.

## **Traffic Safety**



## **Delineator Post with Knob Top**

- · Recessed stem
- · Recycled rubber base







I to matt	D <sub>a</sub>		int	inn
Item#	De	SCI	ιυι	JOII

7271 42" Post w/12 lb. Recycled Rubber Base 2923 12 lb. Replacement Recycled Rubber Base

These products do not qualify for free shipping.





## Grabber II Delineator Tubes

- Convenient carry handle offers easy movement and deployment
- · Constructed of low-density polyethylene
- UV inhibitors minimize fading
- Three recessed sheeting areas
- Stackable
- Base is made of 100% recycled rubber

Item#	Description
161483	42'H Tube w/2 Reflective Collars and 12 lb. Base
161485	42"H Tube w/2-3" Collars
161486	12 lb. Recycled Rubber Delineator Base
These prod	ducts do not qualify for free shipping.




## Grabber™ Delineator Traffic Cones


- Stackable
- Made from flexible polyethylene
- Ribbed handle design allows easy handling
- UV inhibitors minimize fading
- Cones are 100% recyclable
- Recycled rubber base provides extra stability



Item#	Description	
7273	42" Cone w/16 lb. Recycled Rubber Base	
7274	28" Cone w/10 lb. Recycled Rubber Base	
These pro	oducts do not qualify for free shipping.	

# TRAILBLAZER\* Vertical Panel







· Engineer grade reflective sheeting provides excellent visibility

· Panel and base sold separately

Item#	Description	Ma Ma
2946	w/Engineer Grade Sheeting, Both Sides	Require
2950	w/3M™ High-Intensity Sheeting	
2957	15 lb. Rubber Base	

These products do not qualify for free shipping.



# A-Top Delineator Post

- Strong and flexible enough to bounce back after impact
- UV stabilizers
- Recessed 3M<sup>®</sup> prismatic reflective sheeting

ltem#	Description
319279	42° Post w/Arch Top
319281	8 lb. Base
89147	12 lb. Base
-	1 . 1

These products do not qualify for free shipping. Post and base sold separately.



## Step-N-Lock™ Vertical Panel Barricades

- · Easy to assemble and take down
- 24"H x 12"W panel separates from base if impact with vehicle occurs
- 2-sided, recessed panel face helps to minimize scratches and abrasions for long-lasting use
- Recycled rubber base weighs 28 lb. and features 2 easy-grip carry handles for easy transport
- Stackable

Item#	Description
26026	Engineer Grade Panels
26027	Hi-Intensity Grade Panels
26028	Diamond Grade Panels - Yield For Pedestrians
26029	Rubber Base
These p	roducts do not qualify for free shipping.



## **Economy Barrier Tapes**

- · 2 mil polyethylene barrier tapes
- 3 tapes, highly visible

Item#	Description	Tape Color
500' Roll:		
8781	Caution	Yellow
8782	Caution Cuidado (Bilingual)	Yellow
8784	Danger	Red
1000° Roll:		
11957	Caution	Yellow
11960	Caution Cuidado (Bilingual)	Yellow
11966	Danger	Red

Individually packaged, 24 rolls per case. Shop northernsafety.com for more barrier tapes.

Improved Design

Assures Easy Handling





## ENVIRO-CONE.

Made From Over 80% Recycled Content

- . 80% recycled, and can be recycled again
- Withstands temperatures of -40°F to over 180°F
- Qualifies for Green Points
- · Environmentally-friendly, PVC-free



Item#	Description
161374	18" Cone w/Out Collars
161375	28" Cone w/Out Collars
161376	28" Cone w/4" and 6" Reflective Collars
161377	36" Cone w/4" and 6" Reflective Collars
These pro	ducts do not qualify for free shipping.





## **Heavy-Duty Traffic Cones**



- PVC injection molding delivers extreme durability
- UV stabilizers maintain hi-vis lime color

Item#	Description
2814	18" Plain Wide Body Cone w/3 lb. Base
89160	18" Cone w/Reflective Collars and 3 lb. Base
2816	28° Plain Wide Body Cone w/3 lb. Base
2818	28" Wide Body Cone w/4" and 6" Reflective Collars
	and 7 lb. Base

These products do not qualify for free shipping.

## **Traffic Cone Holder**

- Rugged cone-shaped metal holder easily attaches to vehicle bumper
- Provides convenient cone transport between work and storage areas
- For use with 18" and 28" cones, only Item#

7091





- · Injected, molded PVC construction
- Sturdy base permanently bonded to the cone.

Item#	Description	Weight
2820	18* Cone w/Black PVC Base	3 lb.
2822	28" Wide Body Cone	7 lb.
2824	36" Wide Body Cone	10 lb.
2828	28" Wide Body Cone w/4"	
	and 6" Reflective Collars	7 lb.
2835	Cone Ring	7 lb.

These products do not qualify for free shipping



Item#	Description	Weight
2780	18" Cone w/Orange PVC Base	3 lb.
2796	28" Slim Cone w/Black PVC Base	7 lb.
2800	28" Slim Cone w/4" and 6" Reflective	
	Collars and Black PVC Base	7 lb.
These p	roducts do not qualify for free shipping.	



- Extendable and adjustable telescoping bar
- · Converts traffic cones into nedestrian harricade


ltem#	Description	Length	
2937	Cone Bar	4' - 6'	
2939	EGR Cone Bar	6' - 10.5'	

Cones not included. These products do not qualify for free shipping.

## **Traffic Safety**

## Safe-T-Paddles

• 18" octagon shaped aluminum paddle comes with a 7" plastic handle



• 24" plastic paddle is silk-screened, and has a 2-piece plastic handle (2" Dia. x 81"L)



Item#	Description
8037	18" Aluminum "Stop" and "Slow"
8038	18" Aluminum "Stop" and "Stop"
8040	24" Plastic "Stop" and "Slow"

## Reflective Property Marker

- · Easily identify outdoor borders and hazards
- · Engineer-grade fiberglass rod with orange engineering-grade reflective tape ideal for outdoor use
- Measures 48"H x ¾" diameter


## Item#

## 163553

12 per box.



# Warning Barrier



Heavy-Duty Barrier

## Hi-Visibility Fencing

- . Diamond link, made from rugged polyethylene, looks and feels just like chain link and is great for crowd control
- · Warning barrier is lightweight, strong, and ideal for temporary or permanent enclosures
- Durable heavy-duty barrier resists UV rays for long life, and helps control drifting snow and sand
- · Oak posts have chisel points for easy use

7777

• 11" nylon fence ties conveniently fasten nractically all fence styles

Item#	Description	Roll Size
7787	Diamond Link	4' x 50'
7781	Warning Barrier	4" x 100"
7785	Heavy-Duty Barrier Size:	4' x 100'
Fence Ad	ccessories:	
7773	Oak Post	1" x 2" x 60"

11" Nylon Ties (100/bundle)

## Windsock

- PVC-over-nylon construction
- · Bright orange color assures great visibility
- Throat band is finished with brass grommets
- Item# 27566 includes nylon locking ties
- Mounting frame sold separately
- Item# 27567: corrosion-resistant aluminum frame mounts on standard 11/4" outside diameter pipe (not included)



When Safety and Wind Direction Are Extremely Important

Item#	Description	Size	
27566	Windsock	18" dia. x 48"L	
27567	Windsock Frame	18" dia.	



## Fluorescent Orange Warning Flags

- · Heat-sealed hems add durability
- Ideal for directing traffic during highway construction, special events, or emergency situations

Item#	Size
8006	18" x 18" w/27" Dowel
8008	24" x 24" w/36" Dowel



Ideal for Moving Vehicles

## **Heavy-Duty Open** Mesh Tailgate Flags

- · Fluorescent, red/orange color assures visibility
- . 18" x 18" flags are hemmed and grommeted along the top for added durability

## Item# 25803

10 per case.







## Sonic Blast

- · Non-flammable, eco-friendly horn provides 120 dB blast at 10'
- · Perfect for industrial safety, construction sites, confined spaces, and boating and emergency alarm stations
- Delivers up to 56 blasts per can
- 5 oz. horn meets US Coast Guard Requirements for boats up to 65'/20 meters

Item#	Rating	
185540	Sonic Blast	
185541	Refill	
12 per ca	ise.	

## Ladders







## CAMBION Conquest Ladder

- Wide-flared base provides more lateral stability
- · Constructed of exclusive, lightweight, non-conductive fiberglass technology
- Can be used in dozens of configurations, including A-frame, extension, and 90° ladders, replacing several sizes of stepladders

Item#	Step Height	Extension Height
181399	4'6"-7'6"	8'11'-14'11'

These products are shipped directly from the manufacturer and do not qualify for free shipping.

# I Year Limited MANUFACTURER WARRANTY

ANSI

Type A

300h

ANSI OSHA CSA

OSHA

Type IAA

375<sub>h</sub>

## King Kombo GLIMBON All-Access Ladders

- . Stepladder, traditional extension, and leaning ladder all in one!
- . Non-conductive, high strength fiberglass
- · Hi-vis green rails make ladder more noticeable

Item#	Step Height	Extension Heigh
318722 5	5'	8.
3187226	6'	10"
There are d	and the second second	Paragle from the

These products are shipped directly from the manufacturer and do not qualify for free shipping.



- · Dropped rear rail pivot point gets

These products are shipped directly from the manufacturer and do not qualify for free shipping.

### ANSI OSHA ladder closer to your work Non-marring rubber bumper Rail latch with single action opening and closing locks the rear rail to the front rail to keep the ladder in leaning mode Item# Height Item# 218384 218386 10 8 12" 218385 218387

# >LOUISVILLE.

## Step-to-Shelf Cross Step Ladder

- . Converts from a step ladder to a shelf ladder
- Equipped with V-shape ProTop" with non-marring slip-resistant rubber tread, magnet, and multiple slots
- Features SHOX impact absorption system, Raptor Boot with bonded rugged slip-resistant tread, inside spreader braces, heavy-duty reinforcement, and double rivets

Item#	Height	Item#	Height
248414 4	4"	2484148	8"
2484146	6'	248414 10	10"

These products are shipped directly from the manufacturer and do not qualify for free shipping.



Revolution 2-Person Multi-Ladder Stepladder

Umited Lifetime MANUFACTURER

- Adjustable ladder can be safely used on stairs, ramps, curbs, docks, or other uneven surfaces
- Quad-Lock" hinge locks into place with 4 pins
- Can be used as an A-frame. staircase, 90°, or extension ladder, also pulls apart to form into 2 scaffold trestles



Type A

300

Item#	Step Height	Extension Height
250603	4"1"-7"1"	9'-15'
250605	5'1"-9'1"	11'-19'
250607	6'1"-11'1"	13'-23'

These products are shipped directly from the manufacturer and do not qualify for free shipping.

## WERNER

## Aluminum Telescoping Multi-Ladder

- Versatile ladder converts to twin stepladder, stairway ladder, extension ladder
- Height adjusts quickly with spring-loaded J-hook locks
- Extra wide flared bottom
- Slip-resistant feet
- Includes professional grade hinges and storage case





Item#	Step Height	Extension Height
22838*	4' to 7'	9' to 15'
22839*	5' to 9'	11' to 19'
22840	Step Accessory	_

\*These products are shipped directly from the manufacturer and do not qualify for free shipping.

## WERNER

## Fiberglass Tripod Stepladder

- Can be safely positioned through studs, in tight areas, and around corners
- Double riveted Traction-Tred® steps add slip resistance and durability
- Fiberglass rails are non-conductive



These products do not qualify for free shipping.













## Fiberglass Stepladders

· Features non-conductive fiberglass side rails, and molded Tool-Tra-Top® with drill holster and tool tray

 EDGE" molded brace increases bracing strength and helps protect rails

Double-riveted Traction-Tred® steps for slip-resistant climbing

Item# Height	Item# Description
Ladders:	Accessories:
9154 4"	238291 Plastic Lock-in Utility Bucket, 25 lb.
9156 6'	238276 Steel Lock-in Utility Hook
9158* 8	238274 Plastic Lock-in Ladder Job Caddy
9161* 10"	238272 Plastic Lock-in Paint Cup
9163* 12'	

These products do not qualify for free shipping. \*This product is shipped directly from the manufacturer.

## >LOUISVILLE.

## Fiberglass Stepladders

- Unique Da Boot" design offers slip-resistant footing
- Impact-absorbing SHOX system
- Recessed ProTop"

Item#	Height
31524	4"
31525	6.
31526	8.
31527	10"





# >LOUISVILLE. HD



## Fiberglass Step Stools and Ladders

- Aluminum angled feet with thick rubber tread
- . Includes magnet tray, hardware tray, curved front, drill and tool slots, and paint bucket holder
- Fiberglass is non-conductive when clean and dry

Item#	Height	Item#	Height
295904 2	2"	2959046	6"
295904 4	4"	2959048	8.



These products are shipped directly from the manufacturer and do not qualify for free shipping.

# **▶LOUISVILLE** Industrial Heavy-Duty

Twin Front Fiberglass Step Ladder

 Non-conductive fiberglass ladder features extra-heavy-duty full metal boots and SHOX impact absorption system

Allows two workers to use the same

Item#	Height	Type A
248413 4	4	375
2484136	6'	Duty Reti
2484138	8.	
248413 10	10"	
248413 12	12"	

These products are shipped directly from the manufacturer and do not qualify for free shipping.

# >LOUISVILLE.

## ProTop Fiberglass Pinnacle Platform Step Ladder

 Extended handrail and 30% larger platform area

- . Da Boot" with non-marring bonded tread
- · Features SHOX impact absorption system and ProTop" with multiple tool slots and magnet

Item#	Height	Type IA
248410 2	2'	300
248410 4	4"	<b>Duty Rating</b>
2484106	6'	
2484108	8'	
248410 10	10"	

These products are shipped directly from the manufacturer and do not qualify for free shipping.



## WERNER

## Fiberglass Platform Ladders

- 200 sq. in. work platform
- · Equipped with non-conductive side rails
- Slip-resistant, extra-wide Traction-Tred<sup>®</sup> steps are double-riveted
- · Reinforced bottom rail shields help protect against abrasion damage

	Platform	Overall Height	
Item#	Height		
8981	4	6	
8983	6"	8"	
8985	8.	10"	

These products are shipped directly from the manufacturer and do not qualify for free shipping.



## WERNER ULTRA PAR

## Fiberglass Stepladders

- Innovative EDGE<sup>®</sup> bracing system
- Yellow non-conductive side rails
- Slip-resistant Traction-Tred<sup>®</sup>

<ul> <li>Heavy gauge To</li> </ul>	ool-Tra-	Top®
------------------------------------	----------	------

Item#	Height
16271	4"
16272	6"
16273*	8.
16274*	10°
16277*	12"



Type IA

300⊾

Type AA



These products do not qualify for free shipping.

\*This product is shipped directly from the manufacturer.



ANSI

OSHA

CSA

Each side supports 250 lb.

## Twin Step Fiberglass Ladders

- · Can climb each side for simultaneous use
- · Spreaders prevent fingers from getting pinched
- · Special rubber foot pads eliminate sliding
- · Non-conductive side rails

Item#	He
8997	4"
8998	6"
8999	8.

These products are shipped directly from the manufacturer and do not qualify for free shipping.









## **Paints**



## Line-Up™ Pavement Striping Machine

Indoors Or Outdoors

Professional Lines...

 Striping Machine: durable, 18-gauge steel machine features collapsible handle, 12-can capacity, and 7" wheels

Striping Wand: 34" long for convenient use.
 Perfect for stenciling or line touch-up

 Paints: durable, solvent-based formula is fast-drying, long-lasting, and works in most paint striping machines

Features non-clogging spray nozzle

Item# Description

17752 Line-Up® Striping Machine

22083 Striping Wand

Upside Down Striping Paints, 18 oz. net wt: 17754\*

\*Please specify color: Handicap Blue (BE), Fire Lane Red (RD), Highway White (WE),


Highway Yellow (YW), Cover-Up Black (BK). 12 per case.





## Quik-Mark™ Inverted Marking Paints

Water-based marking paints feature Spray-Thru
 cap and non-clogging spray tip



- 34" marking wand features removable wheel, and is perfect for stenciling
- Paints are 17 oz. net wt. and VOC compliant

Item#	Description
9451*	Marking Paint
17753	Marking Wand

\*Please specify color: Brilliant White (BWE), Fluorescent Blue (FBE), Fluorescent Green (FGN), Fluorescent Orange (FOE), Fluorescent Pink (FPK), Fluorescent Red (FRD) or Utility Yellow (UYW). 12 per case.



## **Industrial Maintenance Paints**

- Maximum coverage with excellent adhesion for indoor or outdoor applications
- Can be used on any wood or metal surface
- · Finishes provide a hard, protective finish
- · Primers prep surfaces and make finishes corrosion-resistant
- High Heat protects against rust and withstands temperatures 31499 up to 1200°F
- Snap & Spray Adapter converts any aerosol into a spray gun
- Paints are 12 oz. net wt. and VOC Compliant

Item# Col	or	Item#	Color
Finishes:		Prime	rs:
9443* See	Below	9445	Ruddy Brown
31499** See	Below	9447	Gray
31519 Fluo	prescent	High H	Heat:
Re	ed/Orange	31522	Black
		31523	Aluminum
		9449	Snap & Spray" Adapter

\*Please specify color: Almond (AD), Bright Silver (BSR), Cherry Red (CRD), Clear Coat (CC), Gloss Black (GBK), Gloss White (GWE), Hunter Green (HGN), OSHA Orange (OOE), OSHA Yellow (OYW), Semi-Flat Black (SFBK), Smoke Gray (SGY), True Blue (TBE), or Ultra-Flat Black (UFBK).

\*\*Please specify color: Flat White (FEW), OSHA Blue (OBE), OHSA Green (GN), or OHSA Red (ORD).

# KRYLON NOUSMAL Tough Coat® Enamel Spray Paint

- Tough, protective coating resists chipping and peeling
- Dries to the touch in 15 minutes
- 12 oz. aerosol

Item#	Color
87824	OSHA Purple
87826	OSHA Yellow Gloss
87827	OSHA Blue Gloss
87833	Fluorescent Orange Gloss
87834	Industrial Gray Gloss
87835	Light Gray Gloss

# → Justrite Aerosolv® Disposal System

- Puncturing unit safely pokes a hole in the dome of the can to relieve pressure and remove excess fluid
- Filter removes airborne liquids and absorbs harmful hydrocarbons and odor
- . Carbide tipped piercing pin withstands up to 10,000 punctures
- EPA compliant unit includes puncturing unit, coalescing/carbon filter, anti-static wire, and safety goggles
- . For use with 30- or 55-gallon drum, not included

<ul> <li>For use</li> </ul>	with 30- or 55-gallon drum, not included
Item#	Description
28910	Aerosolv® Disposal System
Replacer	ment Parts:
28912	Filter
28913	Activated Carbon Cartridge (2/pk)
28914	Maintenance Repair Kit

These products are shipped directly from the manufacturer and do not qualify for free shipping.







# Markal Industrial Markers

- Liquid Paint: uses real paint, dries in 3 minutes
- · Wet Performance: permanent, fast-drying paint
- Resists spreading when it comes in contact with water-based liquids
- · Retractable: one-handed push button eliminates mess and lost caps
- All Weather® Marker: weather- and UV-resistant marker etches into polyurethane for long-lasting visibility

Item#	Description	Please Specify Ink Color
19490*	Liquid Paint	Aluminum (AM), Black (BK),
		Blue (BE), Green (GN),
		Orange (OE), Red (RD),
		White (WE), or Yellow (YW)
31617*	Wet	Aluminum (AM), Black (BK),
	Performance	Blue (BE), Green (GN),
		Orange (OE), Red (RD),
		White (WE), or Yellow (YW)
4433*	Retractable	Black (BK), Red (RD)
19495	All-Weather	
	Medium Tip	Black

<sup>\*</sup>Please specify ink color. 12 per box.



## Paint Rollers, Covers, and Accessories

- . Woven-Pro Roller Covers: provides lint-free finish on smooth, semi-rough, semi-smooth surfaces with all paints, enamels, and varnishes
- Woven fabric designed for maximum paint pick-up and release
- Heavy-duty polypropylene core withstands water and solvents
- General Purpose Poly Roller Covers: polypropylene core withstands water & solvents for use with all paints and surfaces
- Item# 257631: for use with latex paint, kit includes (1)-9" x ¾" polyester roller cover, (1)-2' polyester brush, (1)-5-wire cage frame with metal ferrule, (1)-metal tray, (1)-9' x 12' plastic drop cloth, and (1)-12" extension pole
- · Roller Frames: threaded handles allow use with extension poles

Item#	Size		
Roller Co	Roller Covers:		
257610	9" x 3/4" Woven-Pro		
257611	9" x 1/2" Woven-Pro		
257612	9" x 3/4" Woven-Pro		
257613	3" x 3/4" General Purpose Poly		
257614	4" x 3/4" General Purpose Poly		
257616	9" x 3/4" General Purpose Poly		
257617	18" x 3/4" General Purpose Poly		
257618	9" x 1/2" General Purpose Poly		
257620	18" x 1/2" General Purpose Poly		
257623	9" x 3/4" General Purpose Poly		
257624	4" x 3/4" Little Johns Poly Mini Roller		
257625	12" x 4" Soft Grip Frame for 4" Mini Roller		
Trays and	Liners:		
257626	1-Quart, Metal Tray		
257627	1-Gallon, Deep Well Metal Tray		
257628	6° Mini Roller Tray		
257630	Tray Liner for Item# 257626		
257629	Tray Liner for Item# 257627		
257631	6-Piece Metal Tray Kit		
Roller Accessories:			
257632	3" 4-Wire Cage Roller Frame, ¼" Shank		
257633	4" 4-Wire Cage Roller Frame, ¼" Shank		
257634	9" Heavy-Duty 5-Wire Cage Roller Frame, 15/16" Shank		
257635	6' – 12' Fiberglass/Stainless Steel Pole, Large Twist		
257636	8' - 16' Fiberglass/Stainless Steel Pole, Large Twist		
257637	5' Wood Pole with Threaded Tip, 1/16" Diameter		
257638	5' Wood Tapered Extension Pole, 11/4" Diameter		



## Drywall Tools

257631

- Blue Steel Drywall Knives: textured, contoured, one-piece polypropylene handle
- Black & Silver Flex Joint Knives: durable nylon handle, full-tang blade
- Drywall/Masonry Trowels: one-piece, hardened, high-carbon steel blade
- Compound Mixers: Item# 319203 for 1- to 5-gallon containers

	need for pre-plastering, worrt
	blister or bubble
	<ul> <li>Hawks: grooved, lightweight</li> </ul>
2	aluminum blade keeps compound
	from slipping
	Jah Saw: double-ground

Item# 319202 for 5- to 55-gallon

Self-Adhesive Tape: eliminates

need for are alestering wan't

high-carbon steel teeth cut in both directions (pushing and pulling)

1-10 3-	gamon contamers	1	
Item#	Size	Item#	Size
Drywall Knives, Blue Steel:		Compound Mixers:	
319204	6*	319203	19", Mudslinger, 1"/"D
319205	8"	319202	28", Power Driven
319206	10"	Drywall	Tape/Tapers:
319207	12"	Self-Adh	nesive, Fiberglass Joint
319208	14"	Tape:	
Flex Join	nt Knives, Black & Silver":	319214	2" x 150"
<b>High Car</b>	bon Steel:	319215	2" x 500"
319225	4"	Taper:	
319227	5*	319216	MAXXGRIP® Quick Load
319228	6"	Mud Par	ns:
319229	10"	319217	12", Plastic
<b>Stainles</b>	s Steel:	319219	12", Metal Edge
319230	4"	Masonry	y/Drywall Hawk:
319240	5*	319220	10"
319241	6"	319221	13"
Drywall,	Masonry Trowels:	Drywall	Jab Saw:
319210	4.5" x 11", Flat	319223	MAXXGRIP® Pro Saw
319211	4" x 12", Flat	Drywall	Screw Adapter:
319212	4" x 14", MAXXGRIP"	319222	Adapter Bit

▲ WARNING: Cancer and Reproductive Harm—www.P65Warnings.ca.gov



## Purdy Spackling Compound

Item#

- Lightweight, pre-mixed
- Non-shrinking/non-cracking

Description

- Paintable in 30 minutes

- · Ideal for indoor and outdoor use

Item# Size

Item# Size

31496 1 Pint

31497 1 Quart

6 per case.

## Paint Brushes

 Poly/Nylon: blend of tapered nylon and polyester

filament Varnish Polyester 257660

and Angular Sash:



deluxe black and gold polyester filament brush with silver ferrule, and bare wood handle

- Varnish: silver ferrule and bare wood handle
- · Good for all paints and enamels
- . Chip Brush: 100% white china bristle with wood handle
- · Ideal for use with all paints

## Item# Description

## Poly/Nylon:

257640 3' Professional Flat Sash

257641 11/2 Professional Angle Sash 257642 2" Professional Angle Sash

257643 21/2" Professional Angle Sash 257644 3° Professional Flat Angle

Varnish Polyester:

257645 2°

257647 21/2"

257648 4"

Angular Sash:


257649 11/2" Poly Brush/Long Handle 257650 2" Poly Brush/Long Handle


## Varnish: 257651 2" Black China Bristle Brush 257652 3" Black China Bristle Brush Chip Brush: 257653 1/2" White Bristle 257654 1" White Bristle 257655 11/2" White Bristle 257656 2" White Bristle 257657 21h White Bristle 257658 3" White Bristle 257660 4" White Bristle Thick

257659 4" White Bristle Double Thick

## Markal Industrial Markers

. B Paintstiks: great on any material, surface, or texture








Item#	Description	Please Specify Color		
Marke	ers:			
10314	B Paintstik®	Black (BK), Red (RD), White (WE), Yellow (YW)		
10320	F Paintstik®	Blue (BE), Green (GN), Orange (OE), Pink (PK), Red (RD), Yellow (YW)		
10327	Lumber Crayon #500	Black (BK), Blue (BE), Red (RD), Yellow (YW)		
10332	China Markers	Black (BK), Red (RD), White (WE)		(RD), White (WE)
Item#	Description		Item#	Description
Carpe	nter Pencils:		10337	Medium Lead
10338	Soft Lead		10336	Hard Lead

Packaging information: Item# 10314-12 per box, 144 per case (one color); Item# 10320-12 per box, 72 per case (one color); Item# 10327-12 per box, 48 per case (one color); Item# 10332-72 per case (one color); Item#'s 10338, 10337, 10336-144 per case.

## Markal Industrial Markers

- · Liquid Paint: uses real paint, dries in 3 minutes
- · Wet Performance: permanent, fast-drying paint
- · Resists spreading when it comes in contact with water-based liquids
- All Weather® Marker: weather- and UV-resistant marker etches into polyurethane for long-lasting visibility



\*Please specify ink color, 12 per box.



## Digital Steel Caliper

- . Stainless steel, satin chrome-plated construction with 6" dial
- 3-way measuring-inside, outside, depth
- Features LCD display with automatic power off

Item#

234992

## (T CRESCENT Red End® Flat Lufkin Read Rule

- . Graduated to 1/16ths on both edges
- . 16" stud centers marked in red
- . 6' x 5/8"





## (CRESCENT **Lufkin** Hi-Viz®

## Measuring Tapes

Fiberglass Linear

Reel Tapes: non-conductive material is safe around electrical hazards

½° fiberglass blade w/wipe-clean plastic coating

 Steel Long Tapes: durable, abrasion-resistant blade

Smooth winding, corrosion-resistant drum w/easy open knob

Folding end hook/ring combination

Item#	Blade Length	Blade Width
Fiberglas	s Linear Reel Tapes:	
10050	50'	¥2"
10051	100"	¥2"
10052	150"	¥2"
10053	200'	¥2 <sup>*</sup>
10054	300'	¥2"
Steel Lon	g Tapes:	
10027	50'	3/8"
320506	100"	3/8"

204344

## (CRESCENT

All-Weather Markers

## **Lufkin** Measure Wheels

 Item# 204342: center line wheel assures increase balance and more accurate measurements

Gear-based measuring system

 Features heavy-duty counter reset, and easy-to-read non-glare counter

 Item# 204341: convenient, compact measuring wheel fits into standard size briefcase

 Wheel calibrated to counter – accurate for estimated measurements

Folded length–25°, extended length– 45½°

Item# 204344: gear-based measuring system

 Features collapsible handles, rigid rubber tread for balance and control over rough terrain

Tel Telegri telleni
Description
Professional 12" Metric Wheel
Professional Contractor Wheel, 12" Diameter
Center Line Pro Contractor Wheel, 111/2" Diameter

## REPLATABLE Measuring Wheels

 All-steel construction with 5-digit ratchet counter and convenient reset knob

Standard Wheel w/Stand: keeps wheel upright when not in use

Item#	Counter Description	Capacity	Mfg. Model#
Measur	re Mastere:		
10042	Single Wheel	10,000	RT104
10043	Dual Wheel	10,000	RT204
10044	Expanded Wheel	10,000	RT312
Profess	ional Series:		
16462	Standard Wheel w/Stand	100,000	300S

## Atlas® Double-Duty CRESCENT **Lufkin**\* Oil Gauging Tape

· Recessed beneath multiple layers of nickel and chrome electroplating for greater wear and corrosion resistance

· Tapes read right to left

Item#

204108 204109

204114

Frames include grounding strap

25

33"

EU.

Blade Length

Plumb bob sold separately Blade Width 1/2"

1/2"

1/,\*















220337

Screwdriver in

3-piece set

## Straight Jaw Tongue and Groove Pliers

- Rugged construction features PermaLock<sup>e</sup> fastener to eliminate nut and bolt failure
- High carbon steel with special rust prevention coating provides superior performance
- . Channellock Blue\* grips add comfort
- Patented reinforcing edge minimizes stress breakage
- · Right angle laser heat-treated teeth provide a better, long-lasting grip
- Item# 220343 includes: (1)–6.5", (1)–9.5", and (1)–12" straight jaw tongue and groove pliers, and (1)–6-in-1 professional multi-bit screwdriver

Item#	Description
220335	6.5' Straight Jaw
220336	9.5" Straight Jaw
220337	10" Straight Jaw
220340	12" Straight Jaw
220341	16.5" Straight Jaw
220343	3-Piece Plier Set w/6-in-1 Screwdriver





## Quick Adjust Klaw™ Tongue and Groove Pliers

- · Unique jaw design provides maximum torque
- Compact, narrow design with extended grips, and push button, quick ratchet feature
- Gripping surface with more specially hardened teeth for reduced wear and positive grip

Item#	Size	Item#	Size
300148	10°	300150	12



## XL Combination Slip Joint Pliers

- Jaws are milled with deep, sharp, lobster claw design that give two gripping areas with each position
- Features shear type cutter and exclusive flush fastener that allows pliers to lay flat in the work place and prevent snagging on tool belts/pouches
- Item# 219109: includes (1)—6" XL series pliers with grip,
   (1)—8" XL series pliers with grip, and (1)—10" XL pliers with grip

Item#	Size	Item#	Size	
219107	6"	219119	10"	
219112	8"	21910	3-Piece Set	



Locking Pliers



## • Features hardened jaws for more gripping power, and

- forged alloy steel for maximum durability
- Torque Lock offers faster setup and easy release
- Curved jaw maximizes pressure points for any bolt, nut, or locking tool application

and the second s
Size
11/4"
1*
2"



# Straight Tongue and Groove Plier Set

- Straight jaw pliers with exposed metal handles and precision ground plier head are ideal for reaming pipe and punching electrical knock outs
- . Teeth are hardened for reliable grip over the life of the tool
- Slim profile overmolded comfort grips won't peel under jobsite conditions
- Includes (1)–6" plier and (1)–10" plier

Item#

251111



- · Rugged polished heads
- . Self-gripping hardened teeth provide a firm hold on pipes, nuts, or bolts
- Plastic coated handles assure comfortable use
- Multi-position adjustments accommodate a wide variety of materials
- · Alligator Pliers: unique jaw design eliminates nut-burring
- Cobra® Pliers: push-button adjustment retains setting for repetitive work
- 3-Piece Sets include: (1)-7", (1)-10", and (1)-12" plier

		Max. Working Capacities		
Item#	Length	For Pipes (dia.)	For Nuts (across flats)	
Alligate	or* Pliers:			
10662	7*	1"	1%	
10663	10°	134"	13/8"	
10664	12"	13/4"	17/8"	
Cobra®	Pliers:			
10665	7	1"	11/4"	
10666	10°	134	11/2"	
10667	12"	13/2"	17/8"	
10668	16"	2 1/2"	23/4"	
16958	22"	4"	45/8"	
Item#	Description			

3-Piece Sets:

222477 Cobra® Pliers Set 222479 Alligator Pliers Set

## \* KLEIN TOOLS Slip Joint Pliers

- Shear-type cutter with two versatile jaw positions for a wider range of openings
- · Serrated jaws provide sure gripping power
- Nickel-chrome plated for long life
- Plastic dipped handles for more comfortable grip
- Do NOT use to cut steel or ACSR

ltem#	Size	
300162	6*	
300164	8"	
300163	10"	



## IRWIN. VISE-GRIP

## Fast Release® Curved Jaw Locking Pliers




- · Constructed of high-grade, heat-treated alloy steel
- . Offers easy opening, no-pinch release and added finger room
- Curved jaw delivers maximum pressure on four points of any style nut or bolt

ltem#	Description
27861	10" w/11/4" Max Jaw Opening
27862	7" & 10" Combo Pack

## **Hand Tools**

## RIDGID Pipe Wrenches

 Iron Offset Wrenches: parallel jaw opening for confined space applications



Item#	Length	Capacity	 Item#	Length	Capacity
Iron:			Heavy	-Duty In	on Offset:
13702	10"	1 1/2"	13692	_	2"
13703	12"	2"	13693	18"	21/2"
13704	14"	2"	Alumi	num Off	set
13705	18"	242	16303	14"	2"
13706	24"	3"	16304	18"	21/2"
13707	36"	5"	Iron E	nd:	
13708	48"	6"	13697	12"	2"
Alumi	num:		13698	14"	2"
13710	10"	11/2	13699	18"	21/2
13711	12"	2"	Alumi	num End	1:
13712	14"	2"	16655	14"	2"
13713	18"	2 V2"	16656	18"	2 V2"
13714	24"	3"			
13715	36"	5*			
13716	48"	6"			



RIDGID





Pin Assembly

Pin Assembly

Pin Assembly

Iron Offset

Iron End

Aluminum

## Pipe Wrench Replacement Parts

Item#	Description	Item#	Description
For 14	"Wrench:	For 24'	Wrench:
13742	Heel Jaw &	13754	Heel Jaw &
	Pin Assembly	13756	Hook Jaw
13748	Hook Jaw	For 36'	Wrench:
For 18	"Wrench:	13757	Heel Jaw &
13750	Heel Jaw &	13758	Hook Jaw
	Pin Assembly	For 48'	Wrench:
13752	Hook Jaw	13759	Heel Jaw &

# (T CRESCENT

## Adjustable Wrenches

- Heat-treated alloy steel construction assures durability
- Tension spring stabilizes jaw and knurl adjusts easily
- · Chrome-plated finish resists rust and corrosion

Item#	Size	Item#	Size
207696	10°	207702	15"
207693	12"	207704	18"

## CRESCENT'12" Self-Adjusting Pipe Wrench

- Self-adjusting head design
- · Easy-to-use, one-hand operation
- Corrosion-resistant black oxide finish

## Item# 208033

## RIDGID Pipe Vises and Stands

- Bench Chain Vise: equipped with pipe rest, pipe bender, anchored crank handle, and neoprene-coated, toothless jaws
- . Tristand\* Chain Vise: integral legs and tray fold in to make carrying and setup easier
- Large vise base overhangs front legs for clear tool swing
- Bench Yoke Vise: hardened alloy steel jaws provide superior grip and long wear
- Durable iron yoke and with convenient pipe and bender

· Pipe Jack Stand: adjusts from 28" to 52"

Item#

13762

25865

13900

13763

13764

13928

Supports up to 2,500 ll

e iron yoke and base onvenient pipe rest inder ack Stand: s from 28" to 52" rts up to 2,500 lb.	13762	13763
Description	Pipe Capacity	Mfg. Model#
Bench Chain Vise	1/4"-6"	BC610
Portable Tristand® Chain Vise	1/8-21/2	425
Tristand® Chain Vise	1/8"-6"	460
Bench Yoke Vise	1/8"-2"	21
Bench Yoke Vise	1/8"-4"	25

12"

VJ99

Offset

## RIDGID Chain Wrenches

Pipe Jack Stand



· For use on round, square, or irregular shapes

Item#	Chain Length
13722	15%*
13724	203/4"
13725	29"

## Structural Adjustable Spud Wrenches



- · Square jaw opening ensures greater strength and better fit
- . Offset: openings are precision broached for proper fit
- Offset handle provides greater leverage and clearance for knuckles

Item#	Description	Length	Max. Capacity
9966	Adjustable	15"	11/2
16956	Offset	113/4"	3/4"
16957	Offset	191/2"	1 1/4"

# (TCRESCENT

## Adjustable Spud Wrench

- Tension spring stabilizes jaw, knurl adjusts easily
- Tapered tang
- Heat-treated, corrosion-resistant steel

ltem#	Jaw Oper
207672	1%*
207754	11/5"

## KLEIN TOOLS

## Adjustable Spud Wrench

- · Forged from select alloy steel
- Heat-treated for long life
- · Knurl turns smoothly for easy operation

Item#	Lengt
225524	101



## M18 FUEL™ Cordless 1/4" Hex Impact Driver Kit

- POWERSTATE" brushless motor provides 0-3000 RPM, 0-3,700 BPM, and 1,800 in. lb. fastening torque
- ONE-KEY" allows user to customize, track, and manage tools
- Kits include: impact driver, (2)–M18" REDLITHIUM" battery packs, multi-voltage charger, belt clip, bit holder, and carry case





Item#	Description	Battery	Mfg. Model#
317335	ONE-KEY" Kit	(2)-5.0Ah M18" XC5.0	2857-22
172606	Kit	(2)-2.0Ah M18" CP2.0	2753-22C
173413	Tool Only	-	2753-20



## M18<sup>™</sup> Cordless Compact Drill/Driver & Impact Driver Kit

- · 4-pole frameless motor features a robust design for longer life, more power, and more runtime
- ½" Drill/Driver: 0-400/0-1,800 RPM. 500 in. lb. peak torque
- ¼" Hex Impact Driver: 0-2,750 RPM; 0-3,450 IPM, 1,500 in. lb. torque
- Includes: drill/driver, impact driver, (2)–1.5Ah M18" REDLITHIUM" CP1.5 batteries, multi-voltage charger, belt clip, and contractor bag

Item#	Battery	Mfg. Model#
205001	(2)-1.5Ah M18" CP1.5	2691-22



## M12 FUEL™ Cordless 1/4" Hex Impact Driver Kit

- POWERSTATE" brushless motor delivers 0-1,300/0-2,400 RPM and 1,300 in. lb. fastening torque
- Kit includes: impact driver, (2)—2.0Ah M12 REDLITHIUM" CP2.0 battery packs, charger, belt clip, and carry case

MANUFACTURER WARRANTY


ltem#	Description	Battery	Mfg. Model#
264137	Kit	(2)-2.0Ah M12" CP2.0	2553-22
309695	Tool Only	_	2553-20



## M18 FUEL™ Cordless %" Hammer Drill/Driver Kit

- POWERSTATE<sup>®</sup> brushless motor delivers 0-550/0-2,000 RPM, 32,000 BPM and 1,200 in. lb. torque
- . ONE-KEY" offers the ability to customize, track, and manage tools
- Kits include: hammer drill/driver, (2)–5.0Ah M18" REDLITHIUM" XC5.0 extended capacity battery packs, multi-voltage charger, belt clip, bit holder, side handle, and carry case

MANUFACTURER WARRANTY 31733





## M12™ Cordless 3/1" Right Angle Drill/Driver Kit

- Compact and lightweight, delivers 0-800 RPM and 100 in. lb. torque
- Kit includes: drill/driver, 1.5Ah M12" REDLITHIUM" CP1.5 battery pack, charger, and carry case

MANUFACTURER WARRANTY

Item# Description Battery Mfg. Model# (1)-1.5Ah M12" CP1.5 2415-21

174051 Tool Only 2415-20



174050 Kit

MANUFACTURER WARRANTY

## 8 AMP 3/" Drill

0-2.800 RPM

 Equipped with keyless chuck, variable speed trigger, reverse, and 8' fixed cord

Item# Mfg. Model# 172735 0240-20

Compact size reduces fatigue

MANUFACTURER

174050



## 5.5 AMP % Magnum Drill

0-950 RPM

 Includes spare set of brushes, QUIK-LOK\* cord, chuck key with holder, and side handle

Item# Mfg. Model# 10528 0234-6



1/2" Drill/Driver Kit POWERSTATE brushless motor assures 0-550/0-2,000

RPM, and 1,200 in. lb. torque . ONE-KEY" offers the ability to customize, track, and manage tools

 Kits include: drill/driver. (2)-5.0Ah M18" REDLITHIUM" XC5.0 battery packs, multi-voltage charger, belt clip, bit holder, side handle, and carry case



Milwauker

Milwaukee

Item#	Description	Battery	Mfg. Model#
320823	ONE-KEY" Kit	(2)-5.0Ah M18" XC5.0	2805-22
172617	Kit	(2)-5.0Ah M18" XC5.0	2803-22
172983	Tool Only	-	2803-20

M18 FUEL™ Cordless





## M18 FUEL" "/" Cordless Friction Ring Impact Wrench Kits

 Equipped with POWERSTATE\* brushless motor delivers 0-2.500 RPM, 0-3,200 IPM, and 210 ft. lb. of fastening torque

 Includes: impact wrench with friction ring, (2)-2.0Ah M18" REDLITHIUM" CP2.0 battery packs,

multi-voltage charger, belt clip, and carry case

Item#	Battery	Mtg. Model#
250846	(2)-2.0Ah 18" CP2.0	2754-22CT



## M18 FUEL™ Cordless 1/4" Impact Wrench Kit

 POWERSTATE brushless motor delivers 0-2500 RPM. 0-3,200 IPM, and 220 ft. lb. fastening torque

 Kit includes: impact wrench, (2)–5.0Ah M18" REDLITHIUM XC5.0 battery packs, multi-voltage charger, belt clip, bit holder, PIN detent tool, and carry case



Item#	Description	Battery	Mfg. Model#
172592	Kit	(2)-5.0Ah M18" XC5.0	2755-22
173096	Tool Only	_	2755-20



## SHOCKWAVE™ Deep Well Impact Socket Sets

- Impact Duty sockets are engineered for fastening capabilities with all impacts
- 3/n" set includes: 5/ns", 3/n", 7/ns", 1/2", 3/ns", %", 11/1s", and 3/4"
- ½" set includes: ¾", ½", ½", ½", ½", ½". 11/16", 3/4", 7/6", and 1/4" hex to 1/2" square adapter



Item#	Description	Mfg. Model#	
200110	3/1" Drive Set	49-66-4419	
255089	1/2" Drive Set	49-66-4484	

MANUFACTURER WARRANTY

## FUEL™ Cordless 2-Tool Combo Kit

 POWERSTATE" brushless motor reduces noise and cools more rapidly

 ½" 18V hammer drill/driver: 0-550/0-2,000 RPM, 32,000 BPM, and 1,200 in. lb. peak torque

 ¼" 18V hex impact driver: 0-3,600 RPM. 0-4,300 IPM, and 2,000 in, lb, torque

ONE-KEY\* allows user to customize, track, and manage tools

 Kits include: hammer drill/driver, impact driver, (2)–5.0Ah M18" XC5.0 battery packs, multi-voltage charger, (2)-belt clips, (2)-bit holders, side handle, and carry case

Item#	Description	Battery	Mfg. Model#	
317236	ONE-KEY" Kit	(2)-5.0Ah M18" XC5.	2996-22	
172589	Kit	(2)-5.0Ah M18" XC5.0	2997-22	

# Milwaukee

## M12 FUEL™ Cordless %" Hammer Drill/Driver Kit

 POWERSTATE™ brushless motor delivers 0-450/0-1,700 RPM. 0-25,500 BPM, and 350 in. lb. peak torque

 Kit includes: hammer drill/driver, (1)-2.0Ah M12" REDLITHIUM" XC2.0 battery pack,

(1)-4.0Ah M12" XC4.0 battery pack, charger, belt clip, and case

MANUFACTURER WARRANTY

Milwaukee

Item#	Description	Battery	Mfg. Model#
172705	Kit	(1)-2.0Ah M12" XC2.0 &	
		(1)-4.0Ah M12" XC4.0	2504-22
172707	Tool Only	-	2504-20

## M18 FUEL™ "," High Torque Impact Wrench Kits

 Wrench w/pin detent provides 750 ft. lb. fastening torque and 1,100 ft. lb. nut busting torque

1,150/2,100/2,400/2,400 IPM and 0 to 950/1,500/ 1,800/1,800-750 RPM

 Kit includes: wrench with pin detent, (2)-5.0Ah M18" REDLITHIUM" XC5.0 extended capacity battery packs,


multi-voltage charger, and carry case

 Wrench w/friction ring delivers 1,000 ft. lb. fastening torque and 1,400 ft. lb. nut busting torque

MANUFACTURER WARRANTY

- 0-950/1,750/2,100/2,100 IPM and 0 to 550/1,400/1,750/1,750-750 RPM
- Kit includes: wrench with friction ring, (2)–5.0Ah M18" REDLITHIUM" XC5.0 extended capacity battery packs, multi-voltage charger, and carny case

curry	case		
Item#	Description	Battery	Mfg. Model#
250849	Kit w/Pin Detent	(2)-5.0Ah M18" XC5.0	2766-22
250848	Tool Only w/Pin Detent	_	2766-20
308537	Kit w/Friction Ring	(2)-5.0Ah M18" XC5.0	2767-22
271500	Tool Only w/Friction Ring	-	2767-20















## SAWZALL® 13 AMP Orbital Reciprocating Saw

Milwaukee

- 0-2,8500 SPM and a 1½" stroke
- QUIK-LOK" blade change
- Includes saw and impact-resistant storage case

Item#	Mfg. Model#	
172737	6520-21	





ilmaцкее

310217



## M18 FUEL™ Cordless Deep Cut Band Saws

- POWERSTATE" brushless motor delivers 0-380 SFPM and a 5" x 5" cut capacity
- Item# 172627 includes: saw. 5.0Ah M18" REDLITHIUM" XC5.0 battery pack, multi-voltage charger, blade, and carry case
- Item# 250765 includes: saw, (2)–5.0Ah M18" REDLITHIUM" XC5.0 battery packs, multi-voltage charger, blade, and carry case
- Item# 250764 includes: saw, (2)-9.0Ah M18" REDLITHIUM" HIGH DEMAND" HD9.0 battery packs, multi-voltage charger, blade, and carry case

Item#	Description	Battery	Mfg. Model#
172627	1-Battery Kit	(1)-5.0Ah M18" XC5.0	2729-21
250765	2-Battery Kit	(2)-5.0Ah M18" XC5.0	2729-22
250766	High Demand" Kit	(2)-9.0Ah M18" HD9.0	2729-22HD
250764	Tool Only	-	2729-20




Variable Speed Band Saw Kit

- . 0-380 SFPM, 5" x 5" cut capacity
- · Kit includes: saw, adjustable material guide, steel rear blade guard, adjustable, tool-free shoe, and carry case









# MANUFACTURER

## M18 FUEL SAWZALL Cordless Reciprocating Saws

- POWERSTATE brushless motor provides 0-3,000 SPM and a 11/6" stroke
- Item# 250929 includes: saw, (2)–9.0Ah M18" REDLITHIUM" HIGH DEMAND" HD9.0 battery packs, rapid charger, blade, and carrying case
- Item# 172606 includes: saw, 5.0Ah M18" REDLITHIUM" XC5.0 battery pack, M18" & M12" multi-voltage charger, blade, and carry case

Item#	Description	Battery	Mfg. Model#
250929	High Demand" Kit	(2)-9.0Ah M18" HD9.0	2720-22HD
172608	Kit	(1)-5.0Ah M18" XC5.0	2720-21
173093	Tool Only	-	2720-20

# Milwaukee

## M18 FUEL™ HACKZALL® Cordless Reciprocating Saw

 POWERSTATE™ brushless motor delivers 0-3,000 SPM and a 1/4" stroke

 Item# 310217 includes: saw, 5.0Ah M18" REDLITHIUM" XC5.0 battery pack, multi-voltage charger, blade, and contractor bag MANUFACTURER WARRANTY

. Item# 303094 includes: saw and blade

Item#	Description	Battery	Mfg. Model#
310217	Kit	(1)-5.0Ah M18" XC5.0	2719-21
303094	Tool Only	_	2719-20



## M18 FUEL™ Cordless D-Handle Jig Saw Kit

- POWERSTATE" brushless motor offers 0-3.500 SPM and a \" stroke
- Item# 319313 includes: saw, 5.0Ah M18" REDLITHIUM" XC5.0 battery pack, multi-voltage charger, anti-splinter guard, dust collection tube, dust cover, blade, hex wrench, shoe guard, and carrying case
- Item# 320825 includes: saw, anti-splinter guard. dust collection tube, dust cover, blade, hex wrench, and shoe guard



Cuts up to 105 linear feet per charge

MANUFACTURER WARRANTY

Item#	Description	Battery	Mfg. Model#
319313	Kit	(1)-5.0Ah M18" XC5.0	2737-21
320825	Tool Only	-	2737-20



## M12 FUEL™ HACKZALL® Cordless Reciprocating Saw

- POWERSTATE" brushless motor provides 0-3,000 SPM and a 1\" stroke
- Kit includes: saw, 4.0Ah M12" REDLITHIUM" XC4.0 battery pack. charger, multi-material blade, and contractor bag

tem#	Description	Battery	Mfg. Model#
172709	Kit	(1)-4.0Ah M12" XC4.0	2520-21XC
172710	Tool Only	-	2520-20



## 20V MAX\* Cordless 1/2" Compact Drill/Driver Kit

- 0-450/0-1,500 RPM, 300 UWO max power
- Includes: drill/driver, (2)–1.5Ah 20V MAX\* batteries, compact charger and contractor bag

Item#	Battery	Mfg. Model#
96837	(2)-1.5Ah 20V MAX*	DCD771C2

## 20V MAX\* XR Cordless 3/4" Compact Impact Wrench Kit

- 0-3,200 IPM, 0-2,800 RPM, and 150 ft. lb. max torque
- Kit includes: wrench. (2)-2.0Ah 20V MAX\* XR batteries, fast charger, belt clip, and tool bag



3 Year MANUFACTURER WARRANTY

ltem#	Description	Battery	Mfg. Model#
209379	Kit	(2)-2.0Ah 20V MAX* XR	DCF890M2
321084	Tool Only	_	DCF890B

## DEWALT

## 20V MAX\* XR Cordless High Torque 1/2" Impact Wrench Kit

 Brushless motor provides 2,400 IPM and 400/1200/1900 RPM, 700 ft. lb. max torque

 Kit includes: wrench with detent pin anvil. (2)-5.0Ah 20V MAX\* XR

MANUFACTURER WARRANTY batteries, fast charger, belt clip, and tool bag

tem#	Description	Battery	Mfg. Model#
200807	Kit	(2)-5.0Ah 20V MAX* XR	DCF899P2
309559	Tool Only	_	DCF899B

## Heavy-Duty 7.5 AMP 1/2" Impact Wrench Kit

- 2,100 RPM, 2,700 IPM, and 345 ft. lb. max torque
- Includes kit bag



Item#	Switch	Mfg. Model#
10461	Forward/Reverse Rocker	DW292K

## 20V MAX\* XR Cordless 1/2" Compact Drill/Driver Kit

- Brushless motor delivers 0-600/0-2,000 RPM, 360 UWO max power
- Includes: drill/driver, (2)-2.0Ah 20V MAX\* XR batteries, fast charger, on-board bit holder, belt hook, and kit box 3 KW MANUFACTURER



## DEW/ALT

Item#

96785

## 20V MAX\* Cordless 1/4" Quick Release Hex Impact Driver Kit

- 0-3,200 IPM, 0-2,800 RPM, and 117 ft. lb. max torque
- Includes: impact driver, 1.5Ah 20V MAX\* battery, fast charger, and tool bag



Item#	Battery	Mfg. Model#
263678	(1)-1.5Ah 20V MAX*	DCF885C1

## DEWALT 20V MAX\* Cordless 3/4" Right Angle Drill/Driver Kit

0-650/0-2000 RPM

- Item# 191774 includes: drill/driver, 1.5Ah 20V MAX\* battery pack, fast charger, belt hook, 2" Phillips tip bit, and kit box
- Item# 304644 includes: drill/driver, belt hook, and 2' Phillips tip bit



191774

Item#	Description	Battery	Mfg. Model#
191774	Kit	(1)-1.5Ah 20V MAX*	DCD740C1
304644	Tool Only	_	DCD740B



## Heavy-Duty VSR Pistol Grip Drills


- VSR adds versatility in drilling and fastening applications
- Item# 321088: 8.0 AMP, %" keyless chuck, 0-2,500 RPM
- Item# 32276: 7.8 AMP, 1/2" keyed chuck, 0-1,250 RPM

Description	Switch	Mfg. Model#
Keyless	2-Finger Trigger	DWD112 DW235G
		Keyless 2-Finger Trigger


## 6.3 AMP VSR Drywall Scrugun

 Handles up to #8 fastener size, 0-4,000 RPM, 81 in, lb, torque

32274



2-Finger Trigger





### Power Tools

# 20V MAX\* Cordless Reciprocating Saw Kit

 Variable speed trigger provides blade control for precision cuts

1½\* stroke, 0-3,000 SPM

 Includes: reciprocating saw, 5.0Ah 20V MAX\* XR" battery pack, charger, and kit box

Item#	Description	Battery	Mfg. Model#
274454	Kit	(1)-5.0Ah 20V MAX* XR°	DCS380P1
232758	Tool Only	-	DCS380B

# Reciprocating Saw Kits

Lever action keyless blade clamp

• 12 AMP: 4-position blade clamp allows flush cutting





10464

MANUFACTURER WARRANTY

13.0 AMP: counter-balance mechanism minimizes vibration

Features orbital action and adjustable shoe

Item#	AMP	SPM	Stroke Length	Mfg. Model#
17352	12.0	0-2,900	11/6"	DWE305
10464	13.0	0-2,700	11/6"	DW311K

# 20V MAX\* XR\* Cordless Band Saw Kit

• 21/2" max cut capacity, 570 FPM

 Item# 234947 includes: saw, 5.0Ah 20V MAX\* XR® battery pack, fast charger, blade tracking wrench, 14/18 TPI blade, and kit bag

 Item# 321068 includes: saw. blade tracking wrench, and 14/18 TPI blade



tem#	Description	Battery	Mfg. Model#
234947	Kit	(1)-5.0Ah 20V MAX* XR°	DCS371P1
321068	Tool Only	-	DCS371B
6366	18 TPI Blades 3/Pag	ck –	DW3983C

# 20V MAX\* XR° Cordless 5" Random Orbital Sander Kit

 Brushless motor with variable speed 8,000-12,000 OPM

 Replaceable 8-hole hook-and-loop sanding pad

 Includes: sander, 5.0Ah 20V MAX\* XR® battery pack, multi-voltage charger, dust bag, and carry bag



Item#	Description	Battery	Mfg. Model#	
321100	Kit	(1)-5.0Ah 20V MAX* XR*	DCW210P1	
321071	Tool Only	_	DCW210B	

# DAWALT 15 AMP 12" Double Bevel Compound Miter Saw

 3,800 RPM, bevels to left and right 0°-48°, positive stops at 0°, 33.9°, 45°, and 48° both left and right, allowing the saw to flip

· Includes: saw, carbide blade, dust bag, and blade wrench

Item# Mfg. Model# 23377 DW716

MANUFACTURER WARRANTY



# DEWALT 15 AMP 7%"

# 3 Your MANUFACTURER WARRANTY Lightweight Circular Saw Kit

 2<sup>9</sup>/<sub>16</sub>\* max cut depth, 57° bevel with stops at 45° and 22.5°, 1,950 max watts out

 Item# 6262 includes: saw, carbide tipped blade. blade wrench, and contractor bag

Item# 6260 includes: saw, carbide tipped blade, and blade wrench

tem#	Description	Mfg. Model#
6262	Saw w/Brake Kit	DWE575SB
6260	Tool Only	DWE575

# DEWALT 20V MAX\*

# 3 Year MANUFACTURER WARRANTY

# Cordless 71/4" Circular Saw

 Brushless motor provides 5,500 RPM, 2% max cutting capacity

Includes: saw, blade, wrench, and rafter hook

Battery and charger not included

Bevel Mfg. Model# Item# 309577 57°


# DEWALT 20V MAX\* XR® Cordless Oscillating Multi-Tool Kit

· Brushless motor delivers up to 57% more run time, 0-20,000 OPM, 1.6° oscillating angle

 Item# 309671 includes: multi-tool. 2.0Ah 20V MAX\* XR" battery pack. charger, 28-piece accessory pack. oscillating tool guide system, wood with nails blade, sanding pad,

(25)-sheets sand paper, universal accessory adapter, accessory storage box, and contractor bag

· Item# 192860 includes: multi-tool, 3-piece accessory pack, wood with nails blade, fast-cut wood blade, and universal accessory adapter





WARRANTY

# FlexVolt® 60V MAX\* Cordless 9" Cut-Off Saw Kit

- Brushless motor, 600 RPM, 3¼\* max cut depth, ¾\* arbor
- Dual-sided water feed for OSHA compliance
- Item# 313730 includes: saw, (2)—9.0Ah FlexVolt® 20V/60V MAX\* battery packs, fast charger, cutting wheel, and diamond cutting wheel
- Item# 321072 includes: saw, cutting wheel, and diamond cutting wheel

Item#	Description	Battery	Mfg. Model#
313730	Kit	(2)-9.0Ah FlexVolt® 20V/60V MAX*	DCS690X2
321072	Tool Only	-	DCS690B
321102	Diamond Cutting Wheel	-	DWAFV8900







# BENERATORS Economy Series Generators

- Digital Auto Voltage Regulator (DAVR) maintains voltage stability, optimizing and protecting the equipment you're powering
- Item# 31696 is equipped with a 20A 125V duplex receptacle, a 30A 125V locking. plug, and a 20A 125/250V locking plug
- Item#'s 31697 and 176997 include a 20A 125V duplex receptacle, a 30A 125V locking plug, and a 30A 125/250V locking plug

#### All Honda Economy Series Generators are equipped with:

- . Single cylinder, air-cooled OHV engine
- Oil Alert® system shuts engine down if oil reaches unsafe operating level
- · Gasoline-powered for cleaner and virtually smoke-free performance
- Centralized controls offer easier use
   Electronic DCDI ignition
- Fuel gauge 120/240V selector switch 20A circuit protection

Item#	Watts	Mfg. Model#
31696	4000	EG4000CL
31697	5000	EG5000CL
176997	6500	EG6500CL1



Specifications	Item# 31696	Item# 31697	Item# 176997
Rated Watts	3,600	4,500	5,500
AC/DC Output	120/240V	120/240V	120/240V
Fuel Tank	6.3 gal.	6.3 gal.	6.3 gal.
Displacement	270 cc	389 cc	389 cc
Run Time @ Rated Load	15.7 Hrs.	11 Hrs.	10 Hrs.
Noise Level @ Rated Load	72 dB	73 dB	74 dB

# HONDA Super Quiet Generators

All Honda Super Quiet Series Generators are equipped with: • Inverter technology

- 4-stroke overhead valve engine EcoThrottle\* Oil Alert\* system Circuit breaker protection
- USDA-qualified spark arrester/muffler Item# 278115: features 20A 125V locking plug and 20A 125V receptacle • Parallel Cable: doubles the power of 2 identical EU-Series generators

Item#	Watts	Mfg. Model#	
278115	2200 w/GFCI	EB2200ITA	
23605	3000	F113000ie	

Item#	Watts	Mig. Model#		
278115	2200 w/GFCI	EB2200ITA		
23605	3000	EU3000is		
176982	3000	Handi EU3000i		
176984	7000	EU7000is		

Item#	Description
24759	Parallel Cable 2000 Watt Models
24761	Parallel Cable for 3000 Watt Model

19948

3 Year Limited MANUFACTURER

CARE

**EPA** 

Umited MANUFACTURER

3 Year Limited MANUFACTURER

WARRANTY



23605

Reliable Honda generators keep your worksite up and running






Specifications	Item# 278115	Item# 23605	Item# 176982	Item# 176984
Rated Watts	2,200	2,800	2600	5,500
AC/DC Output	120V/12V	120V/12V	120V/12V	120V/12V
Fuel Tank	0.95 gal.	3.4 gal.	1.6 gal.	5.1 gal.
Displacement	121 cc	196 cc	163 cc	389 cc
Run Time @ Rated Load	3.2 Hrs.	7.2 Hrs.	3.5 Hrs.	6.5 Hrs.
Noise Level @ Rated Load	57 dB	58 dB	65 dB	60 dB



Features unique folding handle



# Industrial Series Generators



- Single cylinder, overhead valve, air-cooled engine
- Item# 19947 is equipped with (2)-20A 125V duplex receptacles, 30A 125V locking plug, and 20A 125/250V locking plug
- Item#'s 19948 and 19949 are equipped with (2)-20A 125V duplex receptacles, 30A 125V locking plug, and 30A 125/250V locking plug
- Item# 34171 is equipped with (2)-20A 125V duplex receptacles, 30A 125V locking plug, 30A 125/250V locking plug, and 50A 125/250V locking plug
- Item# 66019 is equipped with 20A 125V duplex receptacle and 30A 125V locking plug

#### All Honda Industrial Series Generators are equipped with:

- Honda OHV iGX engine Electronic ignition
- Oil Alert® system Circuit breaker protection
- . GFCI protection . Push button folding handle
- Fuel gauge Hanger and 2-wheel kit

assembly for easy transport . USDA-qualified spark arrester/muffler

Item#	Watts	Mfg. Model#
19947	4000	EB4000X
19948	5000	EB5000X
19949	6500	EB6500X
34171	10000	EB10000
66019	3000	EB3000C

Specifications	Item# 19947	Item# 19948	Item# 19949	Item# 34171	Item# 66019
Rated Watts	3,600	4,500	5,500	3,500	2,600
AC Output	120/240V	120/240V	120/240V	120/240V	120V
Fuel Tank	6.2 gal.	6.2 gal.	6.2 gal.	8.1 gal.	2.6 gal.
Displacement	270 cc	389 cc	389 cc	688 cc	196 cc
Run Time @ 1/2 Load	16 Hrs.	11.2 Hrs.	10.4 Hrs.	7.2 Hrs.	9.39 Hrs.
Noise Level @ Rated Load	71 dB	72 dB	73 dB	76 dB	68 dB
Auto Throttle®	Yes	Yes	Yes	Yes	No
CycloConverter <sup>™</sup>	No	No	No	No	Yes
iMonitor	No	No	No	Yes	No
DAVR	Yes	Yes	Yes	No	No









# KARCHER

Maintenance-Free... Requires No Lubrication

#### **Electric Pressure Washers**

- TruPressure™ ensures high level cleaning power
- Equipped with handy storage bin, pressurized hose reel, and universal quick-connect nozzles
- No-flat wheels and aluminum frame assure durability
- Item# 318719: patented induction motor is water-cooled to increase service life up to 5x
- . No tools needed for assembly

318716

#### 3 Year Limited MANUFACTURER WARRANTY

Item#	PSI
318717	1,700
318716	1,800
318715	1,900
318714	2,000
318719	2,000 Premium

These products are shipping directly from the manufacturer and do not qualify for free shipping.

MARNING: Cancer and Reproductive Harmwww.P65Warnings.ca.gov



## KARCHER

#### **Gasoline Pressure Washers**

- 196 cc engine assures reliable performance
- TruPressure™ delivers optimum cleaning power
- Equipped with ½ gal. removable detergent tank,
   (4)—spray nozzles, oversized 12° wheels, and on-board storage
- All-welded steel frame
- · No tools needed for assembly

#### 3 Year Limited MANUFACTURER WARRANTY

Item#	Engine	PSI
318713	KPS™ 196 cc	2,900
318711	KXS™ 196 cc	3,000
318710	KXS™ 196 cc	3,200

These products are shipping directly from the manufacturer and do not qualify for free shipping.

WARNING: Cancer and Reproductive Harmwww.P65Warnings.ca.gov



208930

# GENERAC Standard Pressure Washers

- Pro-grade triplex pump provides up to 4x longer life than axial cam pumps
- Powerful Generac OHV engine delivers maximum cleaning performance and reliability
- Oversized never-flat tires improve mobility on rugged terrain
- Steel-reinforced hose is durable and non-marring to eliminate floor scuffing
- Includes (5)—Quick-change nozzle tips

3 Year Limited MANUFACTURER WARRANTY



Item#	PSI	GPM	Displacemen
208930	3,100	2.8	212 cc
208931	3,600	2.6	212 cc
208933	4,200	4.0	420 cc

These products are shipped directly from the manufacturer.











# Speedwash™ Pressure Washers

- High performance brass head axial cam pump lasts up to 2x longer than aluminum head pumps
- PowerDial<sup>™</sup> spray gun has four application settings for optimal cleaning performance—car, wood deck, concrete, and soap
- Includes turbo nozzle, soap blaster, nozzle tips, and 30' ultra flex, non-kinking, non-marring hose

ltem#	PSI	GPM	Displacement
260294	2,900	2.4	196 cc
260296	3,200	2.7	196 cc

These products are shipped directly from the manufacturer.







5 Quick Connect Nozzle Tips

# GENERAC

#### **Belt Drive Pressure Washer**

- OHV engine assures powerful performance
- Heavy-duty belt drive triplex pump is longer-lasting than direct drive models
- . Brass fittings are designed for faster connections
- Oversized pneumatic wheels easily handle rugged jobsites
- Steel-reinforced hose is durable and non-marring
- Spray gun has stabilizing side handle, molded grip, and easy-pull trigger

Item# PS

260298 2,000-3,000

This product is shipped directly from the manufacturer.



### PRO Series™ Pressure Washers

 Commercial grade, single cylinder Vanguard" engine starts easily and features overhead valve



(OHV) technology to run cooler and last longer

- · Quickly and easily switches between four pre-defined spray patterns from pin-point to wide fan (0°, 15°, 25°, 40°) for precise cleaning, plus one cleaning solution spray tip
- Steel braided high pressure hose features quick-connect fittings to help you clean further and work faster on the job
- Equipped with thermal relief valve, never-go-flat wheels, (5)—spray nozzles, and 2.1 gal, fuel tank


Item#	PSI	GPM	Engine
238035	3,600	2.5	6.5 HP 205 cc
238038	3,700	4.2	13.0 HP 391 cc

These products are shipped directly from the manufacturer and do not qualify for free shipping.




# Commercial Grade Pressure Washers

11679



- Adjustable pressure adds versatility
- Back tilt design allows easier use
- Features low oil shutdown and steel gas tank for long-lasting durability
- Large 13" pneumatic tires let you move easily around the jobsite
- Separate mount unloader with bypass loop hose assures durability
- Includes: 50' high pressure steel braided hose, wand assembly, spray gun, and quick connect nozzles

Item#	Description	PSI	<b>GPM</b>	Engine
11677	Powder-Coated Steel	4,000	4.0	13 HP 389 cc Honda GX390
11679	Stainless Steel	4,000	4.0	13 HP 389 cc Honda GX390
These	products are shipped	direct	y from	the manufacturer.



- . Item# 184587: 22 mm gun and hose kit features split lance with Vari nozzle
- Includes 25' hose
- . Item# 23423: spray wand assembly has molded grip to increase
- Includes 36" lance with quick disconnect couplers

Item#	Description
184587*	Gun and 25' Hose Kit
23423	Gun and 36" Wand Assembly
	duct is shipped directly from the manufacturer and does not or free shipping.

### **Pressure Washers**

Tilt back


frame





# Standard Duty


Gasoline Pressure Washer



- . Fully adjustable pressure is great for a variety of uses around the jobsite
- Powder-coated steel frame with tilt-back design allows easier use
- Anti-vibration rubber foot delivers outstanding durability
- 10 tubed pneumatic tires assure easier maneuverability
- Includes: 25' steel wire braided hose, spray gun with 36' lance, and (4)-quick connect spray tips

Item#	PSI	GPM	Engine	
23955	2,700	2.3	5.0 HP GC160	_

This product is shipped directly from the manufacturer.



### VEILER Vehicle Wash Brushes

- · Foam blocks are lighter in weight, assuring easier use
- · Item#'s 31762, 31764, and 31765 are equipped with a protective bumper, polystyrene bristles, and two handle holes for added versatility
- Item# 31763 features polyurethane bristles
- Bi-level brushes are designed to keep contact with surface, delivering more effective cleaning

Item#	Description
31762	Vehicle Wash Brush
31763	Bi-Level Scrub Brush
31764	Bi-Level Multi-Surface Truck Brush
31765	Truck Wash Brush
31766	60° Handle

Item#'s 31762 and 31765-12 per case. Item#'s 31763 and 31764-6 per case.







 Durable hose allows quick. easy disconnects

23424

Ideal for commercial pressure washers

- M. BANIDT with fittings

Item#	Length	Item#	Length
184585*	100°	23424	50', Non-Marking
184586*	50'		


\*These products are shipped directly from the manufacturer and do not qualify for free shipping.

# **Tarps & Tie Downs**



# TARPS Blue Poly Tarp

- · High density, rip-resistant polyethylene material assures durability
- · Rugged, 8x8 weave count per square inch, 1000-denier
- Rustproof aluminum grommets are placed approximately 2' apart on each side and in each corner
- · Features rope-lined, heat-sealed seams
- · Waterproof, mildew, and rot-resistant to prolong service life
- UVI (ultra-violet inhibitor) treated to resist sun damage
- · Resists most chemicals





10 x 10 count weave. 3.1 oz. per square yard

# TARPS Weathermaster™ Brown/Green Poly Tarps

- · High density, waterproof polyethylene resists mildew, rips, and rot
- · Features plastic-reinforced corner guard for extra strength
- · Rust-proof aluminum grommets are spaced 2' across and in corners

ltem#	Size
32436	6' x 8'
32438	8° x 10°
32439	10' x 12'
32440	12' x 16'
32441	12' x 20'



14 x 14 count weave, 6 oz. per square yard

# Weathermaster™ Heavy-Duty Poly Tarps

- . Heavy-duty, 1000 denier polyethylene construction
- · Water-, mildew- and rot-proof tarps also resist UV
- Features rope-lined, heat-sealed seams for long-lasting use
- Rustproof grommets are placed every 18" and in corners

Item#	Size	
32431	8' x 10'	
32432	10' x 12'	
32433	12' x 16'	
32434	12' x 20'	
32435	16' x 24'	



## ARPS Camouflage Poly Tarp

- Rugged, 10 x 8 weave per square inch, 1000-denier construction
- · High density, rip-resistant polyethylene material with heat-sealed seams offers durability
- Rustproof aluminum grommets placed approximately 2' apart on side, and in each corner
- Features rope-lined, heat-sealed or double-hitched seams
- UVI (Ultra-violet inhibitor) treated to resist sun damage
- · Waterproof, mildew-, and rot-resistant

ltem#	Size
183875	8° x 10°
183973	10° x 12°
183974	12° x 20°



Thick, 12 oz. canvas

# Weathermaster™ Canvas Tarps

- · Durable tarps are constructed of high quality, single-filled cotton duck
- · Breathable material allows moisture to evaporate, preventing rot and rust forming on objects below tarp
- · Double-stitched seams and corners assure long-lasting use
- · Equipped with rust-proof grommets, placed approximately 2'-3' apart

Item#	Size	Item#	Size	
32426	8' x 10'	32428	12' x 16'	
32427	10' x 12'	32430	12' x 20'	



14 x 14 count weave, 6 oz. per square yard

# Weathermaster<sup>™</sup> Truck Tarps

- · Heavy-duty, double-coated polyethylene is waterproof, mildew-resistant, and rot-proof
- Durable construction includes 1" plated steel D-rings with reinforced nylon webbing every 2' around perimeter of tarp
- UV-Resistant
- ¾" rope is built in to edges with double-stitched seams
- Ideal for flat bed and dump trucks, trailers, and construction equipment

Item#	Size		
32423	10° x 12°		
32424	12' x 16'		
32425	12' x 24'		







# CinchTite™ Tarp Clip

- Tough nylon clip ties down tents, tarps, and awnings
- · Provides excellent grip and holding power
- · Easily repositioned as necessary

### Item#

#### 32442

4 per pack, 12 packs per case.





### Fire-Retardant Drainage Tarps

- . High-density, white woven polyethylene with double-stitched seams
- Super-strong 14 × 14 weave, 15 mil thickness
- . 1" D-ring with webbing in each corner
- Item#'s 321171 and 321172 have additional D-ring on each side
- Meets NFPA 701 Method II & Boston Fire Marshal Test BFD IX-1

Item#	Size	Item#	Size
321165	3' x 6'	321170	10° x 10°
321166	6' x 6'	321171	12° x 12°
321168	6' x 8'	321172	15' x 15'
321169	6' x 10'		















- . Bungee Cords: provide triple the pull tension and hook strength of other cords
- VersaStrap™ Adjustable Tie-Downs: easily adjust to the length you need

Item# Length	Item# Length
Rubber Straps:	Bungee Cords: (cont'd)
16225 14"	16221 32°
<b>16227</b> 19"	16222 40°
16229 24"	16223 48°
16230 35°	VersaStrap" Adjustable Tie-Downs:
Bungee Cords:	16232 24°
<b>16218</b> 18"	16233 34"
16219 24"	10 per pack.





# Tow Straps and Rope





- . Tow Strap and Rope: tow a stuck or disabled light truck or car
- Recovery Straps: webbing stretches up to 20% and then recoils to free a stuck or disabled vehicle from mud, sand, or snow
- Features looped ends

Item#	Size (W x L)	Working Load Limit	Breaking Strength
Emerge	ncy Tow Strap:		
16209	13/4" x 15"	5,000 lb.	10,000 lb.
Emerge	ncy Tow Rope:		
16210	5/8" x 13"	3,500 lb.	6,800 lb.
Vehicle	Recovery Strap	s:	
16212	2" x 20"	7,000 lb.	15,000 lb.
16213	3° x 30°	15,000 lb.	30,000 lb.











Tie-Down Hardware 16254

- . Mount on floor or wall to provide anchor point
- · Mounting bolts not included

Item# Description **Rated Capacity** Light Duty: 16254 11/2" Wire Ring (2 pack) 300 lb 16255 31/2" Recessed Surface Mount 1,200 lb. Heavy-Duty: 16256 47/16" Recessed Surface Mount 5,000 lb. 16257 33/8" Wire Ring 11,000 lb.

# MANUFACTURER WARRANTY

# bungee

### Easy Stretch Cords

- · Integrated nylon hooks are glass reinforced and won't scratch or gouge paint or surfaces
- · Can stretch up to twice its original length
- · All-year, all-weather cords are UV-, fuel-, and chemical-resistant

Item#	Length
321723	12"
321724	18"
321725	24"

Please specify color: Black (BK), Red (RD), or Safety Green (SYGN).

# bungee

# Loop End Bungee Cord

- Nylon hook integrated into one end, loop on the other
- · Nylon end won't scratch or gouge
- All-weather cord is UV-, fueland chemical-resistant

tem#	Length
204 700	0.01

**321728** 30°

Please specify color: Black (BK), Red (RD), or Safety Green (SYGN).

# bungee





# Fixed End Bungee Cord

- Premium cord features glass reinforced integrated nylon hook and integrated fixed end (clip hook)
- Won't scratch or gouge paint or surfaces
- Can stretch 2x its original length
- · All-weather, UV-, fuel- and chemical-resistant

tem#	Len
321731	12"
321732	18"
321733	24"

Please specify color: Black (BK), Red (RD), or Safety Green (SYGN).









### Grounds Maintenance

# Top Quality Tools Tackle Tough Outdoor Chores



# UnionTools. Construction Grade Tools

· All tools made with tempered steel blades and hardwood handles

Item#	Description	Handle
183951	Round Point Shovel	27" Power D-Top
183952	Round Point Shovel	48" Straight
183953	Square Point Shovel	27° Power D-Top
183976	Square Point Shovel	48" Straight
183954	14" Drain Spade	27° Poly D-Grip
183955	14-Tine Bow Rake	54° Straight

Durable rakes get the job done faster

# UnionTools

### Lawn Rakes

- · Poly Leaf Rakes: premium polypropylene tines retain their shape for longer use
- · Ribbed construction assures rigidity and
- North American hardwood handle provides added durability





Item#	Description	# Tines	Handle Length
183949	Poly Leaf Rake, 24"	24	48°
183950	Poly Leaf Rake, 30"	30	48°





#### Outdoor Tools

- . Heavy-duty blade designed with the professional in mind
- Built to withstand repeated use in the toughest conditions

Item#	Description	Handle Type and Length
218340	Round Point	Wood, D-Grip, 30°
218339	Square Point	Wood, D-Grip, 30°
318743	Round Point	Wood, Straight, 48"
318744	Square Point	Wood, Straight, 48"
160297	Round Point	Fiberglass, Straight, 48*
160298	Square Point	Fiberglass, Straight, 48*



· Ideal for lawn and garden, farm chores, snow removal, and more Rlade

Item#	Material	Size	Handle Length and Type
True Te	mper*:		
218380	Poly	#12	28" Hardwood, D-Grip
218338	Aluminum	#12	26" Hardwood, D-Grip
Razorba	ck*:		
160304	Steel	#2	58¾* Hardwood, Straight
318163	Aluminum	11" x 13.5"	46" Hardwood, Straight

# Unlor

 Arctic Blast Poly and Arctic Blast Aluminum Sho quick-connect system allow quick, easy handle attachn

· Extra-wide "D"-grip comfo accommodates gloved han

 Arctic Blast Poly Shovels: heavy-duty polyethylene is durable and long-lasting

 Item# 23946: steel wear strip extends blade life

 Ice Scraper: welded shank adds strength and durability

n <i>Tools.</i> lovels	▽	,	7
ovels: ws ment ortably nds	29310	29312	23945
k W			

Item#	Description	Handle Length
Arctic B	last Poly Shovels:	
29310	18" Shovel	30"
29312	24" Snow Pusher	30"
Arctic B	last Aluminum Shovels:	
23945	18" Shovel	311/2"
23946	24" Snow Pusher w/Wear Strip	28"
Ice Scra	per:	
160296	7" x 4" Blade	48"

# Jackson

#### Wheelbarrows

 Item#'s 17684 and 26263: all-steel cross-strips offer lateral strength and stability

. "H" brace assures strong lock between the legs

· Item# 31554: ergonomic, P-shaped

grip design, stainless steel tray, and 16-gauge steel handles Professional grade steel undercarriage and leg stabilizers help

prevent tipping Item# Description Capacity 17684 Steel Contractor 6 cu. ft. 31554 Total Control" Pro M6 6 cu. ft. 26263 Steel Handle Contractor 6 cu. ft. 29308 8° Flat-Free Replacement Wheel and Tire Assembly






### Litter Collection Tools

Nifty Nabber Trigger Grip: all-purpose lightweight grabber

- · Litter Pin: lightweight steel body with replaceable pin
- · Nifty Nabber Pro: heavy-duty, rugged design grabber

Item#	Description	Item#
309277	Nifty Nabber <sup>®</sup> Trigger Grip	17700
	Litter Removal Grabber	17701
17699	Litter Pin, 42"	31114







**Grounds Maintenance** 

# Professional Quality Tools for Great Looking Landscapes

Nifty Nabber® Pro Nifty Nabber® Bagger




Item#	Description	Gallon Capacity	Hose Length	Wand Length
14411	General Duty, Poly	3.0	60°	18"
14413	Heavy-Duty, Poly	3.0	36"	18
14417	Heavy-Duty, Steel	3.0	36"	18"
14414	Cleaner/Degreaser, Poly	2.0	42"	12"
212956	Industrial Cleaner/ Degreaser, Poly	.375	_	_
212958	Industrial Bleach, Poly	1.0	34"	12
23934	Industrial Concrete, Poly	3.0	36"	24"

Shop northernsafety.com for repair kits.

▲ WARNING: Cancer and Reproductive Harm— www.P65Warnings.ca.gov

# Milwaukee M18 FUEL™ Cordless String Trimmer

 Full-size head with metal reinforced bump knob holds more line



 Kit includes: (1)—string trimmer, (1)—M18" and M12" Rapid Charger, and (1)-M18" REDLITHIUM" HIGH DEMAND" 9.0 Battery Pack



314532

Item#	Description	Mfg. Model#
314532	String Trimmer Kit	2725-21HD
314530	String Trimmer, Only	2725-20
Accesso	ries:	
314664	Trimmer Line, 0.080" x 150"	49-16-2712
314663	Trimmer Line, 0.095" x 250"	49-16-2713
314660	Easy-Load Trimmer Head	49-16-2714
314665	Shoulder Strap, 9°	49-16-2722

### M18 FUEL™ Cordless Leaf Blower

· Lock-on button locks motor at full throttle, reducing hand fatigue

 Kit includes: (1)-blower, (1)-M18" REDLITHIUM" HIGH DEMAND"

9.0 Battery Pack, and (1)—Rapid Charger		
Item#	Description	Mfg. Model#
314526	Blower Kit	2724-21HD
239969	Blower, Only	2724-20



# EarthWay Professional Spreaders

- · Broadcast Spreaders: equipped with height adjustable handle with cushion grip, and rate setting control for easy, precise adjustments
- · Pneumatic tires offer smooth stability over rough terrain
- · Salt Deflector Kit: adjustable sides ensure salt goes only where you want it
- · Attaches to broadcast spreaders only, not for use with hand crank model
- . Item# 213788: evenly applies granular material and balances the spread pattern over the full 180° spread width
- For use with item# 213786

Item#	Description	Capacity
17695	Broadcast Spreader	50 lb.
17696	Broadcast Spreader	100 lb.
17698 213786 213788	Salt Deflector Kit for Broadcast Spreaders Broadcast Spreader w/High Output Tray Standard Output Tray and Shut-Off Kit	80 lb.

# M18 FUEL™ Cordless **Hedge Trimmer**

24" blade increases reach and productivity

3/4" cutting capacity, 3,400 SPM

 Kit includes: (1)-hedge trimmer. (1)-M18" REDLITHIUM" HIGH DEMAND" 9.0 Battery Pack, and (1)-M18" and M12" Rapid Charger

Item#	Description	Mfg. Model#
314535	Hedge Trimmer Kit	2726-21HD
314533	Hedge Trimmer, Only	2726-20

### M18 FUEL™ Cordless Chain Saw Kit

· Features variable speed trigger for full control, 16" Oregon bar and chain, and automatic oiler for proper chain **lubrication** 

 Kit includes: (1)—chain saw, (1)—16" Oregon bar and chain, (1)-scrench, (1)-M18" REDLITHIUM" HIGH OUTPUT" 12.0 Battery Pack, and (1)-M18" and M12" Rapid Charger







314535





	Item#	Description		
XT Heavyweight:				
	318027	Thumb Control, 10-Pattern		
	318026	Rear Trigger, Adjustable		
	318025	Rear Trigger, 7-Pattern		
	XT:			
	318030	Rear Trigger, 7-Pattern		
	318031	Rear Trigger, Adjustable		
	318028	Front Trigger, Adjustable		
	318029	Front Trigger, 8-Pattern		
	Specialt	y:		
	318054	Heavy-Duty Twist		
	318039	Heavy-Duty Metal		
	318032	Adjustable Mini Fireman's Nozzle		
	318038	Extreme Temperature		
	318033	Torrent, 7-Pattern		
	318037	Garden Hose Wand, 10-Pattern		
	<b>△WARN</b>	ING: Cancer and Reproductive Harm-		



# Jackson Premium Water Hoses

· Heavy-duty, crushproof, brass couplings stand up to rugged use

Item#	Size	Material	Color	Grade	Brand
23326	%" x 50"	PVC	Green	All Weather	Ames
16194	%" x 100"	PVC	Green	All Weather	Ames
16189	%" x 50"	PVC	Yellow/Blue	Medium Duty	Jackson
16192	%" x 100"	PVC	Yellow/Blue	Medium Duty	Jackson
16184	%" x 50"	PVC	Gray	Heavy Duty	Jackson
16187	% x 75	PVC	Gray	Heavy Duty	Jackson
26313	%" x 50"	Rubber	Red	Hot Water (160° F)	Jackson
26316	%" x 50"	Rubber	Black	Heavy Duty	Jackson

#### **Hose Reels**

· Wall Mount: side mount style reel provides a molded-in hose guide with 180° arc for easy roll-up

- . Holds up to 100' of hose
- · Features 4' leader hose with brass coupling
- · Convenient molded clip holds hose end or towel
- Mounts on 16" center
- Cart: heavy-duty steel construction holds up to 400° of 5/1° hose
- . Chrome handles with cushion grip allow comfortable use and mobility
- 10" pneumatic wheels assure easy maneuverability

# m melnor

## Garden Hose Valves



www.P65Warnings.ca.gov

318040 Control Valve 318041 2-Way Control Valve 318042 4-Way Control Valve

Metal:

Item#

318055 Faucet & Garden Hose Shut-Off Valve

318056 2-Way Connector Valve 318058 4-Way Connector Valve

# m melnor

### 1/4" Hose Menders and Quick **Connect Fittings**









318058

Item#	Description
318043	Female Hose Repair
318045	Male Hose Repair
318047	Hose Mender
318050	Metal Quick Connect Set, 2-piece
318051	Metal Female End Connector & Water Stop
318053	Metal Male Adapter, 2/pack

# mmelnor


31169

31168

### Water Sprinklers and Timers



· Easily select specific days of the week or every few days



318064 20-Nozzle Oscillating, Metal 318079 Oscillating w/Flow Control 318065 Pulsating w/Step Spike 318067 2-Stage Adjustable Rotary

Irrigation Timers:

318060 1-Zone Digital Timer 2-Zone Digital Timer 318061



318065



#### Accurate up to 20 ft.

#### Ergonomic trigger provides control, even with aloves on

 Ideal for outdoor workers around electric and power utilities, bridge and tower maintenance, warehouses, and other buildings

Item#	Size
85385	14 oz.



# Dymon \* The END. \*\* Wasp and Hornet Killer

Wasp and Hornet Killer

- Instant knockdown formula works up to 20 ft. away
- Effective on wasps, hornets, yellow jackets, and bees, as well as their nests
- Residual action keeps killing insects for long-lasting effectiveness
- Dielectric breakdown voltage is rated 40,700 volts

Item#	Size		
30705	20 oz.		

12 per case.

up to 10 ft

# Halt!® Dog Repellent

- Spraying dog's face causes temporary, but extreme discomfort, allowing you time to move out of danger
- · Contains capsaicin, a naturally occurring extract of peppers
- . Used by the US Postal Service for 30 years
- 1.5 oz. can
- Item# 14600: contains .35% capsaicin
- EPA Reg. No. 7754-37
- Item# 177937: contains 1% capsaicin
- EPA Reg. No. 7754-41

Item#	Description	Item#	Description	
14600	Halt!®	177937	Halt! II°	

# HARRIS.

#### Pest Control

- Bed Bug Killer: approved by the EPA to kill bed bugs and lice
- · Spray directly on mattresses and box springs to kill bugs on contact
- Odorless and non-staining

 Pest Control: kills numerous insects indoors or outdoors, including deer ticks

Helps Get Rid of Kills on contact Troublesome Insects · Non-staining, odorless

31536



# Bee Bopper II Wasp & Hornet Spray

- Spray nests from up to 20 ft. away
- . Kills flying insects out of the sky with no harm to the user
- · Ideal for telephone and utility workers
- · Dielectric breakdown voltage is rated 40,100 volts by ASTM test method D-877
- EPA Reg. No. 7754-44

#### Works Fast on Flying Insects

Item#	Size		
14599	14 oz.		
12 per	case.		



**Grounds Maintenance** 

### Pest Control

· Ant and Roach Killer: kills roaches, ants, water bugs, spiders, silverfish, and crickets on contact with no lingering odor

Sprays from up

to 20 ft. away

- · Residual action keeps killing bugs for up to four weeks
- Outdoor fresh scent
- Wasp and Hornet Killer: kills wasps, yellow jackets, mud daubers, bees, and hornets in seconds
- · Residual action kills hugs that return to the nest

Item#	Description S	
24997	Ant & Roach Killer	17.5 oz
24998	Wasp & Hornet Killer	14 oz.



12 per case.



# Pest Defense Mousetraps

- Item# 288918: easy to set and release after use fingers never touch rodent
- Durable ABS plastic and steel construction is easy to clean, and resists stains and odors
- · Pro-Ketch® and Ketch® All: durable, galvanized steel construction
- . No harmful chemicals, baits, or poisons
- Pro-Ketch\*: trap is always set, catches up to 15 mice without having to empty
- Ketch<sup>®</sup> All: catches up to 12 mice without having to empty trap
- Removable end plate and lid offer easy cleaning
- Item#'s 288915 and 288907: easy, safe, and sanitary
- · Multiple-catch trap helps control rats, snakes, mice, and insects 24-hours a day



288918 Snap-E<sup>®</sup> Pro-Ketch":

288911 Multiple Catch & Release, Metal Lid 288913 Multiple Catch & Release, Clear Lid

288914 Multiple Catch & Release, Metal Lid, Painted

288916 Steel Mousetrap Protector

Ketch-All:

31538

288904 Metal Lid, Multiple Catch & Release 288905 Multiple Catch & Release, Clear Lid

288906 Multiple Catch & Release, Metal Lid, Painted

Stick-All:

288915 Pre-Scented Mouse & Insect Glue Trap, Pack of 100

288907 Stick-All® Pre-Scented Mouse & Insect Glue Trap, Pack of 50



24997













Notes		



# TAKE ADVANTAGE OF OMNIA PARTNERS CONTRACT #R192007 TO RECEIVE GREAT DISCOUNTS!!

CALL OR EMAIL US TO GET A QUOTE AND AVAILABILITY

PHONE: (405) 230-7257

EMAIL: DAND@KNIGHTSAFETYANDINDUSTRIAL.COM